

University of Kentucky

UKnowledge

---

Center of Excellence in Rural Health Workforce  
Reports

Rural Health

---

2018

## The Need for Certified Diabetes Educators and Community Health Workers in Community-Based Diabetes Self-Management Education for High Risk Groups

Frances J. Feltner

*University of Kentucky*, frances.feltner@uky.edu

Sydney P. Thompson

*University of Kentucky*, sydney.thompson@uky.edu

Melissa Slone

*University of Kentucky*, melissa.stone@uky.edu

Follow this and additional works at: [https://uknowledge.uky.edu/ruralhealth\\_workforcereports](https://uknowledge.uky.edu/ruralhealth_workforcereports)



Part of the [Medicine and Health Sciences Commons](#)

**Right click to open a feedback form in a new tab to let us know how this document benefits you.**

---

### Repository Citation

Feltner, Frances J.; Thompson, Sydney P.; and Slone, Melissa, "The Need for Certified Diabetes Educators and Community Health Workers in Community-Based Diabetes Self-Management Education for High Risk Groups" (2018). *Center of Excellence in Rural Health Workforce Reports*. 5.

[https://uknowledge.uky.edu/ruralhealth\\_workforcereports/5](https://uknowledge.uky.edu/ruralhealth_workforcereports/5)

This Reports is brought to you for free and open access by the Rural Health at UKnowledge. It has been accepted for inclusion in Center of Excellence in Rural Health Workforce Reports by an authorized administrator of UKnowledge. For more information, please contact [UKnowledge@lsv.uky.edu](mailto:UKnowledge@lsv.uky.edu).

The Need for Certified Diabetes Educators and Community Health Workers in  
Community-Based Diabetes Self-Management Education for High Risk Groups

Frances Feltner, DNP, MSN, RN, FAAN  
Director

University of Kentucky Center of Excellence in Rural Health  
College of Medicine  
Assistant Professor, Family and Community Medicine  
Adjunct Faculty, UK College of Nursing  
Adjunct Faculty, UK College of Health Science

Sydney Thompson, MS  
Research Data Analyst


University of Kentucky Center of Excellence in Rural Health  
College of Medicine

Melissa Slone, MSW, CSW  
Research Inter-Disciplinary Director

University of Kentucky Center of Excellence in Rural Health  
College of Medicine

The number of Americans with diabetes is projected to double, or triple by 2050 according to the Center for Disease Control (CDC).<sup>1</sup> The CDC reports that as many as 1 in 3 U.S. adults could have diabetes by 2050, currently 1 in 10 U.S. adults has diabetes. Longer lifespans and an older, more diverse population are considered contributing factors for the current trend. Research shows that in spite of prevention efforts and medical advances, the prevalence of diabetes will increase by 54% between 2015 and 2030; annual deaths attributed to diabetes will climb by 38%; and total annual medical and societal costs related to diabetes will increase 53% by 2030.<sup>2</sup>


CDC scientists have identified a diabetes belt located mostly in the southern portion of the United States.<sup>3</sup> This diabetes belt consists of 644 counties in 15 states. Sixty-eight (68) of Kentucky's 120 counties are in this diabetes belt, which requires that  $\geq 11\%$  of adults aged  $\geq 20$  have been diagnosed as having type 2 diabetes.




Map retrieved from: <https://www.cdc.gov/diabetes/pdfs/data/diabetesbelt.pdf>

Kentucky counties contained in the diabetes belt are concentrated in the Eastern and South Central Kentucky counties, though the rates are high throughout most of the State. These rates of diabetes are highly correlated with rates of obesity and physical inactivity as shown in the maps below:


2013 Estimates of the Incident Rate per 1000 with Diagnosed Diabetes in Kentucky<sup>4</sup>




2013 Age-Adjusted Estimates of the Percentage of Adults with Diagnosed Diabetes in Kentucky<sup>4</sup>



2013 Age-Adjusted Estimates of the Percentage of Adults Who Are Obese in Kentucky<sup>4</sup>



### 2013 Age-Adjusted Estimates of the Percentage of Adults Who Are Physically Inactive in Kentucky<sup>4</sup>



Certified Diabetes Educators (CDEs) are a major resource for health campaigns to prevent type diabetes, delay its onset, and to lessen its serious negative health outcomes. Unfortunately, Kentucky has only 289 CDEs, and becoming a CDE is a long and arduous process. Further exacerbating this workforce problem is the mal-distribution of CDEs relative to the needs throughout Kentucky. Table 1 shows a much lower ratio of CDEs to adult diabetics in the 52 Non-Diabetes Belt Counties.

Category	Counties	Diabetics	CDEs	CDE to Diabetic Ratio
Diabetes Belt	68	146,811	86	1:1707
Non-Diabetes Belt	52	244,805	203	1:1206
Total	120	401,530	289	1:1389

Table 2 shows a similar problem, with a greater concentration of CDEs in Non-Rural Counties.

Category	Counties	Diabetics	CDEs	CDE to Diabetic Ratio
Rural Counties	85	193,850	125	1:1551
Non- Rural Counties	35	244,805	164	1:1493
Total	120	401,530	289	1:1389

Table 3 displays percentages of predictors for diabetes and the percentage of the population diagnosed with diabetes by diabetes belt counties and non-diabetes belt counties. Table 4 displays the same information broken down by rural and non-rural counties.

	Counties	Diabetes	Obesity	Physical Inactivity
Diabetes Belt	68	13%	34%	36%
Non-Diabetes Belt	52	11%	33%	32%

	Counties	Diabetes	Obesity	Physical Inactivity
Rural	85	13%	34%	35%
Non- Rural	35	12%	33%	31%

### Filling in the Gaps

Kentucky Homeplace Community Health Workers (CHWs) are trained to deliver basic health education, which includes being lay leaders for the Diabetes Self-Management Program (DSMP), and Chronic Disease Self-Management Program (CDSMP). In a 2011 study conducted within the Kentucky Homeplace Program, IDO (Improving Diabetes Outcomes) participants showed significant increases in feelings of empowerment, self-care skills, and diabetes knowledge after receiving an intervention provided by a nurse-led CHW.<sup>7</sup>

Community Health Workers continue to offer DSMP and CDSMP, as well as, Walk with Ease which targets individuals with arthritis. A chronic disease program locator map can be accessed at <https://ruralhealth.med.uky.edu/cerh-trainings>. Information on the trainer, contact information, dates and location of scheduled workshops can all be viewed by hovering over the X on counties with current trainings scheduled to begin or in process. Community Health Workers can enhance the services provided by CDEs, physicians, and other healthcare providers by delivering diabetes education and assisting in navigating the healthcare field.

### Data sources and References

1. Centers for Disease Control and Prevention (2010). Number of Americans with Diabetes Projected to Double or Triple by 2050. Retrieved from <https://www.cdc.gov/media/pressrel/2010/r101022.html>. Accessed on 11/21/2018.
2. Rowley, W.R., Bezold, C., Arkan, Y., Byrne, E., and Krohe, S. (2017). Diabetes 2030: insights from yesterday, today, and future trends. *Population Health Management*, V. 20:1. Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5278808/pdf/pop.2015.0181.pdf>. Accessed on 11/21/2018.

3. Centers for Disease Control and Prevention (2008). CDC Identifies Diabetes Belt. Retrieved from <https://www.cdc.gov/diabetes/pdfs/data/diabetesbelt.pdf>. Accessed on 9/24/2018.
4. Centers for Disease Control and Prevention (2013). Diabetes Data and Statistics – Interactive atlas. Retrieved from <https://www.cdc.gov/diabetes/atlas/countydata/atlas.html?detectflash=false>. Accessed on 9/24/2018.
5. Certified Diabetes Educators
  - a. <https://www.cdc.gov/diabetes/data/countydata/countydataindicators.html>
6. County Health Rankings (2013).
7. Feltner, F., Thompson, S. P., Baker, W. M., Slone, M. (2016). Community health workers improving diabetes outcomes in a rural Appalachian population. *Social Work in Health Care*, 56(2):1-9. doi:10.1080/00981389.2016.1263269