

University of Kentucky

UKnowledge

Ophthalmology and Visual Science Faculty
Patents

Ophthalmology and Visual Science

8-19-2004

Method of Inhibiting Alu RNA and Therapeutic Uses Thereof

Jayakrishna Ambati

University of Kentucky, jayakrishna.ambati@uky.edu

Follow this and additional works at: https://uknowledge.uky.edu/ophthalmology_patents



Part of the [Ophthalmology Commons](#)

Right click to open a feedback form in a new tab to let us know how this document benefits you.

Recommended Citation

Ambati, Jayakrishna, "Method of Inhibiting Alu RNA and Therapeutic Uses Thereof" (2004).

Ophthalmology and Visual Science Faculty Patents. 8.

https://uknowledge.uky.edu/ophthalmology_patents/8

This Patent is brought to you for free and open access by the Ophthalmology and Visual Science at UKnowledge. It has been accepted for inclusion in Ophthalmology and Visual Science Faculty Patents by an authorized administrator of UKnowledge. For more information, please contact UKnowledge@lsv.uky.edu.



US008809517B2

(12) **United States Patent**
Ambati(10) **Patent No.:** **US 8,809,517 B2**(45) **Date of Patent:** **Aug. 19, 2014**(54) **METHOD OF INHIBITING ALU RNA AND THERAPEUTIC USES THEREOF**(75) Inventor: **Jayakrishna Ambati**, Lexington, KY (US)(73) Assignee: **University of Kentucky Research Foundation**, Lexington, KY (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **13/701,450**(22) PCT Filed: **Jun. 1, 2011**(86) PCT No.: **PCT/US2011/038753**

§ 371 (c)(1),

(2), (4) Date: **Mar. 21, 2013**(87) PCT Pub. No.: **WO2011/153234**PCT Pub. Date: **Dec. 8, 2011**(65) **Prior Publication Data**

US 2013/0197207 A1 Aug. 1, 2013

Related U.S. Application Data

(60) Provisional application No. 61/396,747, filed on Jun. 1, 2010, provisional application No. 61/432,110, filed on Jan. 12, 2011, provisional application No. 61/432,948, filed on Jan. 14, 2011.

(51) **Int. Cl.****C07H 21/04** (2006.01)**C12N 15/11** (2006.01)**C12N 15/113** (2010.01)**C12Q 1/68** (2006.01)(52) **U.S. Cl.**CPC **C12N 15/113** (2013.01); **C12Q 2600/158** (2013.01); **C12Q 2600/136** (2013.01); **C12Q 1/6883** (2013.01)USPC **536/24.5**; **514/44 A**(58) **Field of Classification Search**

None

See application file for complete search history.

(56) **References Cited****U.S. PATENT DOCUMENTS**

2002/0162126	A1 *	10/2002	Beach et al.	800/8
2005/0136036	A1 *	6/2005	During et al.	424/93.2
2006/0228361	A1	10/2006	Mello	
2007/0031417	A2	2/2007	Mello	
2009/0017029	A1 *	1/2009	Hoh et al.	424/137.1

FOREIGN PATENT DOCUMENTS

WO	WO 0029622	A2 *	5/2000
WO	2005047477		4/2009
WO	WO 2009117513	A2 *	9/2009

OTHER PUBLICATIONS

Moolhuijzen et al, The transcript repeat element: the human Alu sequence as a component of gene networks influencing cancer, 2010, Funct Integr Genomics, 10: 307-319.*

Ferrara, N. Vascular endothelial growth factor and age-related macular degeneration: from basic science to therapy. Nat Med 16, 1107-1111 (2010).

Ambati, J., Ambati, B. K., Yoo, S. H., Ianchulev, S. & Adamis, A. P. Age-related macular degeneration: etiology, pathogenesis, and therapeutic strategies. Surv Ophthalmol 48, 257-293 (2003).

Bernstein, E., Caudy, A. A., Hammond, S. M. & Hannon, G. J. Role for a bidentate ribonuclease in the initiation step of RNA interference. Nature 409, 363-366 (2001).

Batzer, M. A. & Deininger, P. L. Alu repeats and human genomic diversity. Nat Rev Genet 3, 370-379 (2002).

Gregory, R. I. et al. The Microprocessor complex mediates the genesis of microRNAs. Nature 432, 235-240 (2004).

Liu, J. et al. Argonaute2 is the catalytic engine of mammalian RNAi. Science 305, 1437-1441 (2004).

Meister, G. et al. Human Argonaute2 mediates RNA cleavage targeted by miRNAs and siRNAs. Mol Cell 15, 185-197 (2004).

Wiesen, J. L. & Tomasi, T. B. Dicer is regulated by cellular stresses and interferons. Mol Immunol 46, 1222-1228 (2009).

Ambati, J. et al. An animal model of age-related macular degeneration in senescent Ccl-2- or Ccr-2-deficient mice. Nat Med 9, 1390-1397 (2003).

Takeda, A. et al. CCR3 is a target for age-related macular degeneration diagnosis and therapy. Nature 460, 225-230 (2009).

Hahn, P. et al. Disruption of ceruloplasmin and hephaestin in mice causes retinal iron overload and retinal degeneration with features of age-related macular degeneration. Proc Natl Acad Sci U S A 101, 13850-13855 (2004).

Harfe, B. D., McManus, M. T., Mansfield, J. H., Hornstein, E. & Tabin, C. J. The RNaseIII enzyme Dicer is required for morphogenesis but not patterning of the vertebrate limb. Proc Natl Acad Sci U S A 102, 10898-10903 (2005).

Iacovelli, J. et al. Generation of cre transgenic mice with postnatal RPE-specific ocular expression. Invest Ophthalmol Vis Sci, In press (2010).

Alexander, J. J. & Hauswirth, W. W. Adeno-associated viral vectors and the retina. Adv Exp Med Biol 613, 121-128 (2008).

Chong, M. M., Rasmussen, J. P., Rudensky, A. Y. & Littman, D. R. The RNaseIII enzyme Drosha is critical in T cells for preventing lethal inflammatory disease. J Exp Med 205, 2005-2017 (2008).

Yi, R. et al. DGCR8-dependent microRNA biogenesis is essential for skin development. Proc Natl Acad Sci U S A 106, 498-502 (2009).

(Continued)

Primary Examiner — Tracy Vivlemore*Assistant Examiner* — Kate Poliakova-Georgantas(74) *Attorney, Agent, or Firm* — Stites & Harbison PLLC; Mandy Wilson Decker(57) **ABSTRACT**

The presently-disclosed subject matter includes methods of identifying an Alu RNA inhibitor, and methods and compositions for inhibiting Alu RNA. Methods and compositions can be used for the treatment of geographic atrophy and other conditions of interest.

4 Claims, 25 Drawing Sheets

(56)

References Cited

OTHER PUBLICATIONS

- O'Carroll, D. et al. A Slicer-independent role for Argonaute 2 in hematopoiesis and the microRNA pathway. *Genes Dev* 21, 1999-2004 (2007).
- Chong, M. M. et al. Canonical and alternate functions of the microRNA biogenesis machinery. *Genes Dev* 24, 1951-1960 (2010).
- Babiarz, J. E., Ruby, J. G., Wang, Y., Bartel, D. P. & Blelloch, R. Mouse ES cells express endogenous shRNAs, siRNAs, and other Microprocessor-independent, Dicer-dependent small RNAs. *Genes Dev* 22, 2773-2785 (2008).
- Schaefer, A. et al. Argonaute 2 in dopamine 2 receptor-expressing neurons regulates cocaine addiction. *J Exp Med* 207, 1843-1851 (2010).
- Diederichs, S. & Haber, D. A. Dual role for argonautes in microRNA processing and posttranscriptional regulation of microRNA expression. *Cell* 131, 1097-1108 (2007).
- Kaneda, M., Tang, F., O'Carroll, D., Lao, K. & Surani, M. A. Essential role for Argonaute2 protein in mouse oogenesis. *Epigenetics Chromatin* 2, 9 (2009).
- Su, H., Trombly, M. I., Chen, J. & Wang, X. Essential and overlapping functions for mammalian Argonautes in microRNA silencing. *Genes Dev* 23, 304-317 (2009).
- Chendrimada, T. P. et al. TRBP recruits the Dicer complex to Ago2 for microRNA processing and gene silencing. *Nature* 436, 740-744 (2005).
- Cummins, J. M. et al. The colorectal microRNAome. *Proc Natl Acad Sci U S A* 103, 3687-3692 (2006).
- Schonborn, J. et al. Monoclonal antibodies to double-stranded RNA as probes of RNA structure in crude nucleic acid extracts. *Nucleic Acids Res* 19, 2993-3000 (1991).
- Kato, H. et al. Length-dependent recognition of double-stranded ribonucleic acids by retinoic acid-inducible gene-1 and melanoma differentiation-associated gene 5. *J Exp Med* 205, 1601-1610 (2008).
- Saleh, M. C. et al. The endocytic pathway mediates cell entry of dsRNA to induce RNAi silencing. *Nat Cell Biol* 8, 793-802 (2006).
- Yang, Z. et al. Toll-like receptor 3 and geographic atrophy in age-related macular degeneration. *N Engl J Med* 359, 1456-1463 (2008).
- Dunaief, J. L., Dentchev, T., Ying, G. S. & Milam, A. H. The role of apoptosis in age-related macular degeneration. *Arch Ophthalmol* 120, 1435-1442 (2002).
- Davis, T. H. et al. Conditional loss of Dicer disrupts cellular and tissue morphogenesis in the cortex and hippocampus. *J Neurosci* 28, 4322-4330 (2008).
- Damiani, D. et al. Dicer inactivation leads to progressive functional and structural degeneration of the mouse retina. *J Neurosci* 28, 4878-4887 (2008).
- Chen, J. F. et al. Targeted deletion of Dicer in the heart leads to dilated cardiomyopathy and heart failure. *Proc Natl Acad Sci U S A* 105, 2111-2116 (2008).
- Merritt, W. M. et al. Dicer, Drosha, and outcomes in patients with ovarian cancer. *N Engl J Med* 359, 2641-2650 (2008).
- Kumar, M. S. et al. Dicer1 functions as a haploinsufficient tumor suppressor. *Genes Dev* 23, 2700-2704 (2009).
- Hill, D. A. et al. DICER1 mutations in familial pleuropulmonary blastoma. *Science* 325, 965 (2009).
- Nicholls, R. D., Fischel-Ghodsian, N. & Higgs, D. R. Recombination at the human alpha-globin gene cluster: sequence features and topological constraints. *Cell* 49, 369-378 (1987).
- Nystrom-Lahti, M. et al. Founding mutations and Alu-mediated recombination in hereditary colon cancer. *Nat Med* 1, 1203-1206 (1995).
- Lehrman, M. A. et al. Mutation in LDL receptor: Alu-Alu recombination deletes exons encoding transmembrane and cytoplasmic domains. *Science* 227, 140-146 (1985).
- Lehrman, M. A., Goldstein, J. L., Russell, D. W. & Brown, M. S. Duplication of seven exons in LDL receptor gene caused by Alu-Alu recombination in a subject with familial hypercholesterolemia. *Cell* 48, 827-835 (1987).
- Wallace, M. R. et al. A de novo Alu insertion results in neurofibromatosis type 1. *Nature* 353, 864-866 (1991).
- Volpe, T. A. et al. Regulation of heterochromatic silencing and histone H3 lysine-9 methylation by RNAi. *Science* 297, 1833-1837 (2002).
- Hall, I. M. et al. Establishment and maintenance of a heterochromatin domain. *Science* 297, 2232-2237 (2002).
- Prades, C., Laurent, A. M., Puechberty, J., Yurov, Y. & Roizes, G. SINE and LINE within human centromeres. *J Mol Evol* 42, 37-43 (1996).
- Saito, Y. et al. Chromatin remodeling at Alu repeats by epigenetic treatment activates silenced microRNA-512-5p with downregulation of Mcl-1 in human gastric cancer cells. *Oncogene* 28, 2738-2744 (2009).
- Murchison, E. P., Partridge, J. F., Tam, O. H., Cheloufi, S. & Hannon, G. J. Characterization of Dicer-deficient murine embryonic stem cells. *Proc Natl Acad Sci U S A* 102, 12135-12140 (2005).
- Kanellopoulou, C. et al. Dicer-deficient mouse embryonic stem cells are defective in differentiation and centromeric silencing. *Genes Dev* 19, 489-501 (2005).
- Tam, O. H. et al. Pseudogene-derived small interfering RNAs regulate gene expression in mouse oocytes. *Nature* 453, 534-538 (2008).
- Watanabe, T. et al. Endogenous siRNAs from naturally formed dsRNAs regulate transcripts in mouse oocytes. *Nature* 453, 539-543 (2008).
- Nakagawa, A., Shi, Y., Kage-Nakadai, E., Mitani, S. & Xue, D. Caspase-dependent conversion of Dicer ribonuclease into a death-promoting deoxyribonuclease. *Science* 328, 327-334 (2010).
- Shaikh, T. H., Roy, A. M., Kim, J., Batzer, M. A. & Deininger, P. L. cDNAs derived from primary and small cytoplasmic Alu (scAlu) transcripts. *J Mol Biol* 271, 222-234 (1997).
- Sinnett, D., Richer, C., Deragon, J. M. & Labuda, D. Alu RNA transcripts in human embryonal carcinoma cells. Model of post-transcriptional selection of master sequences. *J Mol Biol* 226, 689-706 (1992).
- Rattner, A., Toulabi, L., Williams, J., Yu, H. & Nathans, J. The genomic response of the retinal pigment epithelium to light damage and retinal detachment. *J Neurosci* 28, 9880-9889 (2008).
- Huang, H. et al. Identification of mouse retinal genes differentially regulated by dim and bright cyclic light rearing. *Exp Eye Res* 80, 727-739 (2005).
- Natoli, R., Provis, J., Valter, K. & Stone, J. Gene regulation induced in the C57BL/6J mouse retina by hyperoxia: a temporal microarray study. *Mol Vis* 14, 1983-1994 (2008).
- Farjo, R., Peterson, W. M. & Naash, M. I. Expression profiling after retinal detachment and reattachment: a possible role for aquaporin-0. *Invest Ophthalmol Vis Sci* 49, 511-521 (2008).
- Livesey, F. J., Furukawa, T., Steffen, M. A., Church, G. M. & Cepko, C. L. Microarray analysis of the transcriptional network controlled by the photoreceptor homeobox gene *Crx*. *Curr Biol* 10, 301-310 (2000).
- Gehrig, A. et al. Genome-wide expression profiling of the retinoschisin-deficient retina in early postnatal mouse development. *Invest Ophthalmol Vis Sci* 48, 891-900 (2007).
- Hackam, A. S. et al. Identification of gene expression changes associated with the progression of retinal degeneration in the rd1 mouse. *Invest Ophthalmol Vis Sci* 45, 2929-2942 (2004).
- Punzo, C. & Cepko, C. Cellular responses to photoreceptor death in the rd1 mouse model of retinal degeneration. *Invest Ophthalmol Vis Sci* 48, 849-857 (2007).
- Schaeferhoff, K. et al. Induction of STAT3-related genes in fast degenerating cone photoreceptors of *cpfl1* mice. *Cell Mol Life Sci* 67, 3173-3186 (2010).
- Gelineau-van Waes, J. et al. Altered expression of the iron transporter *Nramp1* (*Slc11a1*) during fetal development of the retinal pigment epithelium in microphthalmia-associated transcription factor *Mitf*(*mi*) and *Mitf*(*vitiligo*) mouse mutants. *Exp Eye Res* 86, 419-433 (2008).
- Tian, J. et al. Advanced glycation endproduct-induced aging of the retinal pigment epithelium and choroid: a comprehensive transcriptional response. *Proc Natl Acad Sci U S A* 102, 11846-11851 (2005).

(56)

References Cited

OTHER PUBLICATIONS

Zacks, D. N., Han, Y., Zeng, Y. & Swaroop, A. Activation of signaling pathways and stress-response genes in an experimental model of retinal detachment. *Invest Ophthalmol Vis Sci* 47, 1691-1695 (2006).

Iacovelli J. et al. Generation of cre transgenic mice with postnatal RPE-specific ocular expression. *Invest Ophthalmol Vis Sci*, In press (2010).

Zhong, J., Peters, A. H., Lee, K. & Braun, R. E. A double-stranded RNA binding protein required for activation of repressed messages in mammalian germ cells. *Nat Genet* 22, 171-174 (1999).

Provost, P. et al. Ribonuclease activity and RNA binding of recombinant human Dicer. *EMBO J* 21, 5864-5874 (2002).

Bennett, E. A. et al. Active Alu retrotransposons in the human genome. *Genome Res* 18, 1875-1883 (2008).

Hagan, C. R., Sheffield, R. F. & Rudin, C. M. Human Alu element retrotransposition induced by genotoxic stress. *Nat Genet* 35, 219-220 (2003).

Misra, S., Tripathi, M. K. & Chaudhuri, G. Down-regulation of 7SL RNA expression and impairment of vesicular protein transport pathways by *Leishmania* infection of macrophages. *J Biol Chem* 280, 29364-29373 (2005).

Maan, S. et al. Rapid cDNA synthesis and sequencing techniques for the genetic study of bluetongue and other dsRNA viruses. *J Virol Methods* 143, 132-139 (2007).

Potgieter, A. C. et al. Improved strategies for sequence-independent amplification and sequencing of viral double-stranded RNA genomes. *J Gen Virol* 90, 1423-1432 (2009).

Kohany, O., Gentles, A. J., Hankus, L. & Jurka, J. Annotation, submission and screening of repetitive elements in Repbase: RepbaseSubmitter and Censor. *BMC Bioinformatics* 7, 474 (2006).

Altschul, S. F., Gish, W., Miller, W., Myers, E. W. & Lipman, D. J. Basic local alignment search tool. *J Mol Biol* 215, 403-410 (1990).

Allen, T. A., Von Kaenel, S., Goodrich, J. A. & Kugel, J. F. The SINE-encoded mouse B2 RNA represses mRNA transcription in response to heat shock. *Nat Struct Mol Biol* 11, 816-821 (2004).

Tripathi, M. K. & Chaudhuri, G. Down-regulation of UCRP and UBE2L6 in BRCA2 knocked-down human breast cells. *Biochem Biophys Res Commun* 328, 43-48 (2005).

Yang, P., Tyrrell, J., Han, I. & Jaffe, G. J. Expression and modulation of RPE cell membrane complement regulatory proteins. *Invest Ophthalmol Vis Sci* 50, 3473-3481 (2009).

Gu, et al., "Alu-directed transcriptional regulation of some novel miRNAs" *BMC Genomics*, Nov. 30, 2009, vol. 10, No. 563, Abstract and Figure 3.

NCBI GenBank Accession No. HSU67825, Aug. 1, 1997.

Moolhuijzen, et al., "The transcript repeat element: the human Alu sequence as a component of gene networks influencing cancer" *Funct. Integr. Genomics*, Apr. 15, 2010, vol. 10, pp. 307-319.

Hulme, et al., "Selective inhibition of Alu retrotransposition by APOBEC3G." *Gene*, Sep. 27, 2006, vol. 390, pp. 199-205.

Bogerd, et al., "Cellular inhibitors of long interspersed element 1 and Alu retrotransposition." *Proc. Natl. Acad. Sci US*, Jun. 6, 2006, vol. 103, No. 23, pp. 8780-8785.

Haneko, et al., "DICER1 deficit induces Alu RNA toxicity in age-related macular degeneration." *Nature*, Mar. 17, 2011, vol. 471, No. 7338, pp. 325-330.

* cited by examiner




FIG. 1




FIG. 1, Continued




FIG. 2





FIG. 3






FIG. 5





FIG. 6







FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30

1

METHOD OF INHIBITING ALU RNA AND THERAPEUTIC USES THEREOF

RELATED APPLICATIONS

This application claims priority from U.S. Provisional Application Ser. No. 61/396,747, filed on Jun. 1, 2010; U.S. Provisional Application Ser. No. 61/432,110, filed Jan. 12, 2011; and U.S. Provisional Application Ser. No. 61/432,948, filed Jan. 14, 2011. The entire disclosures of these applications are incorporated herein by this reference.

TECHNICAL FIELD

The presently-disclosed subject matter relates to uses of DICER overexpression and the inhibition of Alu RNA.

INTRODUCTION

Geographic atrophy, an advanced form of age-related macular degeneration that causes blindness in millions of people worldwide and for which there is no approved treatment, results from death of retinal pigmented epithelium (RPE) cells. As described herein the present inventors show that expression of DICER, an enzyme involved in microRNA (miRNA) biogenesis, is reduced in the RPE of human eyes with geographic atrophy, and that conditional ablation of Dicer1 induces RPE degeneration in mice. Surprisingly, ablation of seven other enzymes responsible for miRNA biogenesis or function does not induce such pathology. Instead, knockdown of DICER1 leads to accumulation of Alu repeat RNA in human RPE cells and of B1 and B2 (Alu-like elements) repeat RNAs in the RPE of mice.

Alu RNA is dramatically increased in the RPE of human eyes with geographic atrophy, and introduction of this pathological RNA induces death of human RPE cells and RPE degeneration in mice.

Antisense oligonucleotides targeting Alu/B1/B2 RNAs inhibit DICER1 depletion-induced RPE degeneration despite persistence of global miRNA downregulation. DICER1 degrades Alu RNA, and Alu RNA loses the ability to induce RPE degeneration in mice when digested by DICER1. These findings reveal a novel miRNA-independent cell survival function for DICER1 via degradation of retrotransposon transcripts, introduce the concept that Alu RNA can directly cause human pathology, and identify new molecular targets for treating a major cause of blindness.

Age-related macular degeneration (AMD), which is as prevalent as cancer in industrialized countries, is a leading cause of blindness worldwide. In contrast to the neovascular form of AMD, for which many approved treatments exist, the far more common atrophic form of AMD remains poorly understood and without effective clinical intervention. Extensive atrophy of the retinal pigment epithelium (RPE) leads to severe vision loss and is termed geographic atrophy, the pathogenesis of which is unclear. As described herein, the present inventors identify dysregulation of the RNase DICER1³ and the resulting accumulation of transcripts of Alu elements, the most common small interspersed repetitive elements in the human genome⁴, as a cause of geographic atrophy, and describe treatment strategies to inhibit this pathology in vivo.

SUMMARY

The presently-disclosed subject matter meets some or all of the needs identified herein, as will become evident to those of ordinary skill in the art after a study of information provided in this document.

2

This Summary describes several embodiments of the presently-disclosed subject matter, and in many cases lists variations and permutations of these embodiments. This Summary is merely exemplary of the numerous and varied embodiments. Mention of one or more representative features of a given embodiment is likewise exemplary. Such an embodiment can typically exist with or without the feature(s) mentioned; likewise, those features can be applied to other embodiments of the presently-disclosed subject matter, whether listed in this Summary or not. To avoid excessive repetition, this Summary does not list or suggest all possible combinations of such features.

In some embodiments, the presently-disclosed subject matter includes a method of identifying an Alu RNA inhibitor. The method can include providing a cell in culture wherein Alu RNA is upregulated; contacting the cell with a candidate compound; and determining whether the candidate compound results in a change in the Alu RNA. In some embodiments, the cell is an RPE cell. In some embodiments, the Alu RNA can be upregulated by decreasing native levels of DICER polypeptides in the cell. In some embodiments, the Alu RNA can be upregulated using heat shock stress. In some embodiments, the change in the Alu RNA is a measurable decrease in Alu RNA, said change being an indication that the candidate compound is an Alu RNA inhibitor.

In some embodiments, the presently-disclosed subject matter includes a method of treating geographic atrophy, including inhibiting Alu RNA associated with an RPE cell. In some embodiments, the presently-disclosed subject matter includes a method of protecting an RPE cell, including inhibiting Alu RNA associated with the RPE cell. In some embodiments, the RPE cell is of a subject having age-related macular degeneration.

In some embodiments, the presently-disclosed subject matter includes a method of treating a condition of interest, including inhibiting Alu RNA associated with a cell of a subject. In some embodiments, the condition of interest is selected from: geographic atrophy, dry age-related macular degeneration, thalassemia, familial hypercholesterolemia, Dent's disease, acute intermittent porphyria, anterior pituitary aplasia, Apert syndrome, Hemophilia A, Hemophilia B, glycerol kinase deficiency, autoimmune lymphoproliferative syndrome, X-linked agammaglobulinemia, X-linked severe combined immunodeficiency, adrenoleukodystrophy, Menkes disease, hyper-immunoglobulin M syndrome, retinal blinding, Type 1 anti-thrombin deficiency, Muckle-Wells syndrome, hypocalciuric hypercalcemia and hyperparathyroidism, cholinesterase deficiency, hereditary desmoid disease, chronic hemolytic anemia, cystic fibrosis, branchio-otorenal syndrome, lipoprotein lipase deficiency, CHARGE syndrome, Walker Warburg syndrome, Complement deficiency, Mucopolidosis type II, Breast cancer, ovarian cancer, prostate cancer, von Hippel Lindau disease, Hereditary non-polyposis colorectal cancer, multiple endocrine neoplasia type 1, hereditary diffuse gastric cancer, hepatoma, neurofibromatosis type 1, acute myeloid leukemia, T-acute lymphoblastic leukemia, and Ewing sarcoma.

In some embodiments of the methods of the presently disclosed subject matter including inhibiting Alu RNA associated with a cell, the inhibiting Alu RNA comprises increasing levels of a DICER polypeptide in the cell. In some embodiments, increasing levels of a DICER polypeptide comprises overexpressing the DICER polypeptide in the cells. In some embodiments, increasing levels of a DICER polypeptide comprises using a vector comprising a nucleotide encoding the DICER polypeptide. In some embodiments, the vector is a viral vector. In some embodiments, the

virus is selected from an adeno-associated virus, a lentivirus, and an adenovirus. In some embodiments, the vector is a plasmid vector. In some embodiments, the nucleotide encoding the DICER polypeptide is selected from SEQ ID NO: 7 and SEQ ID NO: 8. In some embodiments, the DICER polypeptide is selected from SEQ ID NO: 9, 10, 11, 12, 13, 14, 15, 16, 18, and 20. In some embodiments, the DICER polypeptide comprises a functional fragment of the sequence of SEQ ID NO: 9, 18, or 20. In some embodiments, the DICER polypeptide comprises the following amino acid residues of the polypeptide of SEQ ID NO: 9: 605-1922, 605-1912, 1666-1922, 1666-1912, 605-1786 and 1800-1922, 605-1786 and 1800-1912, 1666-1786 and 1800-1922, 1666-1786 and 1800-1912, 1276-1922, 1276-1912, 1276-1786 and 1800-1922, 1276-1786, 800-1912, 1275-1824, or 1276-1824.

In some embodiments of the methods of the presently disclosed subject matter including inhibiting Alu RNA associated with a cell, the inhibiting Alu RNA comprises increasing levels of a DICER polypeptide comprising using DICER mRNA or a functional fragment thereof. In some embodiments, the DICER mRNA has the sequence of SEQ ID NO: 17, 19, or 21. In some embodiments, the DICER mRNA encodes a DICER polypeptide, for example, the DICER polypeptide of SEQ ID NO: 9, 18, or 20, or a functional fragment thereof.

In some embodiments of the methods of the presently disclosed subject matter including inhibiting Alu RNA associated with a cell, the inhibiting Alu RNA comprises administering an oligonucleotide targeting Alu RNA. In some embodiments, the oligonucleotide has a sequence including a sequence selected from SEQ ID NO: 22, 23, 24, 25, and 26. In some embodiments, at least two oligonucleotides are administered. The presently-disclosed subject matter further includes an isolated oligonucleotide that inhibits the expression of Alu RNA, including a sequence selected from SEQ ID NO: 22, 23, 24, 25, and 26 and including about 29 to 100 nucleotides.

In some embodiments of the methods of the presently disclosed subject matter including inhibiting Alu RNA associated with a cell, the inhibiting Alu RNA comprises administering an siRNA targeting Alu RNA. In some embodiments, the siRNA includes a first strand having a sequence selected from SEQ ID NO: 1, 2, 3, 4, 5, and 6. The presently-disclosed subject matter further includes an isolated double-stranded RNA molecule that inhibits expression of Alu RNA, wherein a first strand of the double-stranded RNA comprises a sequence selected from SEQ ID NO: 1, 2, 3, 4, 5, and 6 and including about 19 to 25 nucleotides.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 DICER1 deficit in geographic atrophy induces RPE degeneration. a, DICER1 mRNA abundance, relative to 18S rRNA, monitored by real-time RT-PCR, was lower in the retinal pigmented epithelium (RPE) of human eyes with geographic atrophy (GA; n=10) compared to the RPE of normal human eyes without GA (n=11). P=0.004 by Mann Whitney U test. The abundance of DROSHA, DGCR8, and EIF2C2 (encoding AGO2) mRNA transcripts in the RPE was not significantly different (P>0.11 by Mann Whitney U test) in human eyes with geographic atrophy and control eyes. Transcript abundance quantified by real-time RT-PCR and normalized to 18S rRNA and to control eye levels. n=10-11. b, Relative quantification of DICER1 protein abundance, relative to Vinculin, assessed by Western blotting (Supplementary FIG. 1), was lower in the RPE of human eyes with geographic atrophy (GA; n=4) compared to the RPE of nor-

mal human eyes without GA (n=4). P=0.003 by Student t test. c, Immunohistochemistry for DICER1 (blue) showed reduced protein abundance in the RPE of human eyes with GA compared to normal eyes without GA. d, Fundus photographs show extensive RPE degeneration in BEST1 Cre; Dicer1^{fl/fl} mice but not in littermate control mice. e, Toluidine blue-stained sections show marked RPE degeneration in BEST1 Cre; Dicer1^{fl/fl} mice compared to normal RPE architecture in control mice. Arrowheads point to basal surface of RPE. f, Flat mounts of the RPE and choroid stained with antibodies against zonula occludens-1 (ZO-1; red) show marked disruption of the RPE monolayer architecture in BEST1 Cre; Dicer1^{fl/fl} mice compared to the uniformly tessellated RPE layer in littermate control mice. g, Fundus photographs show RPE degeneration in Dicer1^{fl/fl} mice following subretinal injection of AAV1-BEST1-Cre but not AAV1-BEST1-GFP. h, Toluidine blue-stained sections show marked degeneration of RPE and photoreceptor outer segments in Dicer1^{fl/fl} mice following subretinal injection of AAV1-BEST1-Cre but not AAV1-BEST1-GFP. i, Flat mounts show marked increase in RPE cell size and distortion of RPE cell shape in Dicer1^{fl/fl} mice following subretinal injection of AAV1-BEST1-Cre but not AAV1-BEST1-GFP. RPE cell borders outlined by ZO-1 staining (red). Nuclei stained blue with Hoechst 33342. Representative images shown. n=16-32 (d-f); 10-12 (g-i). Scale bars, (c, e, h), 10 μ m; (f, i) 20 μ m. j, Transfection of adenoviral vector coding for Cre recombinase (Ad-Cre) in RPE cells isolated from Dicer1^{fl/fl} mice resulted in loss of cell viability, as monitored by MTS assay at 7 days, compared to transfection with Ad-Null or untreated (no Tx) cells. k, Transfection of antisense oligonucleotide (as) targeting DICER1 into human RPE cells resulted in increasing loss of cell viability over time compared to scrambled sequence antisense (Ctrl as)-treated cells. n=6-8.

FIG. 2 Alu RNA accumulation in geographic atrophy triggered by DICER reduction. a, Immunohistochemistry with anti-double stranded RNA (dsRNA) antibody (J2) shows abundant accumulation of dsRNA (blue staining) in the retinal pigmented epithelium (RPE) of a human eye with geographic atrophy. b, Lack of immuno labeling with an isotype antibody in the same eye with geographic atrophy confirms specificity of dsRNA staining. c, d, dsRNA is immunolocalized (blue staining) in the RPE and sub-RPE deposits (drusen) of a human eye with geographic atrophy (c) but not in the RPE of a normal (control) eye (d). Scale bars, (a-d), 10 μ m. n=10 (a-d) e, PCR amplification of dsRNA immunoprecipitated by J2 antibody from RPE isolates from human eyes with geographic atrophy and normal eyes yielded amplicons with sequence homology to Alu sequences (Supplementary FIG. S7) in eyes with geographic atrophy but not in normal eyes. Water negative control (-) showed no amplification and positive control (+) recombinant dsRNA showed predicted amplicon. f, Alu RNA abundance, relative to 18S rRNA, monitored by real-time RT-PCR, was higher in the RPE of human eyes with geographic atrophy compared to the RPE of normal human eyes without GA (n=7). P<0.05 by Student t test. There was no significant difference in Alu RNA abundance in the neural retina of these two patient groups. Values normalized to relative abundance in normal eyes.

FIG. 3 DICER1 degrades Alu RNA. a, Transfection of antisense oligonucleotide (as) targeting DICER1 into human RPE cells induced a time-dependent increase in the abundance of Alu RNA transcripts. b, c, Transfection of adenoviral vector coding for Cre recombinase (Ad-Cre) into mouse RPE cells isolated from Dicer1^{fl/fl} mice increased, in the nucleus (b) and the cytoplasm (c), the abundance of B1 and B2 RNAs, the Alu-like repetitive elements in the mouse, compared to cells

5

transfected with adenoviral vector coding for green fluorescent protein (Ad-GFP). d, DICER1 as treatment of human RPE cells upregulated Alu RNA levels in both the nucleus (Nuc) and cytoplasm (Cyt). e, Alu RNA isolated and cloned from the RPE of human eye with geographic atrophy was degraded by recombinant DICER1 digestion (+) as visualized by agarose gel electrophoresis. Digestion with heat denatured DICER1 did not degrade Alu RNA. Image representative of 6 experiments. f, The increased abundance of Alu RNA in human RPE cells transfected with plasmid coding for Alu (pAlu) compared to pNull or no treatment (no Tx) at 24 h was reduced by co-transfection with pDICER1. * $P < 0.05$. $n = 4-8$ (a-d, f). RNA abundance was quantified by real-time RT-PCR, normalized to 18S rRNA levels, and normalized to levels in control as-treated (for Alu) or Ad-GFP-infected cells (for B elements).

FIG. 4 DICER1 protects RPE cells from Alu RNA cytotoxicity. a, Transfection of mouse or human retinal pigmented epithelium cells (mRPE or hRPE) with plasmid coding for Alu RNA (pAlu) compromised cell viability. b, Subretinal administration of pAlu induced RPE degeneration in wild-type mice whereas pNull did not do so. Fundus photograph (top row) shows area of degeneration in pAlu injected eye compared to the normal appearance in pNull. Flat mount preparations stained with anti-zonula occludens-1 antibody (ZO-1, red, bottom row) show marked distortion of RPE cell shape and size compared to pNull-injected eye. c, Alu RNA induced dose-dependent increase in cell death of human RPE cells. d, Cell death of human RPE cells induced by transfection of pAlu was inhibited by co-transfection with pDICER1 but not pNull. (a, c, d) Cell viability monitored by MTS assay at 2 days. Values normalized to null plasmid (pNull) transfected or vehicle treated cells. * $P < 0.05$ by Student t test. $n = 4-6$. e, Subretinal co-administration of pDICER1, but not of pNull, inhibited pAlu induced RPE degeneration in wild-type mice. f, Subretinal administration of Alu RNA isolated and cloned from the RPE of a human eye with geographic atrophy (GA) induced RPE degeneration in wild-type mice whereas subretinal injection of vehicle did not. g, Subretinal injection of this Alu RNA, when subjected to cleavage by DICER1, did not induce RPE degeneration in wild-type mice whereas Alu RNA subjected to mock cleavage by DICER1 did so, as evident on fundus photography (top row) or flat mount preparation (bottom row). Area of degeneration outlined by blue arrowheads in fundus photographs (b, e-g). Scale bars (20 μm). $n = 10-15$ (b, e-g).

FIG. 5 DICER1 dysregulation induces RPE cell death via Alu RNA accumulation. a, Loss of human RPE cell viability, as monitored by MTS assay, induced by transfection of antisense oligonucleotide (as) targeting DICER1 was rescued by co-transfection of Alu RNA as. Levels normalized or compared to transfection with control (Ctrl) antisense oligonucleotide. b, Alu RNA as inhibited accumulation of Alu RNA induced by DICER1 as. c, Ad-Cre but not Ad-Null induced loss of cell viability of *Dicer1*^{fl/fl} mouse RPE cells. This was rescued by transfection of antisense oligonucleotide targeting B1 and B2 RNAs but not by control (Ctrl) antisense oligonucleotide. Levels normalized to untreated cells (no Tx). d, B1/B2 RNA as inhibited accumulation of B1 and B2 RNAs induced by Ad-Cre-induced *Dicer1* depletion. * $P < 0.05$ by Student t test. $n = 4-6$ (a-d). d, Subretinal AAV-BEST1-Cre administration induced RPE degeneration (blue arrowheads in fundus photograph on top row and marked increase in RPE cell size and distortion of RPE cell shape in ZO-1 stained (red) RPE flat mounts (bottom row) in *Dicer1*^{fl/fl} mice 20 days after injection. Subretinal administration of cholesterol-conjugated B1/B2 as, but not Ctrl as, 10 days after AAV-BEST1-

6

Cre injection inhibited RPE degeneration (e) and abundance of B1/B2 RNAs in the RPE of these mice, as monitored by real-time RT-PCR at 10 days after as injection, normalized to 18S rRNA levels, and normalized to levels in eyes treated with cholesterol-conjugated Ctrl as (f). $n = 8$ (e, f). Scale bar, 20 μm . (e, g, DICER1 as treatment of human RPE cells led to global reduction of miRNA expression at 2 days compared to Ctrl as. There was no significant difference in miRNA abundance between Alu as and Ctrl as-treated DICER1 depleted cells. $n = 3$).

FIG. 6 DICER1 levels in RPE are reduced in geographic atrophy. Western blots of macular RPE lysates from individual human donor eyes show that DICER1 protein abundance, normalized to the levels of the housekeeping protein Vinculin, are reduced in geographic atrophy (GA) compared to age-similar control human eyes without age-related macular degeneration.

FIG. 7 DICER1 levels in neural retina are unchanged in geographic atrophy. a, DICER1 mRNA abundance in the neural retina, as monitored by real-time RT-PCR, was not significantly different ($P > 0.05$ by Mann Whitney U test) between normal human retinas and those with geographic atrophy. Levels normalized to 18S rRNA abundance and to normal retinas. $n = 7$. b-e, DICER1 protein immunolocalization in the neural retina was not different between human eyes with geographic atrophy (b) and normal (d) eyes. Specificity of DICER1 staining was confirmed by absence of reaction production with isotype control antibody (c, e). Representative images shown. $n = 8$. Scale bars (20 μm , b-e).

FIG. 8 DICER1 is not generically downregulated in retinal diseases. Immunolocalization studies revealed abundant DICER1 protein expression (blue, left column) in the RPE in the eye of an 85-year-old man with Best disease (vitelliform macular dystrophy), a 68-year-old man with retinal detachment secondary to choroidal melanoma, and a 72-year-old woman with retinitis pigmentosa. Specificity of DICER1 staining was confirmed by absence of reaction production with isotype control antibody (right column). Representative images shown. $n = 13$. Scale bars (10 μm). Diced mRNA expression in the RPE was not significantly (NS) different in *Ccl2*^{-/-} *Ccr2*^{-/-} mice or *Cp*^{-/-} *Heph*^{-/-} mice compared to their background strains. Transcript abundance quantified by real-time RT-PCR and normalized to 18S rRNA and to control eye levels. $n = 6$. NS, not significant.

FIG. 9 Cre recombinase expression does not induce retinal pigmented epithelium (RPE) degeneration. Subretinal administration of adeno-associated viral vector coding for Cre recombinase directed by the BEST1 promoter (AAV1-BEST1-Cre) in wild-type mice did not induce retinal toxicity that was evident on fundus photography (top left) and did not disrupt the tiling pattern of the RPE monolayer (top right). Circular flash artefact is seen in the centre of the fundus photograph. RPE cell borders delineated by staining with anti-ZO-1 antibody (red) and nuclei stained by Hoechst 33342 (blue). RPE flat mounts show successful Cre recombinase expression (red) following subretinal injection of AAV1-BEST1-Cre in wild-type (bottom left) and *Dicer1*^{fl/fl} (bottom right) mouse eyes. Representative images shown. $n = 8-10$. Scale bar (20 μm).

FIG. 10 Retinal pigmented epithelium (RPE) cell dysmorphology in human age-related macular degeneration eye with atrophy. In contrast to the well tessellated RPE cell monolayer observed in a normal human eye (right), marked changes in RPE cell size and shape are observed in the human eye with geographic atrophy (left). These changes resemble those observed in eyes of mice wherein *Dicer1* has been depleted in the RPE. RPE cell borders delineated by staining

with anti-ZO-1 antibody (green) and nuclei stained by propidium iodide (red). Representative image shown. n=8. Scale bar, 50 μ m.

FIG. 11 Conditional ablation of Droscha, Dgcr8, or Ago2 in the retinal pigmented epithelium (RPE) does not induce degeneration as seen in Dicer1-ablated mice. Fundus photographs (left column) show no significant degeneration following subretinal injection of AAV-BEST1-Cre in mice “foxed” for Droscha, DGCR8, or Ago2. Circular flash artifacts are seen near the centre of the fundus photographs. Injection site wound appears white in the fundus photograph of the Ago2^{ff} eye. RPE flat mounts (middle column) stained with anti-ZO-1 antibody (red) and Hoechst 33342 (blue) show normal tiling pattern of RPE with no gross disturbance of cell size or shape. RPE flat mounts (right column) stained with anti-Cre recombinase antibody (red) and Hoechst 33342 (blue) shows successful Cre expression in these mice eyes. Representative images shown. n=8-12. Scale bar (20 μ m).

FIG. 12 Deficiency of Ago1, Ago3, Ago4, or Tarbp2 does not induce RPE degeneration. Mice deficient in Ago1 Ago3 Ago4, or Tarbp2 have normal retinal appearance on fundus photography (top row) and normal RPE monolayer architecture on ZO-1 stained (red) flat mounts (bottom row). Circular flash artefact is seen in the centre of the fundus photographs. Scale bar, 20 μ m.

FIG. 13 DICER1 mutant cells impaired in miRNA biogenesis do not have compromised cell viability. There was no difference in baseline cell viability between HCT-DICER1^{ex5} cells, which are impaired in miRNA biogenesis¹, and parent HCT116 cells over 3 days of analysis of cell proliferation. n=3. NS, not significant.

FIG. 14 Human geographic atrophy eye retinal pigmented epithelia contain Alu RNA sequences. a, Top: Typical Alu element with conserved structural regions (adapted from ref 2). The left arm consists of RNA polymerase III binding sites (Box A and Box B). The right arm occasionally contains a terminal poly A tail that may be interspersed with non-A bases. The 5' and 3' regions of the Alu element are linked by a mid-stretch A-rich sequence. Bottom: Representative Alu cDNA (Sequence 1). The conserved regions mentioned above are highlighted and correspond to the coloured boxes in the top figure. b, Alignment of Alu cDNA Sequences 1 and 2 isolated from human eyes with geographic atrophy to Alu Sq consensus sequence. These sequences contain the highly conserved 5' Alu consensus elements (5' characteristic Alu region—blue; RNA polymerase III promoter B box—red), with extensive heterogeneity located 3' to the mid-sequence poly-A stretch that have been reported to exist in Alu sequences^{3,4}.

FIG. 15 J2 anti-dsRNA antibody recognizes Alu RNA. a, Alu RNA duplex isolated and cloned from the retinal pigmented epithelium (RPE) of a human eye with geographic atrophy was recognized by J2 anti-dsRNA antibody in an immuno-dot blot format. J2 antibody did not recognize rRNA or tRNA (negative controls), but did recognize RNA duplexes of 325-bp or 1-kbp in length (positive controls). b, Immunofluorescent imaging of human RPE cells transfected with pAlu shows that J2 recognizes Alu expressed in these cells (left panel). Specificity of staining confirmed by absence of staining with isotype control antibody (middle panel) and by the absence of immunodetection following transfection with pNull (right panel). Representative images shown. n=3. Scale bar (20 μ m).

FIG. 16 Confirmation of lack of DNA contamination in Alu RNA PCR. The relative abundance of Alu RNA in the RPE of human eyes with human geographic eyes was presented in FIG. 2f. Shown above is the detection of the PCR product

band for a sample of human geographic atrophy RPE that underwent reverse transcription (RT+). No amplification was detected in the negative controls where reverse transcriptase (RT-) was omitted or where water alone was analyzed. These data demonstrate the absence of DNA contamination in the sample.

FIG. 17 Validation of DICER1 knockdown. Transfection of DICER1 antisense oligonucleotides (as) into human RPE cells knocks down DICER1 protein abundance, as monitored by Western blot analysis, over 2 days. Efficiency of protein loading is monitored by blotting for the housekeeping Vinculin protein. Representative of 3 experiments.

FIG. 18 DICER1 is expressed in nucleus and cytoplasm. a, Western blot shows expression of DICER1 in both the nuclear and cytoplasmic fractions of human RPE cells. Blotting of the same protein sample reveals the presence of Tubulin in the cytoplasmic fraction and not in the nuclear fraction. b, Merged images (bottom row) of DICER1 immuno fluorescence (red, top row) and nuclear DAPI fluorescence (middle row) confirm expression of DICER1 in both the nucleus and the cytoplasm of human RPE cells. Representative images shown. Scale bar, 10 μ m.

FIG. 19 Retrotransposons and repetitive RNAs are not generically activated in geographic atrophy or by DICER1 depletion. In the RPE of human eyes with geographic atrophy (GA, n=7), there was no significant increase in the abundance of RNAs coded by LINE L1.3, a long interspersed repetitive element, human endogenous retrovirus-W envelope (HERV-WE1), a long terminal repeat retrotransposon, or hY3, a repetitive small cytoplasmic Ro RNA compared to normal human eyes (top, n=8). These RNAs also were not upregulated by DICER1 antisense (as) knockdown, compared to control (Ctrl) as treatment, in human RPE cells (bottom). n=3. Transcript abundance monitored by real-time RT-PCR and normalized to 18S rRNA levels.

FIG. 20 Alu RNA induced by DICER1 depletion is RNA Pol III derived. a, The upregulation of Alu RNA in RPE cells treated with antisense (as) oligonucleotides targeting DICER1, compared to control (Ctrl), is inhibited by treatment with the Pol III inhibitor tagetitoxin (tagetin), but not by the Pol II inhibitor α -amanitin. *, P<0.05, NS, not significant, compared to treatment with DICER1 as treatment alone. b, Northern blot (NB) shows that the abundance of Alu RNA species in the RPE of a human eye with geographic atrophy (GA) is greater than in normal human eye RPE, and is principally approximately 300 nucleotides long, consistent with the length of a non-embedded Pol III derived transcript. Reprobing these samples with a probe corresponding to the “S region” of the 7SL RNA gene that is not present in Alu elements shows that 7SL RNA abundance is not different between the RPE of normal and GA human eyes. Abundance of U6 RNA in GA and normal eyes shows loading efficiency. c, Northern blot shows that Alu probe detects in vitro transcribed Alu RNA but not 7SL RNA in mouse liver (which lacks primate-specific Alu), and reprobing these samples confirms specificity of the 7SL probe. d, DICER1 knockdown by antisense (as) oligonucleotides in human RPE cells does not, compared to control (Ctrl) as treatment, induce upregulation of several Pol II-transcribed genes (ADAR2, NICN, NLRP, SLFN 11) that contain embedded Alu sequences in their exons. n=3.

FIG. 21 7SL RNA is not regulated in geographic atrophy or by inhibition of DICER1 or Alu. a, 7SL RNA abundance was not different in the RPE of human eyes with geographic atrophy (GA) compared to the RPE of normal human eyes without GA (n=8). b, 7SL RNA abundance was not different in human RPE cells transfected with antisense oligonucle-

otide (as) targeting DICER1 from those transfected with control (Ctrl) as. n=3. c, 7SL RNA abundance was not different in human RPE cells transfected with antisense oligonucleotide (as) targeting Alu from those transfected with control (Ctrl) as. n=3. 7SL RNA abundance, relative to 18S rRNA, was monitored by real-time RT-PCR. NS, not significant by Student t test.

FIG. 22 Overexpression of B1 or B2 RNA induces RPE degeneration. Subretinal transfection of pB1 or pB2 RNAs, but not of pNull, induces RPE degeneration in wild-type mice. Top row shows fundus photographs demonstrating areas of degeneration outlined by blue arrowheads. Bottom row shows ZO-1 stained (red) RPE flat mounts demonstrated marked degeneration and disarray of the RPE cells in mice overexpressing B1 or B2 RNAs. Circular flash artefact is seen in the centre of the fundus photographs. n=4. Representative images shown. Scale bar, 20 μ m.

FIG. 23 Alu RNA enters retinal pigmented epithelium (RPE) cells in vivo. Subretinal administration of Alu RNA in wild-type mice achieved RPE cell delivery at 8 h after injection as monitored by real-time RT-PCR in isolated cell lysates (n=3).

FIG. 24 Human GA Alu dsRNA does not induce RPE degeneration when cleaved by DICER1. a, Subretinal administration of a fully complementary synthetic Alu RNA (dsRNA) corresponding to the sequence of an Alu RNA isolated from a human eye with geographic atrophy (GA) induces RPE degeneration in wild-type mice. Vehicle administration does not damage the retina. Top panels show fundus photographs with the area of RPE degeneration outlined by blue arrowheads. Circular flash artefact is seen in the centre of the fundus photographs. Bottom panels show ZO-1 stained (red) RPE flat mounts that are well arrayed in vehicle (bottom) but disorganized in Alu dsRNA (top). b, This Alu dsRNA did not induce RPE degeneration when it was first subjected to cleavage by recombinant DICER1. However, when subjected to mock cleavage by DICER1, this Alu dsRNA did induce RPE degeneration. n=4. Representative images shown. Scale bar, 20 μ m.

FIG. 25 RPE degeneration does not occur in response to a variety of structured RNAs. Subretinal transfection of transfer RNA (tRNA) or of plasmids coding for 7SL RNA, pri-miRNA-29b1 or pri-miRNA26a2 in wild-type mice did not induce retinal toxicity that was evident on fundus photography. Circular flash artefact is seen in the centre of the fundus photographs. N=4. Representative images shown.

FIG. 26 Alu RNA does not cause RPE degeneration via TLR3. a, Western blot shows that transfection of pAlu or pNull does not induce TLR3 phosphorylation, relative to the levels of the housekeeping protein Vinculin, in human RPE cells. b, Subretinal transfection of pAlu induced RPE degeneration in Tlr3^{-/-} mice where pNull transfection did not do so. Representative images shown. n=4. Scale bar, 20 μ m.

FIG. 27 DICER1 reduction or Alu RNA augmentation induces caspase-3 activation. a, Immunolocalization of activated caspase-3 (red) in the RPE of human eyes with geographic atrophy (left panel). Specificity of immunolabeling revealed by absence of staining with isotype control antibody (middle panel) and in control eyes stained with antibody against cleaved caspase-3 (right panel). Autofluorescence of RPE and choroid seen in green channel. Nuclei stained by DAPI (blue). b, Flat mounts of BEST1 Cre; Dicer1^{fl/fl} mice show evidence of caspase-3 activation (red staining, top left panel). Specificity of immunolabeling revealed by absence of staining with isotype control antibody (top right panel). No caspase-3 activation was detectable in the RPE of littermate control BEST1 Cre or Dicer1^{fl/fl} mice (bottom panels). c,

Human RPE cells transfected with pAlu showed evidence of caspase-3 activation (red staining, top left panel). DAPI (blue staining) and merged images are also shown. Scale bars (20 μ m, a, b; 10 μ m, c). Representative images shown. n=4-6. d, Exposure of human RPE cells to Alu RNA induced dose-dependent increase in caspase-3 activation, as monitored by fluorometric plate assay. n=3, * P<0.05 compared to vehicle by Student t test. e, Transfection of human RPE cells with pAlu induced increase in caspase-3 activation. n=3, * P=0.47 by Student t test.

FIG. 28 Alu RNA cleavage fragments do not modulate RPE degeneration. a, Transfection of pAlu induced cell death in human RPE cells. Cotransfection of DICER1-cleaved Alu RNA fragments did not change the degree of cell death. n=3. b, Subretinal transfection of DICER1-cleaved Alu RNA fragments (Frag) in wild-type mice did not cause RPE degeneration as seen by fundus photography (top left) or ZO-1-stained (red) RPE flat mounts (bottom left). Cotransfections of these fragments did not prevent the RPE degeneration induced by pAlu in wild-type mice (right panels). n=4. Representative images shown. Scale bar, 20 μ m.

FIG. 29 Impaired DICER1 processing of microRNAs does not increase Alu RNA abundance or modulate Alu RNA cytotoxicity. a, There was no significant difference (P>0.05) in Alu RNA transcript abundance between HCT116 parent cells and HCT mutant cells carrying a mutation in exon 5 (ex5) of DICER1 which renders it incapable of processing microRNAs. b, Transfection of anti-sense oligonucleotide (as) targeting DICER1 into HCT116 cells increased the abundance of Alu RNA transcripts compared to control anti-sense oligonucleotide (Ctrl as) at 48 h. Transcript abundance monitored by real-time RT-PCR and normalized to 18S rRNA levels. c, Alu RNA induced similar levels of cell death in HCT116 parent and HCT-DICER1^{ex5} cells. * P<0.05 by Student t test. n=4-6.

FIG. 30 Oxidative stress downregulates DICER1 in human RPE cells. Human retinal pigmented epithelium (RPE) cells exposed to varying concentrations of hydrogen peroxide (H₂O₂) display a dose- and time-dependent reduction in DICER1 mRNA abundance, as monitored by real-time RT-PCR and normalized to 18S rRNA levels. n=3.

BRIEF DESCRIPTION OF THE SEQUENCE LISTING

SEQ ID NO: 1 is an embodiment of a first strand of an siRNA provided in accordance with the presently-disclosed subject matter.

SEQ ID NO: 2 is an embodiment of a first strand of an siRNA provided in accordance with the presently-disclosed subject matter.

SEQ ID NO: 3 is an embodiment of a first strand of an siRNA provided in accordance with the presently-disclosed subject matter.

SEQ ID NO: 4 is an embodiment of a first strand of an siRNA provided in accordance with the presently-disclosed subject matter.

SEQ ID NO: 5 is an embodiment of a first strand of an siRNA provided in accordance with the presently-disclosed subject matter.

SEQ ID NO: 6 is an embodiment of a first strand of an siRNA provided in accordance with the presently-disclosed subject matter.

SEQ ID NO: 7 is nucleotide sequence encoding a human DICER polypeptide, including all untranslated regions (GenBank Accession Number NM_177438).

SEQ ID NO: 8 is a cDNA sequence encoding a human DICER polypeptide.

SEQ ID NO: 9 is a polypeptide sequence for a human DICER polypeptide.

SEQ ID NO: 10 is a polypeptide sequence for a human DICER polypeptide, including residues 1276-1922 of SEQ ID NO: 9.

SEQ ID NO: 11 is a polypeptide sequence for a human DICER polypeptide, including residues 605-1922 of SEQ ID NO: 9.

SEQ ID NO: 12 is a polypeptide sequence for a human DICER polypeptide, including residues 1666-1922 of SEQ ID NO: 9.

SEQ ID NO: 13 is a polypeptide sequence for a human DICER polypeptide, including residues 1666-1912 of SEQ ID NO: 9.

SEQ ID NO: 14 is a polypeptide sequence for a human DICER polypeptide, including residues 1666-1786 and 1800-1912 of SEQ ID NO: 9.

SEQ ID NO: 15 is a polypeptide sequence for a human DICER polypeptide, including residues 1275-1824 of SEQ ID NO: 9.

SEQ ID NO: 16 is a polypeptide sequence for a human DICER polypeptide, including residues 1276-1824 of SEQ ID NO: 9.

SEQ ID NO: 17 is an mRNA sequence encoding a human DICER polypeptide.

SEQ ID NO: 18 is a polypeptide sequence for a *Schizosaccharomyces pombe* DICER polypeptide.

SEQ ID NO: 19 is an mRNA sequence encoding a *Schizosaccharomyces pombe* DICER polypeptide.

SEQ ID NO: 20 is a polypeptide sequence for a *Giardia lamblia* DICER polypeptide.

SEQ ID NO: 21 is an mRNA sequence encoding a *Giardia lamblia* DICER polypeptide.

SEQ ID NO: 22 is an embodiment of an antisense oligonucleotide sequence provided in accordance with the presently-disclosed subject matter.

SEQ ID NO: 23 is an embodiment of an antisense oligonucleotide sequence provided in accordance with the presently-disclosed subject matter.

SEQ ID NO: 24 is an embodiment of an antisense oligonucleotide sequence provided in accordance with the presently-disclosed subject matter.

SEQ ID NO: 25 is an embodiment of an antisense oligonucleotide sequence provided in accordance with the presently-disclosed subject matter.

SEQ ID NO: 26 is an embodiment of an antisense oligonucleotide sequence provided in accordance with the presently-disclosed subject matter.

DESCRIPTION OF EXEMPLARY EMBODIMENTS

The presently-disclosed subject matter includes methods for identifying Alu RNA inhibitors, and methods and compositions for inhibiting Alu RNA and therapeutic uses thereof.

As disclosed herein, Alu RNA (including Alu repeat RNA in human cells and B1 and B2, Alu-like element repeat RNAs) increases are associated with cells that are associated with certain conditions of interest. For example, Alu RNA increase is associated with the retinal pigment epithelium (RPE) cells of eyes with geographic atrophy. This increase of Alu RNA induces the death of RPE cells. Methods and compositions

disclosed herein can protect a cell from Alu RNA-triggered cell death, thereby treating conditions associated with such cell death.

The presently-disclosed subject matter further includes methods useful for identifying an Alu RNA inhibitor and uses of such inhibitors, including therapeutic and protective uses. In some embodiments, the method makes use of a cultured cell wherein Alu RNA is upregulated. Candidate compounds can be screened using the cultured cell to determine efficacy as antagonists of Alu RNA. Candidate compounds include, for example, small molecules, biologics, and combinations thereof, such as compositions including multiple compounds. The term small molecules is inclusive of traditional pharmaceutical compounds. The term biologics is inclusive of polypeptides and nucleotides.

In some embodiments, the screening method includes providing a cell in culture wherein Alu RNA is upregulated; and contacting a candidate compound with the cell. The method can further include identifying a change in Alu RNA. For example, a measurable change in Alu RNA levels can be indicative of efficacy associated with the candidate compound. In some embodiments, wherein the change in the Alu RNA is a measurable decrease in Alu RNA, the change is an indication that the candidate compound is an Alu RNA inhibitor. Such Alu RNA inhibitors can have utility for therapeutic applications as disclosed herein.

In some embodiments, the Alu RNA can be upregulated by decreasing native levels of DICER polypeptides in the cell using methods known to those skilled in the art. In some embodiments, the Alu RNA associated with cultured cell can be upregulated by using heat shock stress using methods known to those skilled in the art. In some embodiments, the cultured cell is an RPE cell.

Methods and compositions of the presently-disclosed subject matter for treating a condition of interest include inhibiting Alu RNA associated with a cell, such as a cell of a subject in need of treatment. Examples of conditions of interest include, but are not limited to: geographic atrophy, dry age-related macular degeneration, thalassemia, familial hypercholesterolemia, Dent's disease, acute intermittent porphyria, anterior pituitary aplasia, Apert syndrome, Hemophilia A, Hemophilia B, glycerol kinase deficiency, autoimmune lymphoproliferative syndrome, X-linked agammaglobulinemia, X-linked severe combined immunodeficiency, adrenoleukodystrophy, Menkes disease, hyper-immunoglobulin M syndrome, retinal blinding, Type 1 anti-thrombin deficiency, Muckle-Wells syndrome, hypocalciuric hypercalcemia and hyperparathyroidism, cholinesterase deficiency, hereditary desmoid disease, chronic hemolytic anemia, cystic fibrosis, branchio-oto-renal syndrome, lipoprotein lipase deficiency, CHARGE syndrome, Walker Warburg syndrome, Complement deficiency, Mucopolidosis type II, Breast cancer, ovarian cancer, prostate cancer, von Hippel Lindau disease, Hereditary non-polyposis colorectal cancer, multiple endocrine neoplasia type 1, hereditary diffuse gastric cancer, hepatoma, neurofibromatosis type 1, acute myeloid leukemia, T-acute lymphoblastic leukemia, and Ewing sarcoma.

As used herein, the terms treatment or treating relate to any treatment of a condition of interest, including but not limited to prophylactic treatment and therapeutic treatment. As such, the terms treatment or treating include, but are not limited to: preventing a condition of interest or the development of a condition of interest; inhibiting the progression of a condition of interest; arresting or preventing the development of a condition of interest; reducing the severity of a condition of interest; ameliorating or relieving symptoms associated with

a condition of interest; and causing a regression of the condition of interest or one or more of the symptoms associated with the condition of interest.

As used herein, the term “subject” refers to a target of treatment. The subject of the herein disclosed methods can be a vertebrate, such as a mammal, a fish, a bird, a reptile, or an amphibian. Thus, the subject of the herein disclosed methods can be a human or non human. Thus, veterinary therapeutic uses are provided in accordance with the presently disclosed subject matter.

In some embodiments, the condition of interest is geographic atrophy and the cell is an RPE cell. In this regard, a subject having age-related macular degeneration can be treated using methods and compositions as disclosed herein.

As will be understood by those skilled in the art upon studying this application, inhibition of Alu RNA associated with a cell can be achieved in a number of manners. For example, in some embodiments, inhibiting Alu RNA associated with a cell comprises increasing levels of a DICER polypeptide in the cell, for example, by overexpressing the DICER polypeptide in the cell. For another example, a DICER mRNA could be used. For another example, in some embodiments, inhibiting Alu RNA associated with a cell comprises administering an oligonucleotide or a small RNA molecule targeting the Alu RNA. As used herein, inhibiting Alu RNA associated with a cell refers to a reduction in the levels of Alu RNA inside and/or outside the cell in the extracellular space.

The term DICER Polypeptide refers to polypeptides known to those of ordinary skill in the art as DICER, including, but not limited to polypeptides comprising the sequences of SEQ ID NO: 9, 18, and 20, and functional fragments or functional variants thereof.

It is noted that one of ordinary skill in the art will be able to readily obtain publicly-available information related to DICER, including relevant nucleotide and polypeptide sequences included in publicly-accessible databases, such as GENBANK®. Some of the sequences disclosed herein are cross-referenced to GENBANK® accession numbers, e.g., GenBank Accession Number NM_177438. The sequences cross-referenced in the GENBANK® database are expressly incorporated by reference as are equivalent and related sequences present in GENBANK® or other public databases. Also expressly incorporated herein by reference are all annotations present in the GENBANK® database associated with the sequences disclosed herein. Unless otherwise indicated or apparent, the references to the GENBANK® database are references to the most recent version of the database as of the filing date of this Application.

The terms “polypeptide”, “protein”, and “peptide”, which are used interchangeably herein, refer to a polymer of the 20 protein amino acids, or amino acid analogs, regardless of its size. The terms “polypeptide fragment” or “fragment”, when used in reference to a reference polypeptide, refers to a polypeptide in which amino acid residues are deleted as compared to the reference polypeptide itself, but where the remaining amino acid sequence is usually identical to the corresponding positions in the reference polypeptide. Such deletions can occur at the amino-terminus (e.g., removing residues 1-604, 1-1274, 1-1275, or 1-1665 of SEQ ID NO: 9) or carboxy-terminus of the reference polypeptide (e.g., removing residues 1825-1922, or 1913-1922 of SEQ ID NO: 9), from internal portions of the reference polypeptide (e.g., removing residues 1787-1799 of SEQ ID NO: 9), or a combination thereof.

A fragment can also be a “functional fragment,” in which case the fragment retains some or all of the activity of the reference polypeptide as described herein. For example, in

some embodiments, a functional fragment of the polypeptide of SEQ ID NO: 9 can retain some or all of the ability of the polypeptide of SEQ ID NO: 9 to degrade Alu RNA. Examples of functional fragments of the polypeptide of SEQ ID NO: 9 include the polypeptides of SEQ ID NOS: 10-16. Additional examples include, but are not limited to, the polypeptide of SEQ ID NO: 9, including the following residues: 605-1922, 605-1912, 1666-1922, 1666-1912, 605-1786 and 1800-1922, 605-1786 and 1800-1912, 1666-1786 and 1800-1922, 1666-1786 and 1800-1912, 1276-1922, 1276-1912, 1276-1786 and 1800-1922, 1276-1786 and 1800-1912, 1275-1824, or 1276-1824.

The terms “modified amino acid”, “modified polypeptide”, and “variant” refer to an amino acid sequence that is different from the reference polypeptide by one or more amino acids, e.g., one or more amino acid substitutions. A variant of a reference polypeptide also refers to a variant of a fragment of the reference polypeptide, for example, a fragment wherein one or more amino acid substitutions have been made relative to the reference polypeptide. A variant can also be a “functional variant,” in which the variant retains some or all of the activity of the reference protein as described herein. The term functional variant includes a functional variant of a functional fragment of a reference polypeptide.

In some embodiments, the DICER Polypeptide can be overexpressed in the cell using a vector comprising a nucleotide encoding the DICER polypeptide, for example, the nucleotide of SEQ ID NOS: 7 or 8, or appropriate fragment thereof, or a nucleotide encoding a DICER Polypeptide, for example, a nucleotide encoding SEQ ID NOS: 9, 10, 11, 12, 13, 14, 15, 16, 18, or 20. As will be recognized by those skilled in the art, the vector can be a plasmid vector or a viral vector (e.g., adeno-associated virus, lentivirus, adenovirus).

As noted above, in some embodiments, inhibiting Alu RNA comprises use of a DICER mRNA. In some embodiments, a functional fragment of a DICER mRNA could be used. In some embodiments, a DICER mRNA having the sequence of SEQ ID NOS: 17, 19, or 21, or a functional fragment thereof could be used. In some embodiments an mRNA encoding a DICER Polypeptide could be used, for example, an mRNA encoding SEQ ID NOS: 9, 10, 11, 12, 13, 14, 15, 16, 18, or 20.

As noted above, in some embodiments, inhibiting Alu RNA comprises administering an oligonucleotide or a small RNA molecule targeting the Alu RNA. Such nucleotides can target and degrade Alu RNA.

As such, in some embodiments, a method is provided including administering an oligonucleotide targeting Alu RNA. Examples of oligonucleotides targeting Alu RNA include those set forth in SEQ ID NOS: 22-26. In some embodiments, more than one oligonucleotide is administered.

In some embodiments, a method is provided including administering an siRNA targeting Alu RNA. Examples of siRNAs for targeting Alu RNA include those set forth in SEQ ID NOS: 1-6.

The details of one or more embodiments of the presently-disclosed subject matter are set forth in this document. Modifications to embodiments described in this document, and other embodiments, will be evident to those of ordinary skill in the art after a study of the information provided in this document. The information provided in this document, and particularly the specific details of the described exemplary embodiments, is provided primarily for clearness of understanding and no unnecessary limitations are to be understood therefrom. In case of conflict, the specification of this document, including definitions, will control.

While the terms used herein are believed to be well understood by one of ordinary skill in the art, definitions are set forth to facilitate explanation of the presently-disclosed subject matter.

Unless defined otherwise, all technical and scientific terms used herein have the same meaning as commonly understood by one of ordinary skill in the art to which the presently-disclosed subject matter belongs. Although any methods, devices, and materials similar or equivalent to those described herein can be used in the practice or testing of the presently-disclosed subject matter, representative methods, devices, and materials are now described.

Following long-standing patent law convention, the terms “a”, “an”, and “the” refer to “one or more” when used in this application, including the claims. Thus, for example, reference to “a cell” includes a plurality of such cells, and so forth.

Unless otherwise indicated, all numbers expressing quantities of ingredients, properties such as reaction conditions, and so forth used in the specification and claims are to be understood as being modified in all instances by the term “about”. Accordingly, unless indicated to the contrary, the numerical parameters set forth in this specification and claims are approximations that can vary depending upon the desired properties sought to be obtained by the presently-disclosed subject matter.

As used herein, the term “about,” when referring to a value or to an amount of mass, weight, time, volume, concentration or percentage is meant to encompass variations of in some embodiments $\pm 20\%$, in some embodiments $\pm 10\%$, in some embodiments $\pm 5\%$, in some embodiments $\pm 1\%$, in some embodiments $\pm 0.5\%$, and in some embodiments $\pm 0.1\%$ from the specified amount, as such variations are appropriate to perform the disclosed method.

As used herein, ranges can be expressed as from “about” one particular value, and/or to “about” another particular value. It is also understood that there are a number of values disclosed herein, and that each value is also herein disclosed as “about” that particular value in addition to the value itself. For example, if the value “10” is disclosed, then “about 10” is also disclosed. It is also understood that each unit between two particular units are also disclosed. For example, if 10 and 15 are disclosed, then 11, 12, 13, and 14 are also disclosed.

The presently-disclosed subject matter is further illustrated by the following specific but non-limiting examples. The following examples may include compilations of data that are representative of data gathered at various times during the course of development and experimentation related to the present invention.

EXAMPLES

DICER1 Reduction in Geographic Atrophy

In human donor eyes with geographic atrophy ($n=10$), the present inventors found using real-time RT-PCR that DICER1 mRNA abundance was reduced in the macular RPE by $65 \pm 3\%$ (mean \pm SEM; $P=0.0036$; Mann-Whitney U test) compared to age-similar human eyes without geographic atrophy ($n=11$) (FIG. 1a). Because the best understood function of DICER1 is miRNA generation³, the present inventors measured the expression of other enzymes involved in miRNA biogenesis. The abundance of the genes encoding DROSHA or the double stranded RNA (dsRNA) binding protein DGCR8, which form a complex that processes pri-miRNAs into pre-miRNAs⁵, was not reduced in the RPE of human eyes with geographic atrophy. There was also no reduction in the expression of the gene encoding Argonaute 2 (AGO2, encoded by EIF2C2), the core component of the

miRNA effector complex^{6,7}, in the RPE of human eyes with geographic atrophy. Corroborating the mRNA data, the present inventors observed a marked reduction of DICER1 protein expression in the RPE layer of human eyes with geographic atrophy compared to controls in Western blot (FIG. 1b and FIG. 6) and immunohistochemistry analyses (FIG. 1c). Interestingly, DICER1 mRNA and protein abundance in the adjacent neural retina was similar between the two groups (FIG. 7).

Because DICER1 downregulation is observed in some cell types in culture conditions in response to various chemical stresses⁸, the present inventors wondered whether DICER1 reduction in geographic atrophy might be a common downstream pathway in dying retina. DICER1 protein levels were not reduced in the RPE of human eyes with several other retinal disorders such as vitelliform macular dystrophy, retinitis pigmentosa, or retinal detachment (FIG. 8). Also, Dicer1 mRNA abundance in the RPE in two animal models of retinal degeneration—Ccl2^{-/-} Ccr2^{-/-} (refs. 9,10) and Cp^{-/-} Heph^{-/-} mice¹¹—was unchanged compared to their background strains (FIG. 8). Gene expression studies in numerous other mouse models of retinal degeneration also have not reported modulation of Dicer1 (Supplemental Notes). These data argue that DICER1 depletion in the RPE of eyes with geographic atrophy is not a generic response of damaged or dying retinal cells in vivo.

DICER1 Depletion Induces RPE Degeneration

To determine the functional consequence of reduced DICER1 levels, the present inventors conditionally ablated Dicer1 in mouse RPE cells by interbreeding “foxed” Dicer1 mice¹² (Dicer1^{ff}) with BEST1 Cre mice¹³, which express Cre recombinase under the control of the RPE cell-specific BEST 1 promoter. BEST1 Cre; Dicer1^{ff} mice uniformly exhibited dramatic RPE cell degeneration (FIG. 1d-f) that was evident by the time of weaning. None of the littermate controls exhibited similar pathology. The present inventors also deleted Dicer1 in adult mouse RPE by subretinal injection of an adeno-associated viral vector coding for Cre recombinase under the control of the BEST 1 promoter¹⁴ (AAV1-BEST1-Cre) in Dicer1^{ff} mice (FIG. 9). These eyes uniformly displayed RPE cell degeneration at 28 days after injection similar to that observed in mice depleted of Dicer1 expression during development (FIG. 1g-i; FIG. 9). In contrast, neither the contralateral eyes of Dicer1^{ff} mice that underwent subretinal injection of AAV1-BEST1-GFP nor the eyes of wild-type mice injected with subretinal AAV1-BEST1-Cre developed RPE cell degeneration (FIG. 1g-i and FIG. 9). The RPE cell dysmorphology in mice depleted of Dicer1 expression resembled that observed in the eyes of humans with RPE atrophy due to AMD (FIG. 10). When cultured RPE cells isolated from Dicer1^{ff} mice were infected with an adenoviral vector coding for Cre recombinase (Ad-Cre), the present inventors observed a reduction of cell viability compared to infection with Ad-Null (FIG. 1j). Similarly, antisense oligonucleotide mediated knockdown of DICER1 in human RPE cells resulted in increasing cell death over time (FIG. 1k). Collectively, these data support the hypothesis that DICER1 dysregulation is involved in the pathogenesis of geographic atrophy.

DICER1 Depletion Phenotype not Due to miRNA Dysregulation

The present inventors tested whether depletion of other enzymes involved in miRNA biogenesis also would induce RPE degeneration. Subretinal injection of AAV1-BEST1-Cre in Droscha^{ff} (ref. 13), Dgcr8^{ff} (refs. 15,16), or ¹⁰Ago2^{ff} mice¹⁷ did not result in the dramatic RPE cell damage that was evident in similarly treated Dicer1^{ff} mice (FIG. 11). These

data suggest that miRNA imbalances are not responsible for RPE degeneration induced by DICER1 depletion. However, the present inventors and others have reported^{18,19} that a small subset (approximately 7%) of mammalian miRNAs is generated by Dicer1 independent of Drosha and Dgcr8. There is also debate as to whether Ago2 is essential for miRNA function: Ago2 deficiency leads to global reduction of miRNA expression uncompensated by other three Ago proteins in mice^{17,20} and in mouse embryonic fibroblasts and oocytes^{21,22}, yet functional redundancy among Argonaute proteins has been reported in mouse embryonic stem cells²³. The present inventors found no RPE degeneration in mice deficient in Ago1, Ago3, or Ago4 (FIG. 12). TRBP (the human immunodeficiency virus transactivating response RNA-binding protein encoded by Tarbp2) recruits DICER1 to the four Argonaute proteins to enable miRNA processing and RNA silencing (ref 24 and R. Shiekhattar, personal communication); Tarbp2^{-/-} mice too had no RPE degeneration (FIG. 12). These data suggest that RPE degeneration induced by Dicer1 ablation involves a mechanism specific to Dicer1 and not to miRNA machinery in general.

To further investigate whether miRNA imbalances might contribute to the phenotype observed in the setting of DICER1 depletion, the present inventors studied human HCT116 colon cancer cells in which the helicase domain in exon 5 of DICER1 was disrupted. Despite the impairment of miRNA biogenesis in these HCT-DICER1^{ex5} cells²⁵, there was no difference between HCT-DICER1^{ex5} and parent HCT116 cells in baseline cell viability (FIG. 13). Collectively, these findings suggest that the principal biological effect of DICER1 deficit contributing to the development of geographic atrophy is not miRNA dysregulation. The findings do not, however, exclude the possibility that miRNA dysregulation could promote geographic atrophy through other pathways.

Alu RNA Accumulation in Geographic Atrophy

Because miRNA perturbations could not be implicated, the present inventors speculated that impaired processing of other dsRNAs might be involved. Using an antibody^{26,27} that recognizes long dsRNA (J2), the present inventors detected abundant dsRNA immunoreactivity in the macular RPE of human eyes with geographic atrophy (n=10; FIG. 2a-c). In contrast, no J2 immunoreactivity was observed in eyes without geographic atrophy (n=10; FIG. 2d). To identify this dsRNA species, the present inventors immunoprecipitated RPE lysates with J2 antibody and then sequenced the dsRNA using a T4 RNA ligase-aided, adaptor-based PCR amplification strategy. Interestingly, approximately 300-nt long dsRNA species were found in the macular RPE of human eyes with geographic atrophy (12/12) but not in eyes without geographic atrophy (0/18) (P=1.2×10⁻⁸ by Fisher's exact test) (FIG. 2e).

The present inventors recovered clones from 8 of the 12 geographic atrophy eyes and identified two distinct sequences with high homology (E=3.3×10⁻¹⁰³; 1.1×10⁻⁷⁶) to Alu repeat RNAs (FIG. 14). These sequences showed homology to the Alu Sq subfamily consensus sequence. Apart from mitochondrial RNAs that were occasionally found in the RPE of both geographic atrophy and normal eyes, Alu RNAs were the only dsRNA transcripts identified specifically in the geographic atrophy samples. The present inventors confirmed that the J2 monoclonal antibody recognized Alu RNA both in immunoblotting and in immunofluorescence assays (FIG. 15). The present inventors also detected a greater than 40-fold increase in the abundance of Alu RNAs in the RPE of human eyes with geographic atrophy compared to control eyes (n=7), but no significant difference in Alu RNA abundance

was detected in the adjacent neural retina between the two groups (FIG. 2f, FIG. 16). The present inventors did not identify exact matches to these Alu sequences in the reference human genome. This could be attributed to genetic variations or regions not represented in the reference genome or to chimeric Alu formation. Further studies are needed to elucidate the genomic origin of and regulatory factors involved in transcription of these Alu RNAs.

DICER1 Depletion Induces Alu RNA Accumulation

The present inventors tested whether Alu RNA accumulation in the RPE of geographic atrophy was the result of deficient DICER1 processing activity. DICER1 knockdown in human RPE cells using antisense oligonucleotides resulted in increasing Alu RNA accumulation over time (FIG. 3a, FIG. 17). Similarly, Ad-Cre infection of RPE cells isolated from Dicer1^{fl/fl} mice resulted in accumulation of B1 and B2 repeat RNAs (FIG. 3b, c), which are Alu-like short interspersed repetitive elements in the mouse. Interestingly, DICER1 was expressed in both the nucleus and cytoplasm of RPE cells and its depletion led to accumulation of Alu/B1/B2 RNA in both cellular compartments (FIG. 3b-d, FIG. 18). In addition, recombinant DICER1 degraded Alu RNA, and the biological specificity of this cleavage was confirmed by the inability of heat-denatured DICER1 to degrade Alu RNA (FIG. 3e). Enforced expression of DICER1 in human RPE cells reduced Alu RNA abundance following enforced expression of Alu RNA (FIG. 30, consistent with degradation of these repetitive transcripts by DICER1 in vivo. Collectively these data confirm that DICER1 dysregulation can trigger Alu/B1/B2 RNA accumulation.

Because cell stresses such as heat shock or viral infection can induce generalized retrotransposon activation, the present inventors wondered whether Alu RNA accumulation in geographic atrophy might be a generic response in dying retina. However, in the RPE of human eyes with geographic atrophy and in DICER1-depleted human RPE cells, there was no increase in the abundance of RNAs coded by L1.3 (a long interspersed repetitive element), human endogenous retrovirus-W envelope (a long terminal repeat retrotransposon), or hY3 (a repetitive small cytoplasmic Ro RNA) (FIG. 19). These data demonstrate that Alu RNA accumulation is a biologically specific response to DICER1 depletion.

To determine whether Alu RNA accumulation was derived from RNA polymerase II (Pol II) or Pol III transcription, the present inventors performed experiments using α -amanitin (a Pol II inhibitor) and tagetitoxin (a Pol III inhibitor). Alu RNA upregulation induced by DICER1 knockdown was inhibited by tagetitoxin but not α -amanitin (FIG. 20). The present inventors also found using Northern blotting that Alu RNA from the RPE of human eyes with geographic atrophy was approximately 300 nucleotides in length, consistent with the length of non-embedded Pol III Alu transcripts. Because homology between Alu RNA and 7SL RNA, the evolutionary precursor of Alu, can complicate interpretation of northern blot analysis, the present inventors reprobbed these samples using a probe that specifically detects the non-Alu "S domain" of 7SL RNA. In contrast to the increased amounts of RNA species detected by the Alu-targeting probe in geographic atrophy RPE, there was no difference in 7SL RNA abundance. The present inventors also confirmed that the Alu probe did not detect endogenous 7SL RNA under the stringent conditions the present inventors employed. Corroborating these data, real-time RT-PCR analysis showed that 7SL RNA was not dysregulated in the RPE of human eyes with geographic atrophy or in DICER1-depleted human RPE cells (FIG. 21).

DICER1 knockdown also did not induce upregulation of several Pol II-transcribed genes (ADAR2, NICN, NLRP, SLFN11) that contain embedded Alu sequences in their exons. Collectively, these data suggest that Alu RNA detected in the RPE of human eyes with geographic atrophy are primary Alu transcripts and not passenger or bystander sequences embedded in other RNAs. Conclusive assignment of these Alu sequences as Pol III transcripts must await precise determination of their transcription start site.

Alu RNA Induces RPE Degeneration

Next the present inventors tested whether accumulation of Alu RNA might promote the development of geographic atrophy. Transfecting human or wild-type mouse RPE cells with a plasmid coding for Alu (pAlu) reduced cell viability (FIG. 4a). Subretinal transfection of plasmids coding for two different Alu RNAs or for B1 or B2 RNAs induced RPE degeneration in wild-type mice (FIG. 4b, FIG. 22, and data not shown). Treatment of human RPE cells with a recombinant 281 nucleotide (nt)-long Alu RNA that is identical to a Pol III derived Alu RNA isolated from a human embryonal carcinoma cell line, i.e., a single RNA strand that folds into a defined secondary structure, resulted in a dose-dependent increase in cell death (FIG. 4c). These findings suggest that endogenous DICER1 can degrade small amounts of Alu RNA but are overwhelmed by high levels. Consistent with this concept, overexpression of DICER1 blocked pAlu-induced cell death in human RPE cells (FIG. 4d) and RPE degeneration in wild-type mice (FIG. 4e).

The present inventors verified that subretinal injection of Alu RNA resulted in its delivery to RPE cells in wild-type mice (FIG. 23), consistent with the ability of long RNAs with duplex motifs to enter cells²⁸. The present inventors then cloned a 302-nt long Alu RNA isolated from the RPE of a human eye with geographic atrophy and transcribed it in vitro to generate partially and completely annealed structures that mimic Alu RNAs transcribed by Pol III and Pol II, respectively. Subretinal injection of either of these Alu RNAs resulted in RPE degeneration in wild-type mice (FIG. 4f; FIG. 24), supporting the assignment of disease causality in accord with the molecular Koch's postulates. In contrast, subretinal injection of these Alu RNAs digested with DICER1 did not induce RPE degeneration in wild-type mice (FIG. 4g, FIG. 24). When these Alu RNAs were subjected to mock DICER1 digestion, they retained their ability to induce RPE degeneration, suggesting a role for DICER1 in protecting against Alu RNA-induced degeneration.

The present inventors tested whether other structured RNAs of similar length as Alu would damage the retina. Subretinal transfection of transfer RNA or plasmids coding for 7SL RNA or two different primary miRNAs did not induce RPE degeneration in wild-type mice (FIG. 25). The present inventors reported that chemically synthesized dsRNAs that mimic viral dsRNA can induce RPE degeneration by activating toll like receptor-3 (TLR3)²⁹, a pattern receptor that generically recognizes dsRNA. However, transfection of a plasmid coding for Alu RNA did not induce TLR3 phosphorylation in human RPE cells and did induce RPE degeneration in Tlr3^{-/-} mice (FIG. 26). These results indicate that the ability of Alu RNA to induce RPE degeneration cannot be attributed solely to its repetitive or double stranded nature, as it exerted effects distinct from other structured dsRNAs of similar length.

The mechanism of RPE cell death in geographic atrophy has not been previously defined. DNA fragmentation has been identified in RPE cells in human eyes with geographic atrophy³⁰, and Dicer1 knockdown has been associated with induction of apoptosis in diverse tissues^{12,31}. The present

inventors now provide evidence of caspase-3 cleavage in regions of RPE degeneration in human eyes with geographic atrophy (FIG. 27). Caspase-3 cleavage was also observed in the RPE cells of BEST1 Cre; Dicer1^{fl/fl} mice and in Alu RNA-stimulated or -overexpressing human RPE cells. These data suggest a role for Alu RNA-induced RPE cell apoptosis triggered by DICER1 dysregulation in geographic atrophy.

Although the present inventors show that Alu RNA induces RPE degeneration, the presented observations could be consistent with the idea that an imbalance in small RNA species produced from long Alu RNAs could contribute to the RPE degeneration phenotype. To study this question, the present inventors exposed human RPE cells or wild-type mice to DICER1 cleavage fragments of Alu RNA. Subretinal transfection of these fragments alone in wild-type mice had no detectable effect on RPE cell morphology, and co-administering these fragments did not prevent RPE cell degeneration induced by subretinal transfection of a plasmid coding for Alu RNA (FIG. 28). Similarly, these fragments did not prevent human RPE cell death induced by overexpression of Alu RNA. These data suggest that upregulation of long Alu RNA rather than imbalance in Alu RNA-derived small RNA fragments is responsible for RPE degeneration induced by DICER1 reduction.

As these experiments were performed with in vitro cleavage fragments the present inventors cannot be certain whether in vivo cleavage fragments would function similarly. However, Alu RNAs with varying sequences induced RPE degeneration in vivo. Because the cleavage fragments of these different Alu RNAs would not be identical it is unlikely that they all execute identical biological functions, particularly if they functioned as miRNAs. Another line of evidence that Alu RNA, and not its cleavage fragments, is responsible for RPE degeneration comes from functional rescue experiments (see below) wherein antisense-mediated inhibition of Alu RNA blocks human RPE cell death induced by DICER1 knockdown and inhibition of B1/B2 RNA blocks RPE degeneration in Dicer1-depleted mice and mouse RPE cells. Because these antisense treatments would not be expected to alter the reduced levels of DICER1-cleaved Alu/B1/B2 RNA fragments, the imbalance in these fragments is unlikely to have induced RPE degeneration. Nevertheless, subtle functions of these small RNAs in modulating Alu RNA induced pathology cannot be excluded.

To dissect the contribution of Alu RNA accumulation versus that of miRNA dysregulation to RPE degeneration in the context of reduced DICER1 expression, the present inventors re-examined HCT-DICER1^{ex5} cells in which miRNA biogenesis is impaired but long dsRNA cleavage is preserved due to the intact RNase III domains. The present inventors found no significant difference in Alu RNA levels between HCT-DICER1^{ex5} and parent HCT116 cells (FIG. 29). In contrast, when DICER1 was knocked down by antisense oligonucleotides in HCT116 cells, increased Alu RNA accumulation was observed. Also, Alu RNA induces similar levels of cytotoxicity in HCT-DICER1^{ex5} and parent HCT116 cells, suggesting that coexisting miRNA expression deficits do not augment Alu RNA induced RPE degeneration. In conjunction with the discordance in the RPE degeneration phenotype between ablation of Dicer1 and that of various other small RNA biogenesis pathway genes in mice, the findings suggest that Alu RNA accumulation is critical to cytotoxicity induced by DICER1 reduction.

RPE Degeneration Blocked by Alu RNA Inhibition

The present inventors then tested whether the cytotoxic effects of DICER1 reduction could be attributed to Alu RNA accumulation. DICER1 knockdown in human RPE cells by

antisense oligonucleotides reduced cell viability (FIG. 5a). This cytotoxic effect of DICER1 reduction was inhibited by antisense oligonucleotides targeting Alu RNA sequences but not by a scrambled antisense control (FIG. 5a, b and FIG. 21). Ad-Cre infection of RPE cells isolated from *Dicer1^{fl/fl}* mice resulted in reduced cell viability, and this was blocked by antisense oligonucleotides targeting both B1 and B2 repeat RNAs but not by a scrambled antisense control (FIG. 5c, d). Subretinal administration of antisense oligonucleotides that reduced accumulation of B1 and B2 RNAs also inhibited RPE degeneration in *Dicer1^{fl/fl}* mice treated with AAV1-BEST1-Cre (FIG. 5e, f), providing evidence of in vivo functional rescue.

The present inventors tested whether Alu inhibition also rescued miRNA expression deficits as a potential explanation for the functional rescue of RPE degeneration induced by DICER1 depletion. As expected, DICER1 knockdown in human RPE cells reduced the abundance of numerous miRNAs including let-7a, which is ubiquitously expressed, miR-184, miR-204/211, and miR-221/222, which are enriched in the RPE, and miR-320a, and miR-484 and miR-877, which are DROSHA/DGCR8-independent and DICER1-dependent (FIG. 5g). However, inhibition of Alu RNA did not lead to recovery of miRNA expression in these DICER1-depleted cells. Thus the rescue of RPE cell viability by Alu RNA inhibition despite the persistence of global miRNA expression deficits argues that RPE degeneration induced by DICER1 deficit is due to Alu RNA accumulation and not miRNA dysregulation.

These data, taken together, support a model in which primary Alu transcripts are responsible for the observed RPE degeneration. Whether similar pathology can also result from upregulation of as yet undefined Pol II transcripts with embedded Alu sequences is an intriguing possibility that may be addressed in future studies. Importantly, the present inventors show here that primary Alu transcripts are elevated in human disease, that Alu transcripts recapitulate disease in relevant experimental models, and that targeted suppression of Alu transcripts successfully inhibits this pathology. These observations have direct relevance for clinical strategies to prevent and treat geographic atrophy.

Discussion

The findings elucidate a critical cell survival function for DICER1 by functional silencing of toxic Alu transcripts. This unexpected function suggests that RNAi-independent mechanisms should be considered in interpreting the phenotypes of systems in which *Dicer1* is dysregulated. For example, it would be interesting to test the speculation that *Dicer1* ablation induced cell death in mouse neural retina³² and heart³³ might also involve B 1/B2 RNA accumulation. More broadly, recognition of DICER1's hitherto unidentified function as an important controller of transcripts derived from the most abundant repetitive elements in the human and mouse genomes can illuminate new functions for RNases in cytoprotective surveillance. DICER1 expression is reduced in geographic atrophy and partial loss of DICER promotes RPE degeneration; thus the present inventors could speculate that loss of heterozygosity in DICER1 may underlie the development of geographic atrophy, similar to its function as a haploinsufficient tumor suppressor³⁴⁻³⁶.

This also is, to our knowledge, the first example of how Alu could cause a human disease via direct RNA cytotoxicity rather than by inducing chromosomal DNA rearrangements or insertional mutagenesis through retrotransposition, which have been implicated in diseases such as α -thalassemia³⁷, colon cancer³⁸, hypercholesterolemia^{39,40}, and neurofibromatosis⁴¹. Future studies can be employed to determine the

precise chromosomal locus of the Alu RNA elements that accumulate in geographic atrophy and the nature of transcriptional and post-transcriptional machinery that enable their biogenesis.

In addition to processing miRNAs³, DICER1 has been implicated in heterochromatin assembly^{42,43}. Since Alu repeat elements are abundant within heterochromatin⁴⁴, it would be interesting to investigate whether perturbations in centromeric silencing also underlie the pathogenesis of geographic atrophy. Indeed, the finding that chromatin remodeling at Alu repeats can regulate miRNA expression⁴⁵ raises the intriguing possibility of other types of regulatory intersections between DICER1 and Alu. It also remains to be investigated whether centromeric satellite repeats that have been described to accumulate in *Dicer1*-null mouse embryonic stem cells^{46,47} might be involved in the pathogenesis of geographic atrophy.

In the mouse germline, *Dicer1* has been implicated in the generation of endogenous small interfering RNAs (endo-siRNAs) from repeat elements^{48,49}. If this process is conserved in mammalian somatic tissues, it would be interesting to learn whether endo-siRNAs serve a homeostatic function in preventing the development of geographic atrophy. A recent study in nematodes demonstrated that caspases can cleave *Dicer1* and convert it into a DNase that promotes apoptosis⁵⁰. The finding that Alu RNA can induce caspase activation therefore introduces the possibility of bidirectional regulation between DICER1 and Alu that could trigger feed-forward loops that further amplify the disease state.

The inciting events that trigger an RPE-specific reduction of DICER1 in patients with geographic atrophy remain to be determined. Potential culprit could include oxidative stress, which is postulated to underlie AMD pathogenesis², as the present inventors found that exposure to hydrogen peroxide downregulates DICER1 in human RPE cells (FIG. 30). While the upstream triggers of DICER1 dysregulation and the possible role of other DICER-dependent, DROSHA/DGCR8-independent small RNAs in geographic atrophy await clarification, the ability of Alu RNA antisense oligonucleotides to inhibit RPE cell death induced by DICER1 depletion provides a rationale to investigate Alu RNA inhibition or DICER1 augmentation as potential therapies for geographic atrophy.

Additional Notes

Dicer1 mRNA levels are not modulated in multiple mouse models of retinal degeneration including light damage^{53,54}, hyperoxia⁵⁵, retinal detachment^{53,56}, *Crx*^{-/-} mice⁵⁷, *Rs1h*^{-/-} mice⁵⁸, *rd1* mice^{59,60}, *cpfl1* mice⁶¹, or *Mitf* mice⁶². *Dicer1* abundance also is not reduced in mouse models of cellular stress in the retina including exposure to advanced glycation endproducts⁶³ or retinal detachment⁶⁴. Therefore, *Dicer1* downregulation is not a generic late-stage stress response in the retina.

Materials and Methods

Animals

All animal experiments were approved by institutional review committees and the Association for Research in Vision and Ophthalmology. C57B1/6J and *Dicer1^{fl/fl}* mice were purchased from The Jackson Laboratory. Transgenic mice that express Cre recombinase in the retinal pigmented epithelium under the control of the human bestrophin-1 promoter (BEST1 Cre mice), *DGCR8^{fl/fl}*, *Drosha^{fl/fl}*, *Tarbp2*^{-/-}, *Ccl2*^{-/-}, *Ccr2*^{-/-}, and *Cp*^{-/-} *Heph*^{-/-} mice have been previously described⁶⁵⁻⁷¹. *Ago2^{fl/fl}* mice⁷² and mice deficient in *Ago1*, *Ago3*, or *Ago4* (ref. 73) were generously provided by A. Tarakhovsky. For all procedures, anaesthesia was achieved by intraperitoneal injection of 50 mg/kg ketamine hydrochloride

(Ft. Dodge Animal Health) and 10 mg/kg xylazine (Phoenix Scientific), and pupils were dilated with topical 1% tropicamide (Alcon Laboratories).

Fundus Photography.

Retinal photographs of dilated mouse eyes were taken with a TRC-50 IX camera (Topcon) linked to a digital imaging system (Sony).

Human Tissue.

Donor eyes or ocular tissues from patients with geographic atrophy due to AMD or patients without AMD were obtained from various eye banks in Australia and the United States of America. These diagnoses were confirmed by dilated ophthalmic examination prior to acquisition of the tissues or eyes or upon examination of the eye globes post mortem. The study followed the guidelines of the Declaration of Helsinki Institutional review boards granted approval for allocation and histological analysis of specimens.

Immunolabeling.

Human eyes fixed in 2-4% paraformaldehyde were prepared as eyecups, cryoprotected in 30% sucrose, embedded in optimal cutting temperature compound (Tissue-Tek OCT; Sakura Finetek), and cryosectioned into 10 μ m sections. Depigmentation was achieved using 0.25% potassium permanganate and 0.5% oxalic acid. Immunohistochemical staining was performed with the mouse antibody against dsRNA (1:1,000, clone J2, English & Scientific Consulting) or rabbit antibody against human DICER1 (1:100, Santa Cruz Biotechnology). Isotype IgG was substituted for the primary antibody to assess the specificity of the staining. Bound antibody was detected with biotin-conjugated secondary antibodies (Vector Laboratories). Slides were further incubated in alkaline phosphatase-streptavidin solution (Invitrogen) and the enzyme complex was visualized by Vector Blue (Vector Laboratories). Levamisole (Vector Laboratories) was used to block endogenous alkaline phosphatase activity. Slides were washed in PBS, rinsed with deionized water, air-dried, and then mounted in Clear Mount (EMS). Mouse RPE/choroid flat mounts were fixed with 4% paraformaldehyde or 100% methanol and stained with rabbit antibodies against human zonula occludens-1 (1:100, Invitrogen), Cre recombinase (1:1000, EMD4Biosciences), or human cleaved caspase-3 (1:200, Cell Signaling) and visualized with Alexa594- or Cy5-conjugated secondary antibodies. Both antibodies are cross-reactive against the mouse homologues. Primary human RPE cells were grown to 70-80% confluency in chamber slides (Lab-Tek). After 24 h of transfection with pAlu or pUC19, cells were fixed in acetone for 10 min at -20° C. Cells were blocked with PBS-3% BSA and incubated with mouse antibody against dsRNA (1:500, clone J2) overnight at 4° C. and visualized with Alexa Fluor 488-conjugated secondary antibodies. For DICER1 staining, cells were fixed in methanol/acetone (7:3) for 30 min on ice, blocked with PBS-3% BSA-5% FBS, incubated with rabbit antibody against human DICER1 (1:100, Santa Cruz Biotechnology) overnight at 4° C., and visualized with goat-anti-rabbit Alexa Fluor 594-conjugated secondary antibodies. After DAPI counterstaining, slides were cover slipped in Vectashield (Vector Laboratories). Images were obtained using the Leica SP-5 or Zeiss Axio Observer Z1 microscopes.

Histology.

Mouse eyes were fixed with 4% paraformaldehyde and 3.5% glutaraldehyde, postfixed in 2% osmium tetroxide, and dehydrated in ethanol and embedded. Semi-thin (1 μ m) sections were cut and stained with toluidine blue. Bright field images were obtained using the Zeiss Axio Observer Z1 microscope.

Subretinal Injection.

Subretinal injections (1 μ L) in mice were performed using a Pico-Injector (PLI-100, Harvard Apparatus). In vivo transfection of plasmids coding for DICER1 (ref. 74), AluYa5 (ref. 75), Alu Yb9 (ref. 76), 7SL RNA (ref. 77), pri-miR29b1 (Addgene), or pri-miR26a2 (Addgene) and bovine tRNA (Sigma-Aldrich) (0.5 mg/mL) was achieved using 10% Neuroporter (Genlantis). AAV1-BEST1-Cre⁷⁸ or AAV1-BEST1-GFP were injected at 1.0×10^{11} pfu/mL and recombinant Alu RNAs (1: a single RNA strand of 281 nucleotides whose sequence is that of the cDNA clone TS 103 (ref 51) and folds into a defined secondary structure identical to a Pol III derived transcript; 2: a single RNA strand of 302 nucleotides whose sequence is identical to that of a clone isolated from the RPE of a human eye with geographic atrophy that folds into a defined secondary structure identical to a Pol III derived transcript; or 3: a fully complementary dsRNA version of this 302 nucleotide long sequence that mimics a Pol II derived transcript) was injected at 0.3 mg/mL. Cell-permeating cholesterol conjugated-B1/B2 antisense oligonucleotides (as) (5'-TCAGATCTCGTTACGGATGGTTGTGA-3') or cholesterol conjugated-control as (5'-TTGGTACGCATACGTGTGACTGTGA-3') (both from Integrated DNA Technologies) were injected (2 μ g in 1 μ L) 10 days after AAV1-BEST1-Cre was injected in Dicer1^{ff} mice.

Isolation of dsRNA.

Human eyes were stored in RNAlater (Ambion). Tissue extracts were prepared by lysis in buffer containing 50 mM Tris-HCl, pH 8, 150 mM NaCl, 1% Nonidet P-40, protease and phosphatase inhibitors (complete mini EDTA-free, protease inhibitor and phosphatase inhibitor cocktail tablets, Roche), and RNase inhibitor (SUPERase-In, Ambion). After homogenization using bullet blender (Nextadvance) and centrifugation, immunoprecipitations were performed by adding 40 μ g of mouse antibody against dsRNA (clone J2) for 16 h at 4° C. Immunocomplexes were collected on protein A/G agarose (Thermoscientific) and dsRNA species were separated and isolated using Trizol (Invitrogen) according to the manufacturer's instructions.

Ligation of dsRNA and Anchor Primer.

An anchor primer (PC3-T7 loop, 5'-p-GGATCCCGG-GAATTCGGTAATACGACTCAC-TATATTTTATAGTGAGTCGTATTA-OH-3', 200-400 ng, IDT)^{79,80} was ligated to dsRNA (200-400 ng) in 50 mM HEPES/NaOH, pH 8 (vWR), 18 mM MgCl₂ (Invitrogen), 0.01% BSA (Fisher Scientific), 1 mM ATP (Roche), 3 mM DTT (Fluka), 10% DMSO (Finnzymes), 20% PEG 6000 (Alfa Aesar), and 30U T4 RNA ligase (Ambion). Ligation was performed at 37° C. for 16 h, and ligated dsRNA was purified by MinElute Gel extraction columns (Qiagen).

Sequence-Independent cDNA Synthesis.

After denaturation, ligated dsRNA was reverse transcribed in a RT reaction containing 50 mM Tris-HCl, pH 8.3, 10 mM MgCl₂, 70 mM KCl, 30 mM β -mercaptoethanol, 1 mM dNTPs and 15U cloned AMV reverse transcriptase (Invitrogen). The mixture was incubated in a thermal cycler (Eppendorf) at 42° C. for 45 min followed by 55° C. for 15 min.

Polymerase Chain Reaction (PCR) Amplification.

Amplification of cDNA was performed using primer PC2 (5'-p-CCGAATTCCCGGGATCC-3', IDT) in a reaction buffer containing 5 μ L cDNA and 40 μ L Platinum PCR SuperMix (Invitrogen). The PCR cycling parameters consisted of one step of 72° C. for 1 min to fill incomplete cDNA ends and produce intact DNA, followed by one step of initial denaturation (94° C., 2 min), 39 cycles of 94° C. for 30 s, 53° C. for 30 s, and 72° C. for 1 min, and a final extension step of

72° C. for 10 min. In vitro transcribed dsRNAs of varying lengths (325 bp, 1 and 2 kb) were used as positive controls.

Cloning and Sequencing.

The amplified cDNA products were incubated with 1U calf intestinal alkaline phosphatase (Invitrogen) at 37° C. for 5 min to remove the 5'-phosphate group, separated on a low-melting point agarose gel (1%) and purified using Qiaquick gel extraction kit (Qiagen). The purified dephosphorylated cDNA fragments were cloned in PCR II TOPO vector (Invitrogen) and sequenced using M13 forward (−20) and M13 reverse primers at the University of Kentucky Advanced Genetic Technologies Center using multi-colour fluorescence based DNA sequencer (ABI 3730x1). Sequences were assembled using ContigExpress from vector NTI Advance. The homology of the isolated cDNA sequences to known Alu consensus sequences was determined using the CENSOR server⁸¹ (a WU-BLAST-powered database of repetitive elements (<http://www.girinst.org/censor>). For each cDNA sequence, the homologous region of the query was aligned to the consensus Alu sequence using BLASTn⁸² (<http://www.ncbi.nlm.nih.gov/BLAST>). Multiple sequence alignment was performed using ClustalW2 (<http://www.ebi.ac.uk/Tools/clustalw2>). The consensus sequences have been deposited in GenBank under the accession numbers HN176584 and HN176585.

Alu RNA Synthesis.

The present inventors synthesized two Alu RNAs: a 281 nt Alu sequence originating from the cDNA clone TS 103 which is known to be expressed in human cells' and a 302 nt Alu sequence isolated from the RPE of a human eye with geographic atrophy. Both of these Alu RNAs were synthesized using a RNA polymerase T7 promoter and runoff transcription followed by gel purification as previously described⁸³. This yields single stranded RNAs that fold into a defined secondary structure identical to Pol III derived transcripts. The present inventors also synthesized a fully complementary dsRNA form (resembling a Pol II derived transcript) of the 302 nt human geographic atrophy Alu using linearized PCR II TOPO plasmid templates using T7 or SP6 RNA polymerases (MegaScript, Ambion) according to the manufacturer's recommendations. After purification, equal molar amount of each transcript were combined and heated at 95° C. for 1 min, cooled and then annealed at room temperature for 24 h. The Alu dsRNA was precipitated, suspended in water and analyzed on 1.4% non-denaturing agarose gel using the single-stranded complementary strands as controls.

Real-Time PCR.

Total RNA was extracted from tissues or cells using Trizol reagent (Invitrogen) according to manufacturer's recommendations and were treated with RNase free DNase (Ambion). Total RNA (1 µg) was reverse transcribed as previously described⁸⁴ using qScript cDNA SuperMix (Quanta Biosciences). The RT products (cDNA) were amplified by real-time quantitative PCR (Applied Biosystems 7900 HT Fast Real-Time PCR system) with Power SYBR green Master Mix. Oligonucleotide primers specific for DICER1 (forward 5'-CCCGGCTGAGAGAAGTACG-3' and reverse 5'-CTG-TAAGTTCGACCAACACCTTTAAA-3'), DROSHA (forward 5'-GAACAGTTCAACCCCGATGTG-3' and reverse 5'-CTCAACTGTGCAGGGCGTATC-3'), DGCR8 (forward 5'-TCTGCTCCTTAGCCCTGTGAGT-3' and reverse 5'-CCAACACTCCCGCCAAAG-3'), EIF2C2 (forward 5'-GCACGGAAGTCCATCTGAAGTC-3' and reverse 5'-CCGGCGTCTCTCGAGATCT-3'), human 18S rRNA (forward 5'-CGCAGCTAGGAATAATGGAATAGG-3' and reverse 5'-GCCTCAGTTCCGAAAACCAA-3'), Alu (forward 5'-CAACATAGTGAAACCCCGTCTCT-3' and reverse

5'-GCCCTCAGCCTCCCGAGTAG-3'), LINE L1.3 (ORF2) (forward 5'-CGGTGATTCTGCAATTCCA-3' and reverse 5'-TGTCTGGCACTCCCTAGTGAGA-3'), HERV-WE1 (forward 5'-GCCGCTGTATGACCAGTAGCT-3' and reverse 5'-GGGACGCTGCATTCTCCAT-3'), human Ro-associated Y3 (hY3) (forward 5'-CCGAGTGCAGTGGTGT-TACA-3' and reverse 5'-GGAGTGGAGAAGGAACAAA-GAAATC-3'), 7SL (forward 5'-CGGCATCAATATGGTGACCT-3' and reverse 5'-CT-GATCAGCACGGGAGTTTT-3'), B1 (forward 5'-TGCCTT-TAATCCCAGCACTT-3' and reverse 5'-GCTGCTCACA-CAAGGTTGAA-3'), B2 (forward 5'-GAGTTCAAATCCCAGCAACCA-3' and reverse 5'-AA-GAGGGTCTCAGATCTTGTTACAGA-3'), cytoplasmic B2 (forward 5'-GCCCTGTTACAATTGGCTTT-3' and reverse 5'-GTGGTTGCTGGGATTTGAAC-3').

Dicer1 (forward 5'-CCCACCGAGGTGCATGTT-3' and reverse 5'-TAGTGGTAGGAGGCGTGTGTAAAA-3'), mouse 18S rRNA (forward 5'-TTCGTATTGCCG-CGCTAGA-3' and reverse 5'-CTTTCGCTCTGGTC-CGTCTT-3') were used. The QPCR cycling conditions were 50° C. for 2 min, 95° C. for 10 min followed by 40 cycles of a two-step amplification program (95° C. for 15 s and 58° C. for 1 min). At the end of the amplification, melting curve analysis was applied using the dissociation protocol from the Sequence Detection system to exclude contamination with unspecific PCR products. The PCR products were also confirmed by agarose gel and showed only one specific band of the predicted size. For negative controls, no RT products were used as templates in the QPCR and verified by the absence of gel-detected bands. Relative expressions of target genes were determined by the 2^{−ΔΔC_T} method.

miRNA PCR.

miRNA abundance was quantified using the All-in-OneTM miRNA qRT-PCR Detection Kit (GeneCopoeia). Briefly, total RNA was polyadenylated and reverse transcribed using a poly dT-adaptor primer. Quantitative RT-PCR was carried out using a miRNA-specific forward primer and universal reverse primer. PCR products were subjected to dissociation curve and gel electrophoresis analyses to ensure that single, mature miRNA products were amplified. Data were normalized to ACTB levels. The forward primers for the miRNAs were as follows: miR-184 (5'-TGGACGGAGAACT-GATAAGGGT-3'); miR-221/222 (5'-AGCTACATCTGGC-TACTGGGT-3'); miR-204/211 (5'-TTCCCTTTGTGTCATC-CTTCGCCT-3'); miR-877 (5'-GTAGAGGAGATGGCGCAGGG-3'); miR-320a (5'-AAAAGCTGGGTTGAGAGGGCGA-3'); miR-484 (5'-TCAGGTCAGTCCCTCCCGAT-3'); let-7a (5'-TGAGGTAGTAGGTTGTATAGTT-3'). The reverse primers were proprietary (Genecopoeia). The primers for ACTB were forward (5'-TGGATCAGCAAGCAGGAGTATG-3') and reverse (5'-GCATTGCGGTGGACGAT-3').

Dot Blot (Immuno-Dot Binding).

Increasing amounts of Alu RNA were spotted onto hybond-N⁺ positively charged nylon membrane (Amersham) and UV cross-linked. After blocking, the membranes were incubated with mouse antibody against dsRNA (1:1,000, clone J2) for 1 h at RT. The peroxidase-conjugated goat anti-mouse secondary antibody (1:5,000, Sigma) was used for 1 h at RT. After several washes, the signals were visualized by enhanced chemiluminescence (ECL plus, Amersham). In vitro transcribed dsRNAs of different length were used as positive controls. Transfer and ribosomal RNAs were used as negative controls.

Northern Blot.

Total RNA from normal and diseased macular RPE was extracted as described above using Trizol. RNA integrity and quality was assessed using 1% agarose gel electrophoresis and RNA concentrations and purity were determined for each sample by NanoDrop 1000 spectrophotometer V3.7 (Thermo Fisher Scientific). dsRNA (2 µg) was separated on denaturing 15% PAGE-urea ready gel (Bio-Rad), and total RNA (10 µg) was separated by size on 1% agarose, 0.7M formaldehyde gels and visualized on an ultraviolet transilluminator to ensure consistent loading between different groups and to record the distance of migration of the 18S and 28S rRNA bands. dsRNA ladder (21-500 bp, New England BioLabs) and RNA ladder (0.1-2 kb, Invitrogen) were used as markers. Gels were then transferred to a positively charged Nylon membrane (Hybond-N+, GE Healthcare Bio-Sciences) by vacuum blotting apparatus (VacuGene XL Vacuum Blotting System, GE Healthcare Bio-Sciences). The RNAs were crosslinked to the membranes by ultraviolet irradiation and baked at 80° C. for 20-30 min. Membranes were hybridized with (α-³²P)-dCTP-labeled DNA Alu probe at 42° C. overnight. On the following day, the membranes were rinsed twice with 1×SSC, 0.1% SDS at 55° C. Each wash was for 20 min, and then membranes were subjected to storage in a phosphor autoradiography cassette. Hybridization signals were determined by using Typhoon phosphorimager (GE Healthcare Bio-Sciences). The 7SL probe was synthesized by PCR amplification of a 7SL RNA plasmid^{77,84} with the following primers (forward 5'-ATCGGGTGTCCGCACTAAG-3' and reverse 5'-ATCAGCACGGGAGTTTGTGAC-3') designed to amplify a 128-bp fragment within the S-region that is not contained in Alu. For visualization of U6, membranes were stripped and blotted again using the High Sensitive mRNA Northern Blot Assay Kit (Signosis) according to the manufacturer's instructions.

Western Blot.

Tissues were homogenized in lysis buffer (10 mM Tris base, pH 7.4, 150 mM NaCl, 1 mM EDTA, 1 mM EGTA, 1% Triton X-100, 0.5% NP-40, protease and phosphatase inhibitor cocktail (Roche)). Protein concentrations were determined using a Bradford assay kit (Bio-Rad) with bovine serum albumin as a standard. Proteins (40-100 µg) were run on 4-12% Novex Bis-Tris gels (Invitrogen). The transferred membranes were blocked for 1 h at RT and incubated with antibodies against DICER1 (1:1,000, ref 85; or 1:200, Santa Cruz Biotechnology) at 4° C. overnight. Protein loading was assessed by immunoblotting using an anti-Tubulin antibody (1:1,000; Sigma-Aldrich). The secondary antibodies were used (1:5,000) for 1 h at RT. The signal was visualized by enhanced chemiluminescence (ECL Plus) and captured by VisionWorksLS Image Acquisition and Analysis software (Version 6.7.2, UVP, LLC). Densitometry analysis was performed using ImageJ (NIH). The value of 1 was arbitrarily assigned for normal eye samples.

DICER1 Cleavage.

The ability of DICER1 to cleave Alu RNA was tested using Recombinant Human Dicer Enzyme Kit (Genlantis) according to the manufacturer's instructions. The products of the digestion were purified for the in vivo injection using RNA Purification Column (Genlantis).

Cell Culture.

All cell lines were cultured at 37° C. and 5% CO₂. Primary mouse RPE cells were isolated as previously described⁸⁶ and grown in Dulbecco Modified Eagle Medium (DMEM) supplemented with 10% FBS and standard antibiotics concentrations. Primary human RPE cells were isolated as previously described⁸⁷ and maintained in DMEM supplemented

with 20% FBS and antibiotics. Parental HCT116 and isogenic Dicer^{-/-} cells²⁵ were cultured in McCoy's 5A medium supplemented with 10% FBS.

Transient Transfection.

Human and mouse RPE cells were transfected with pUC19, pAlu, pcDNA3.1/Dicer1-FLAG, pcDNA3.1, DICER1 antisense oligonucleotide (as) (5'-GCUGACCTTTTGTCTUCUCA-3'), B1/B2 as (5'-TCAGATCTCGTACGGATGGTTGTGA-3'), control (for DICER1 and B1/B2) as (5'-TTGGTACGCATACGTGTTGACTGTGA-3'), Alu as (5'-CCCGGGTTCACGCCATTCTCTGCCTCAGCCTCACGAGTAGCTGGGACTACAGGCGCCGACACCACTCCCGGCTAATTTTGTATTTT-3'), control (for Alu) as (5'-GCATGGCCAGTCCATTGATCTGTCACGCTTGCTAGTACGCTCCTCAACCTATCTCTCC TAGCCCGTTACTTGGTGCCACCGGCG-3') using Lipofectamine 2000 (Invitrogen) or Oligofectamine (Invitrogen) according to the manufacturer's instructions.

Adenoviral Infection.

Cells were plated at density of 15×10³/cm² and after 16 h, at approximately 50% confluence, were infected with AdCre or AdNull (Vector Laboratories) with a multiplicity of infection of 1,000.

RNA Polymerase Inhibition.

Human RPE cells were transfected with DICER1 or control antisense oligonucleotides using Lipofectamine 2000. After a change of medium at 6 the cells were incubated with 45 µM tagetitoxin (Epicentre Technologies, Tagetin) or 10 α-amanitin (Sigma-Aldrich) and the total RNA was collected after 24 h.

Cell Viability.

MTS assays were performed using the CellTiter 96 Aqueous One Solution Cell Proliferation Assay (Promega) in according to the manufacturer's instructions.

Caspase-3 Activity.

Sub-confluent human RPE cells were treated with PBS or Alu RNA at different concentrations in 2% FBS medium for 8 h. The caspase-3 activity was measured using Caspase-3 Fluorimetric Assay (R&D Systems) according to the manufacturer's instructions.

Oxidative Stress.

Confluent human RPE cells were exposed to hydrogen peroxide (0-2 mM, Fisher Scientific).

Statistics.

Results are expressed as mean±SEM, with P<0.05 considered statistically significant. Differences between groups were compared by using Mann-Whitney U test or Student t test, as appropriate, and 2-tailed P values are reported.

Throughout this document, various references are mentioned. All such references are incorporated herein by reference, including the references set forth in the following list:

REFERENCES

1. Ferrara, N. Vascular endothelial growth factor and age-related macular degeneration: from basic science to therapy. *Nat Med* 16, 1107-1111 (2010).
2. Ambati, J., Ambati, B. K., Yoo, S. H., Ianchulev, S. & Adamis, A. P. Age-related macular degeneration: etiology, pathogenesis, and therapeutic strategies. *Surv Ophthalmol* 48, 257-293 (2003).
3. Bernstein, E., Caudy, A. A., Hammond, S. M. & Hannon, G. J. Role for a bidentate ribonuclease in the initiation step of RNA interference. *Nature* 409, 363-366 (2001).
4. Batzer, M. A. & Deininger, P. L. Alu repeats and human genomic diversity. *Nat Rev Genet.* 3, 370-379 (2002).

5. Gregory, R. I. et al. The Microprocessor complex mediates the genesis of microRNAs. *Nature* 432, 235-240 (2004).
6. Liu, J. et al. Argonaute2 is the catalytic engine of mammalian RNAi. *Science* 305, 1437-1441 (2004).
7. Meister, G. et al. Human Argonaute2 mediates RNA cleavage targeted by miRNAs and siRNAs. *Mol Cell* 15, 185-197 (2004).
8. Wiesen, J. L. & Tomasi, T. B. Dicer is regulated by cellular stresses and interferons. *Mol Immunol* 46, 1222-1228 (2009).
9. Ambati, J. et al. An animal model of age-related macular degeneration in senescent Ccl-2- or Ccr-2-deficient mice. *Nat Med* 9, 1390-1397 (2003).
10. Takeda, A. et al. CCR3 is a target for age-related macular degeneration diagnosis and therapy. *Nature* 460, 225-230 (2009).
11. Hahn, P. et al. Disruption of ceruloplasmin and hephaestin in mice causes retinal iron overload and retinal degeneration with features of age-related macular degeneration. *Proc Natl Acad Sci USA* 101, 13850-13855 (2004).
12. Harfe, B. D., McManus, M. T., Mansfield, J. H., Hornstein, E. & Tabin, C. J. The RNaseIII enzyme Dicer is required for morphogenesis but not patterning of the vertebrate limb. *Proc Natl Acad Sci USA* 102, 10898-10903 (2005).
13. Iacovelli, J. et al. Generation of cre transgenic mice with postnatal RPE-specific ocular expression. *Invest Ophthalmol Vis Sci*, In press (2010).
14. Alexander, J. J. & Hauswirth, W. W. Adeno-associated viral vectors and the retina. *Adv Exp Med Biol* 613, 121-128 (2008).
15. Chong, M. M., Rasmussen, J. P., Rudensky, A. Y. & Littman, D. R. The RNaseIII enzyme Drosha is critical in T cells for preventing lethal inflammatory disease. *J Exp Med* 205, 2005-2017 (2008).
16. Yi, R. et al. DGCR8-dependent microRNA biogenesis is essential for skin development. *Proc Natl Acad Sci USA* 106, 498-502 (2009).
17. O'Carroll, D. et al. A Slicer-independent role for Argonaute 2 in hematopoiesis and the microRNA pathway. *Genes Dev* 21, 1999-2004 (2007).
18. Chong, M. M. et al. Canonical and alternate functions of the microRNA biogenesis machinery. *Genes Dev* 24, 1951-1960 (2010).
19. Babiarz, J. E., Ruby, J. G., Wang, Y., Bartel, D. P. & Blueloch, R. Mouse ES cells express endogenous shRNAs, siRNAs, and other Microprocessor-independent, Dicer-dependent small RNAs. *Genes Dev* 22, 2773-2785 (2008).
20. Schaefer, A. et al. Argonaute 2 in dopamine 2 receptor-expressing neurons regulates cocaine addiction. *J Exp Med* 207, 1843-1851 (2010).
21. Diederichs, S. & Haber, D. A. Dual role for argonautes in microRNA processing and posttranscriptional regulation of microRNA expression. *Cell* 131, 1097-1108 (2007).
22. Kaneda, M., Tang, F., O'Carroll, D., Lao, K. & Surani, M. A. Essential role for Argonaute2 protein in mouse oogenesis. *Epigenetics Chromatin* 2, 9 (2009).
23. Su, H., Trombly, M. I., Chen, J. & Wang, X. Essential and overlapping functions for mammalian Argonautes in microRNA silencing. *Genes Dev* 23, 304-317 (2009).
24. Chendrimada, T. P. et al. TRBP recruits the Dicer complex to Ago2 for microRNA processing and gene silencing. *Nature* 436, 740-744 (2005).
25. Cummins, J. M. et al. The colorectal microRNAome. *Proc Natl Acad Sci USA* 103, 3687-3692 (2006).

26. Schonborn, J. et al. Monoclonal antibodies to double-stranded RNA as probes of RNA structure in crude nucleic acid extracts. *Nucleic Acids Res* 19, 2993-3000 (1991).
27. Kato, H. et al. Length-dependent recognition of double-stranded ribonucleic acids by retinoic acid-inducible gene-1 and melanoma differentiation-associated gene 5. *J Exp Med* 205, 1601-1610 (2008).
28. Saleh, M. C. et al. The endocytic pathway mediates cell entry of dsRNA to induce RNAi silencing. *Nat Cell Biol* 8, 793-802 (2006).
29. Yang, Z. et al. Toll-like receptor 3 and geographic atrophy in age-related macular degeneration. *N Engl J Med* 359, 1456-1463 (2008).
30. Dunaief, J. L., Dentchev, T., Ying, G. S. & Milam, A. H. The role of apoptosis in age-related macular degeneration. *Arch Ophthalmol* 120, 1435-1442 (2002).
31. Davis, T. H. et al. Conditional loss of Dicer disrupts cellular and tissue morphogenesis in the cortex and hippocampus. *J Neurosci* 28, 4322-4330 (2008).
32. Damiani, D. et al. Dicer inactivation leads to progressive functional and structural degeneration of the mouse retina. *J Neurosci* 28, 4878-4887 (2008).
33. Chen, J. F. et al. Targeted deletion of Dicer in the heart leads to dilated cardiomyopathy and heart failure. *Proc Natl Acad Sci USA* 105, 2111-2116 (2008).
34. Merritt, W. M. et al. Dicer, Drosha, and outcomes in patients with ovarian cancer. *N Engl J Med* 359, 2641-2650 (2008).
35. Kumar, M. S. et al. Dicer1 functions as a haploinsufficient tumor suppressor. *Genes Dev* 23, 2700-2704 (2009).
36. Hill, D. A. et al. DICER1 mutations in familial pleuropulmonary blastoma. *Science* 325, 965 (2009).
37. Nicholls, R. D., Fischel-Ghodsian, N. & Higgs, D. R. Recombination at the human alpha-globin gene cluster: sequence features and topological constraints. *Cell* 49, 369-378 (1987).
38. Nystrom-Lahti, M. et al. Founding mutations and Alu-mediated recombination in hereditary colon cancer. *Nat Med* 1, 1203-1206 (1995).
39. Lehrman, M. A. et al. Mutation in LDL receptor: Alu-Alu recombination deletes exons encoding transmembrane and cytoplasmic domains. *Science* 227, 140-146 (1985).
40. Lehrman, M. A., Goldstein, J. L., Russell, D. W. & Brown, M. S. Duplication of seven exons in LDL receptor gene caused by Alu-Alu recombination in a subject with familial hypercholesterolemia. *Cell* 48, 827-835 (1987).
41. Wallace, M. R. et al. A de novo Alu insertion results in neurofibromatosis type 1. *Nature* 353, 864-866 (1991).
42. Volpe, T. A. et al. Regulation of heterochromatic silencing and histone H3 lysine-9 methylation by RNAi. *Science* 297, 1833-1837 (2002).
43. Hall, I. M. et al. Establishment and maintenance of a heterochromatin domain. *Science* 297, 2232-2237 (2002).
44. Prades, C., Laurent, A. M., Puechberty, J., Yurov, Y. & Roizes, G. SINE and LINE within human centromeres. *J Mol Evol* 42, 37-43 (1996).
45. Saito, Y. et al. Chromatin remodeling at Alu repeats by epigenetic treatment activates silenced microRNA-5,2-5p with downregulation of Mcl-1 in human gastric cancer cells. *Oncogene* 28, 2738-2744 (2009).
46. Murchison, E. P., Partridge, J. F., Tam, O. H., Cheloufi, S. & Hannon, G. J. Characterization of Dicer-deficient murine embryonic stem cells. *Proc Natl Acad Sci USA* 102, 12135-12140 (2005).
47. Kanellopoulou, C. et al. Dicer-deficient mouse embryonic stem cells are defective in differentiation and centromeric silencing. *Genes Dev* 19, 489-501 (2005).

48. Tam, O. H. et al. Pseudogene-derived small interfering RNAs regulate gene expression in mouse oocytes. *Nature* 453, 534-538 (2008).
49. Watanabe, T. et al. Endogenous siRNAs from naturally formed dsRNAs regulate transcripts in mouse oocytes. *Nature* 453, 539-543 (2008).
50. Nakagawa, A., Shi, Y., Kage-Nakadai, E., Mitani, S. & Xue, D. Caspase-dependent conversion of Dicer ribonuclease into a death-promoting deoxyribonuclease. *Science* 328, 327-334 (2010).
51. Shaikh, T. H., Roy, A. M., Kim, J., Batzer, M. A. & Deininger, P. L. cDNAs derived from primary and small cytoplasmic Alu (scAlu) transcripts. *J Mol Biol* 271, 222-234 (1997).
52. Sinnett, D., Richer, C., Deragon, J. M. & Labuda, D. Alu RNA transcripts in human embryonal carcinoma cells. Model of post-transcriptional selection of master sequences. *J Mol Biol* 226, 689-706 (1992).
53. Rattner, A., Toulabi, L., Williams, J., Yu, H. & Nathan, J. The genomic response of the retinal pigment epithelium to light damage and retinal detachment. *J Neurosci* 28, 9880-9889 (2008).
54. Huang, H. et al. Identification of mouse retinal genes differentially regulated by dim and bright cyclic light rearing. *Exp Eye Res* 80, 727-739 (2005).
55. Natoli, R., Provis, J., Valter, K. & Stone, J. Gene regulation induced in the C57BL/6J mouse retina by hyperoxia: a temporal microarray study. *Mol Vis* 14, 1983-1994 (2008).
56. Farjo, R., Peterson, W. M. & Naash, M. I. Expression profiling after retinal detachment and reattachment: a possible role for aquaporin-0. *Invest Ophthalmol Vis Sci* 49, 511-521 (2008).
57. Livesey, F. J., Furukawa, T., Steffen, M. A., Church, G. M. & Cepko, C. L. Microarray analysis of the transcriptional network controlled by the photoreceptor homeobox gene Crx. *Curr Biol* 10, 301-310 (2000).
58. Gehrig, A. et al. Genome-wide expression profiling of the retinoschisin-deficient retina in early postnatal mouse development. *Invest Ophthalmol Vis Sci* 48, 891-900 (2007).
59. Hackam, A. S. et al. Identification of gene expression changes associated with the progression of retinal degeneration in the rdl mouse. *Invest Ophthalmol Vis Sci* 45, 2929-2942 (2004).
60. Punzo, C. & Cepko, C. Cellular responses to photoreceptor death in the rdl mouse model of retinal degeneration. *Invest Ophthalmol Vis Sci* 48, 849-857 (2007).
61. Schaeferhoff, K. et al. Induction of STAT3-related genes in fast degenerating cone photoreceptors of cpfl1 mice. *Cell Mol Life Sci* 67, 3173-3186 (2010).
62. Gelineau-van Waes, J. et al. Altered expression of the iron transporter Nramp1 (Slc11a1) during fetal development of the retinal pigment epithelium in microphthalmia-associated transcription factor Mitf(mi) and Mitf(vitiligo) mouse mutants. *Exp Eye Res* 86, 419-433 (2008).
63. Tian, J. et al. Advanced glycation endproduct-induced aging of the retinal pigment epithelium and choroid: a comprehensive transcriptional response. *Proc Natl Acad Sci USA* 102, 11846-11851 (2005).
64. Zacks, D. N., Han, Y., Zeng, Y. & Swaroop, A. Activation of signaling pathways and stress-response genes in an experimental model of retinal detachment. *Invest Ophthalmol Vis Sci* 47, 1691-1695 (2006).
65. Chong, M. M., Rasmussen, J. P., Rudensky, A. Y. & Littman, D. R. The RNaseIII enzyme Drosha is critical in T cells for preventing lethal inflammatory disease. *J Exp Med* 205, 2005-2017 (2008).

66. Iacovelli, J. et al. Generation of cre transgenic mice with postnatal RPE-specific ocular expression. *Invest Ophthalmol Vis Sci*, In press (2010).
67. Yi, R. et al. DGCR8-dependent microRNA biogenesis is essential for skin development. *Proc Natl Acad Sci USA* 106, 498-502 (2009).
68. Zhong, J., Peters, A. H., Lee, K. & Braun, R. E. A double-stranded RNA binding protein required for activation of repressed messages in mammalian germ cells. *Nat Genet.* 22, 171-174 (1999).
69. Ambati, J. et al. An animal model of age-related macular degeneration in senescent Ccl-2- or Ccr-2-deficient mice. *Nat Med* 9, 1390-1397 (2003).
70. Takeda, A. et al. CCR3 is a target for age-related macular degeneration diagnosis and therapy. *Nature* 460, 225-230 (2009).
71. Hahn, P. et al. Disruption of ceruloplasmin and hephaestin in mice causes retinal iron overload and retinal degeneration with features of age-related macular degeneration. *Proc Natl Acad Sci USA* 101, 13850-13855 (2004).
72. O'Carroll, D. et al. A Slicer-independent role for Argonaute 2 in hematopoiesis and the microRNA pathway. *Genes Dev* 21, 1999-2004 (2007).
73. Schaefer, A. et al. Argonaute 2 in dopamine 2 receptor-expressing neurons regulates cocaine addiction. *J Exp Med* 207, 1843-1851 (2010).
74. Provost, P. et al. Ribonuclease activity and RNA binding of recombinant human Dicer. *EMBO J* 21, 5864-5874 (2002).
75. Bennett, E. A. et al. Active Alu retrotransposons in the human genome. *Genome Res* 18, 1875-1883 (2008).
76. Hagan, C. R., Sheffield, R. F. & Rudin, C. M. Human Alu element retrotransposition induced by genotoxic stress. *Nat Genet.* 35, 219-220 (2003).
77. Misra, S., Tripathi, M. K. & Chaudhuri, G. Down-regulation of 7SL RNA expression and impairment of vesicular protein transport pathways by *Leishmania* infection of macrophages. *J Biol Chem* 280, 29364-29373 (2005).
78. Alexander, J. J. & Hauswirth, W. W. Adeno-associated viral vectors and the retina. *Adv Exp Med Biol* 613, 121-128 (2008).
79. Maan, S. et al. Rapid cDNA synthesis and sequencing techniques for the genetic study of bluetongue and other dsRNA viruses. *J Virol Methods* 143, 132-139 (2007).
80. Potgieter, A. C. et al. Improved strategies for sequence-independent amplification and sequencing of viral double-stranded RNA genomes. *J Gen Virol* 90, 1423-1432 (2009).
81. Kohany, O., Gentles, A. J., Hankus, L. & Jurka, J. Annotation, submission and screening of repetitive elements in Repbase: RepbaseSubmitter and Censor. *BMC Bioinformatics* 7, 474 (2006).
82. Altschul, S. F., Gish, W., Miller, W., Myers, E. W. & Lipman, D. J. Basic local alignment search tool. *J Mol Biol* 215, 403-410 (1990).
83. Allen, T. A., Von Kaenel, S., Goodrich, J. A. & Kugel, J. F. The SINE-encoded mouse B2 RNA represses mRNA transcription in response to heat shock. *Nat Struct Mol Biol* 11, 816-821 (2004).
84. Tripathi, M. K. & Chaudhuri, G. Down-regulation of UCRP and UBE2L6 in BRCA2 knocked-down human breast cells. *Biochem Biophys Res Commun* 328, 43-48 (2005).

85. Kanellopoulou, C. et al. Dicer-deficient mouse embryonic stem cells are defective in differentiation and centromeric silencing. *Genes Dev* 19, 489-501 (2005).
86. Yang, P., Tyrrell, J., Han, I. & Jaffe, G. J. Expression and modulation of RPE cell membrane complement regulatory proteins. *Invest Ophthalmol Vis Sci* 50, 3473-3481 (2009).
87. Yang, Z. et al. Toll-like receptor 3 and geographic atrophy in age-related macular degeneration. *N Engl J Med* 359, 1456-1463 (2008).
88. U.S. Patent Application Publication No. 2007/0031417 for Dicer Interaction Proteins and Uses Therefor.

89. U.S. Patent Application Publication No. 2006/0228361 for Dicer Interacting Proteins and Uses Therefor.
90. International Patent Application Publication No. WO 2005/047477 for Interspersed Repetitive Element RNAs as Substrates, Inhibitors, and Delivery Vehicles for RNAi.

It will be understood that various details of the presently disclosed subject matter can be changed without departing from the scope of the subject matter disclosed herein. Furthermore, the foregoing description is for the purpose of illustration only, and not for the purpose of limitation.

SEQUENCE LISTING

<160> NUMBER OF SEQ ID NOS: 29

<210> SEQ ID NO 1
 <211> LENGTH: 19
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: siRNA

<400> SEQUENCE: 1

ctcagcctca cgagtagct 19

<210> SEQ ID NO 2
 <211> LENGTH: 19
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: siRNA

<400> SEQUENCE: 2

tgggactaca ggcgcccga 19

<210> SEQ ID NO 3
 <211> LENGTH: 21
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: siRNA

<400> SEQUENCE: 3

gcctcagcct cagcagtagc t 21

<210> SEQ ID NO 4
 <211> LENGTH: 21
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: siRNA

<400> SEQUENCE: 4

gctgggacta caggcgcccg a 21

<210> SEQ ID NO 5
 <211> LENGTH: 21
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: siRNA

<400> SEQUENCE: 5

gggactacag gcgcccgaca c 21

<210> SEQ ID NO 6
 <211> LENGTH: 21

-continued

<212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: siRNA

<400> SEQUENCE: 6

acaggcgccc gacaccactc c 21

<210> SEQ ID NO 7
 <211> LENGTH: 10323
 <212> TYPE: DNA
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 7

cgaggcgcg ggcaggctg ctgcaggccc aggtgaatgg agtaacctga cagcggggac 60
 gaggcgacgg cgagcgcgag gaaatggcgg cgggggcggc ggcgcggggc ggctccggga 120
 ggccctgggct gtgacgcgcg cgccggagcg gggctccgatg gttctcgaag gcccgcggcg 180
 ccccgctgctg cagtaagctg tgctagaaca aaaatgcaat gaaagaaaca ctggatgaat 240
 gaaaagccct gctttgcaac ccctcagcat ggcaggcctg cagctcatga ccctgcttc 300
 ctcaccaatg ggtcctttct ttggactgcc atggcaacaa gaagcaattc atgataacat 360
 ttatacgcca agaaaatata aggttgaact gcttgaagca gctctggatc ataataccat 420
 cgtctgttta aacactggct caggggaagac atttattgca gtactactca ctaaagagct 480
 gtccatcag atcaggggag acttcagcag aaatggaaaa aggacggtgt tcttggtcaa 540
 ctctgcaaac cagggttgctc aacaagtgtc agctgtcaga actcattcag atctcaaggt 600
 tggggaatac tcaaacctag aagtaaatgc atcttgaca aaagagagat ggaaccaaga 660
 gtttactaag caccagggtc tcattatgac ttgctatgct gccttgaatg tttgaaaaa 720
 tggttactta tcaactgctg acattaacct tttggtgttt gatgagtgct atcttgcaat 780
 cctagaccac ccctatcgag aaattatgaa gctctgtgaa aattgtccat catgtcctcg 840
 cattttggga ctaactgctt ccattttaaa tgggaaatgt gatccagagg aattggaaga 900
 aaagattcag aaactagaga aaattcttaa gagtaatgct gaaactgcaa ctgacctggt 960
 ggtcttagac aggtatactt ctcagccatg tgagattgtg gtggattgtg gaccatttac 1020
 tgacagaagt gggctttatg aaagactgct gatggaatta gaagaagcac ttaattttat 1080
 caatgattgt aatatactg tacattcaaa agaaagagat tctactttaa ttcgaaaca 1140
 gatactatca gactgtcggt ccgtattggt agttctggga ccctgggtgtg cagataaagt 1200
 agctggaatg atggaagag aactacagaa atacatcaaa catgagcaag aggagctgca 1260
 caggaaatct ttattgttta cagacacttt cctaaggaaa atacatgcac tatgtgaaga 1320
 gcacttctca cctgcctcac ttgacctgaa atttgtaact cctaaagtaa tcaaactgct 1380
 cgaaatctta cgcaaatata aaccatatga gcgacagcag tttgaaagcg ttgagtggta 1440
 taataataga aatcaggata attatgtgtc atggagtgt tctgaggatg atgatgagga 1500
 tgaagaaatt gaagaaaaag agaagccaga gacaaatctt ccttctcctt ttaccaacat 1560
 tttgtgcgga attatttttg tggaaagaag atacacagca gttgtcttaa acagattgat 1620
 aaaggaagct ggcaacaag atccagagct ggcttatatc agtagcaatt tcataactgg 1680
 acatggcatt gggaagaatc agcctcgcaa caaacagatg gaagcagaat tcagaaaaca 1740
 ggaagaggta cttagaaat ttcgagcaca tgagaccaac ctgcttattg caacaagtat 1800
 tgtagaagag ggtgttgata taccaaaatg caacttgggt gttcgttttg atttgccac 1860

-continued

agaatatcga	tcctatgttc	aatctaaagg	aagagcaagg	gcacccatct	ctaattatat	1920
aatgttagcg	gatacagaca	aaataaaaag	ttttgaagaa	gaccttaaaa	cctacaaaagc	1980
tattgaaaag	atcttgagaa	acaagtgttc	caagtcggtt	gatactgggtg	agactgacat	2040
tgatcctgtc	atggatgatg	atgacgtttt	cccaccatat	gtgttgaggc	ctgacgatgg	2100
tggtccacga	gtcacaatca	acacggccat	tggacacatc	aatagatact	gtgctagatt	2160
accaagtgat	ccgtttactc	atctagctcc	taaatgcaga	acccgagagt	tgctgatgg	2220
tacattttat	tcaactcttt	atctgccaat	taactcacct	cttcgagcct	ccattgttgg	2280
tccaccaatg	agctgtgtac	gattggctga	aagagttgta	gctctcattt	gctgtgagaa	2340
actgcacaaa	attggcgaa	tggtatgacca	tttgatgcca	gttgggaaaag	agactgttaa	2400
atatgaagag	gagcttgatt	tgcattgatga	agaagagacc	agtgttccag	gaagaccagg	2460
ttccacgaaa	cgaaggcagt	gctacccaaa	agcaattcca	gagtgtttga	gggatagtta	2520
tcacagacct	gatcagccct	gttacctgta	tgtgatagga	atggttttaa	ctacaccttt	2580
acctgatgaa	ctcaacttta	gaaggcggaa	gctctatcct	cctgaagata	ccacaagatg	2640
ctttggaata	ctgacggcca	aaccataacc	tcagattcca	cactttcctg	tgtacacacg	2700
ctctggagag	gttaccatat	ccattgagtt	gaagaagtct	ggtttcatgt	tgtctctaca	2760
aatgcttgag	ttgattacaa	gacttcacca	gtatatattc	tcacataattc	ttcggcttga	2820
aaaacctgca	ctagaattta	aacctacaga	cgctgattca	gcatactgtg	ttctacctct	2880
taatgttgtt	aatgactcca	gcactttgga	tattgacttt	aaattcatgg	aagatattga	2940
gaagtctgaa	gctcgcatag	gcattcccag	tacaaagtat	acaaaagaaa	caccttttgt	3000
ttttaaatta	gaagattacc	aagatgccgt	tatcattcca	agatatcgca	attttgatca	3060
gcctcatcga	ttttatgtag	ctgatgtgta	cactgatctt	acccactca	gtaaatttcc	3120
ttcccctgag	tatgaaactt	ttgcagaata	ttataaaaca	aagtacaacc	ttgacctaac	3180
caatctcaac	cagccactgc	tggtatgtga	ccacacatct	tcaagactta	atcttttgac	3240
acctcgacat	ttgaatcaga	aggggaaaagc	gcttccttta	agcagtgtctg	agaagaggaa	3300
agccaaatgg	gaaagtctgc	agaataaaca	gatactgggt	ccagaactct	gtgctataca	3360
tccaattcca	gcatcactgt	ggagaaaagc	tgtttgtctc	cccagcatac	tttatcgctt	3420
tcactgcctt	ttgactgcag	aggagctaag	agcccagact	gccagcgatg	ctggcggtggg	3480
agtcagatca	cttcctgcgg	attttagata	ccctaactta	gacttcgggt	ggaaaaaatc	3540
tattgacagc	aaatctttta	tctcaatttc	taactcctct	tcagctgaaa	atgataatta	3600
ctgtaagcac	agcacaaatg	tccctgaaaa	tgtgcacat	caagggtgcta	atagaacctc	3660
ctctctagaa	aatcatgacc	aaatgtctgt	gaactgcaga	acgttgctca	gcgagtcccc	3720
tggtaaagctc	cacgttgaag	tttcagcaga	tcttacagca	attaatggtc	tttcttacia	3780
tcaaaatctc	gccaatggca	gttatgattt	agctaacaga	gacttttgcc	aaggaaatca	3840
gctaaattac	tacaagcagg	aaatacccgt	gcaaccaact	acctcatatt	ccattcagaa	3900
tttatacagt	tacgagaacc	agcccagcc	cagcgatgaa	tgtactctcc	tgagtaataa	3960
ataccttgat	ggaaatgcta	acaaatctac	ctcagatgga	agtcctgtga	tgcccgtaat	4020
gcctggtacg	acagacacta	ttcaagtgtc	caagggcagg	atggattctg	agcagagccc	4080
ttctattggg	tactctctaa	ggactcttgg	ccccaatctc	ggacttatte	ttcagctttt	4140
gactctgtca	aacgctagt	atggatttaa	cctggagcgg	cttgaaatgc	ttggcgactc	4200
ctttttaaa	catgccatca	ccacatatct	attttgact	tacctgatg	cgcagaggg	4260

-continued

ccgcctttca tatatgagaa gcaaaaaggt cagcaactgt aatctgtatc gccttgga	4320
aaagaaggga ctaccagcc gcattggtgt gtcaatattt gatccccctg tgaattggct	4380
tcctcctggt tatgtagtaa atcaagacaa aagcaacaca gataaatggg aaaaagatga	4440
aatgacaaaa gactgcattc tggcgaatgg caaactggat gaggattacg aggaggagga	4500
tgaggaggag gagagcctga tgtggagggc tccgaaggaa gaggtgact atgaagatga	4560
ttctcctggag tatgatcagg aacatatcag atttatagat aatatgttaa tggggtcagg	4620
agcttttcta aagaaaatct ctctttctcc tttttcaacc actgattctg catatgaatg	4680
gaaaatgcc aaaaaatcct ccttaggtag tatgccattt tcatcagatt ttgaggattt	4740
tgactacagc tcttgggatg caatgtgcta tctggatcct agcaaagctg ttgaagaaga	4800
tgactttgtg gtgggtttct ggaatccatc agaagaaaac tgtggtgttg acacgggaaa	4860
gcagtccatt tcttacgact tgcacactga gcagtgtatt gctgacaaaa gcatagcgga	4920
ctgtgtggaa gccctgctgg gctgtattt aaccagctgt ggggagaggg ctgctcagct	4980
ttctcctgt tcaactgggc tgaagggtgt cccggtaatt aaaaggactg atcgggaaaa	5040
ggcctgtgc cctactcggg agaatttcaa cagccaacaa aagaacctt cagtgaactg	5100
tgctgtgct tctgtggcca gttcacgctc tctgtattg aaagactcg aatatggttg	5160
tttgaagatt ccaccaagat gtatgtttga tcatccagat gcagataaaa cactgaatca	5220
ccttatatcg gggtttgaaa attttgaaaa gaaaatcaac tacagattca agaataaggc	5280
ttaccttctc caggctttta cacatgcctc ctaccactac aatactatca ctgattgtta	5340
ccagcgtta gaattcctgg gagatgcgat tttggactac ctcataacca agcaccttta	5400
tgaagaccg cggcagcact ccccgggggt cctgacagac ctgcggtctg ccttggtcaa	5460
caacaccatc tttgcatcgc tggctgtaaa gtacgactac cacaagtaact tcaaagctgt	5520
ctctcctgag ctcttccatg tcattgatga ctttgtgcag tttcagcttg agaagaatga	5580
aatgcaagga atggattctg agcttaggag atctgaggag gatgaagaga aagaagagga	5640
tattgaagtt ccaaaggcca tgggggatat ttttgagtcg cttgctgggt ccatttacat	5700
ggatagtggg atgtcactgg agacagtctg gcagggtgtac tatcccatga tgcggccact	5760
aatagaaaag ttttctgcaa atgtaccccg ttccctgtg cgagaattgc ttgaaatgga	5820
accagaaact gccaaatcta gcccggtgga gagaacttac gacgggaagg tcagagtcac	5880
tgtggaagta gtaggaaagg ggaaatttaa aggtgttgggt cgaagttaca ggattgccaa	5940
atctgcagca gcaagaagag ccctccgaag cctcaaagct aatcaacctc aggttcccaa	6000
tagctgaaac cgctttttta aattcaaac aagaacaaa acaaaaaaaaa ttaaggggaa	6060
aattatttaa atcggaaagg aagacttaaa gttgttagtg agtggaatga attgaaggca	6120
gaatttaaag tttggttgat aacaggatag ataacagaat aaacattta acatatgtat	6180
aaaatttttg aactaattgt agtttttagt ttttgcgcaa acacaatctt atcttctttc	6240
ctcacttctg ctttgtttta atcacaagag tgctttaatg atgacattta gcaagtgtc	6300
aaaataattg acaggttttg tttttttttt tttgagttta tgtcagcttt gcttagtgtt	6360
agaaggccat ggagcttaaa cctccagcag tccttaggat gatgtagatt cttctccatc	6420
tctcctgtg tgcagtagtg ccagtcctgc agtagttgat aagctgaata gaaagataag	6480
gttttcgaga ggagaagtgc gccaatgttg tcttttcttt ccacgttata ctgtgtaagg	6540
tgatgttccc ggctgctgtt gcacctgata gtaagggaca gatttttaat gaacattggc	6600

-continued

tggeatgttg	gtgaatcaca	ttttagtttt	ctgatgccac	atagtcttgc	ataaaaaagg	6660
gttcttgcct	taaaagtga	acottcatgg	atagtcttta	atctctgac	tttttggaac	6720
aaactgtttt	acattccttt	cattttatta	tgcattagac	gttgagacag	cgtgatactt	6780
acaactcact	agtatagtgt	taacttatta	caggatcata	ctaaaatttc	tgcatatgt	6840
atactgaaga	cattttaaaa	accagaatat	gtagtctacg	gataattttt	atcataaaaa	6900
tgatcttttg	ctaaacaccc	cattttacta	aagtcctcct	gccaggtagt	tcccactgat	6960
ggaaatgttt	atggcaaata	attttgcctt	ctaggctgtt	gctctaacaa	aataaacctt	7020
agacatatca	cacctaaaat	atgctgcaga	ttttataatt	gattggttac	ttatttaaga	7080
agcaaaacac	agcaccttta	cccttagtct	cctcacataa	atttcttact	atacttttca	7140
taatgttgca	tgcatatttc	acctaaccaaa	gctgtgctgt	taatgccgtg	aaagtttaac	7200
gtttgcgata	aactgcctga	attttgatag	atctgtgatt	taggtcatta	atttagataa	7260
actagctcat	tatttccatc	tttggaagg	gaaaaaaaa	aaaacttctt	taggcatttg	7320
cctaagtttc	tttaattaga	ctttaggca	ctcttcactt	aaatacctca	gttcttcttt	7380
tcttttgcac	gcatttttcc	cctgttttgt	gctatgttta	tgtattatgc	ttgaaatttt	7440
aatttttttt	tttttgcact	gtaactataa	tacctcttaa	tttacctttt	taaaagctgt	7500
gggtcagctc	tgactccca	tcaacatacc	agtagaggtt	tgctgcaatt	tgccccgtta	7560
attatgcttg	aagttaaga	aagctgagca	gaggtgtctc	atatttccca	gcacatgatt	7620
ctgaacttga	tgtctctgtg	aatgtgcat	ttatatgtaa	gtgacatttg	aatactgtcc	7680
ttctgtcttt	atctgcatca	tccaccaca	gagaaatgcc	tctgtgcgag	tgacccgaca	7740
gaaaactgtc	agctctgctt	tctaaggaa	cctgagttag	gggggtatta	agcttctcca	7800
gtgttttttg	ttgtctccaa	tcttaaaact	aaattgagat	ctaaattatt	aaacgagttt	7860
ttgagcaaat	taggtgactt	gttttaaaaa	tatttaattc	cgatttggaa	ccttagatgt	7920
ctatttgatt	ttttaaaaa	ccttaatgta	agatatgacc	agttaaaaa	aagcaattct	7980
tgaattatat	aactgtaaaa	gtgtgcagtt	aacaaggctg	gatgtgaatt	ttattctgag	8040
ggtgatttgt	gatcaagttt	aatcacaaat	ctcttaatat	ttataaacta	cctgatgcca	8100
ggagcttagg	gctttgcatt	gtgtctaata	cattgatccc	agtgttacgg	gattctcttg	8160
attctgggca	ccaaatcag	attgttttca	cagttatgat	tcccagtggt	agaaaaatgc	8220
ctcaatatat	ttgtaacctt	aagaagagta	tttttttgtt	aatactaaga	tgttcaaact	8280
tagacatgat	taggtcatag	attctcaggg	gttcaaattt	ccttctacca	ttcaaatgtt	8340
ttatcaacag	caaacttcag	cgttttcact	ttttgttggg	gaaaaatagt	agattttaat	8400
ttgactcaca	gtttgaagca	ttctgtgac	ccctgggttac	tgagttaaaa	aataaaaaag	8460
tacgagttag	acatatgaaa	tggttatgaa	cgcttttgtg	ctgctgattt	ttaatgctgt	8520
aaagttttcc	tgtgttttag	ttgttgaaat	gttttgcac	tgtcaattaa	ggaaaaaaa	8580
aatcactcta	tgttgcccca	ctttagagcc	ctgtgtgcca	ccctgtgttc	ctgtgattgc	8640
aatgtgagac	cgaatgtaat	atggaaaacc	taccagtggt	gtgtggttgt	gcctgagca	8700
cgtgtgtaaa	ggactgggga	ggcgtgtctt	gaaaaagcaa	ctgcagaaat	tccttatgat	8760
gattgtgtgc	aagttagtta	acatgaacct	tcatttgtta	attttttaaa	atttctttta	8820
taatatgctt	tccgcagtcc	taactatgct	gcgttttata	atagcttttt	cccttctgtt	8880
ctgttcattgt	agcacagata	agcattgcac	ttggtaccat	gctttacctc	atttcaagaa	8940
aatatgctta	acagagagga	aaaaaatgtg	gtttggcctt	gctgctgttt	tgatttatgg	9000

-continued

```

aatttgaaaa agataattat aatgcctgca atgtgtcata tactcgacac acttaaatag 9060
gtcatttttg tctgtggcat ttttactgtt tgtgaaagta tgaacagat ttgttaactg 9120
aactcttaat tatgttttta aaatgtttgt tataatttctt ttcttttttc ttttatatta 9180
cgtgaagtga tgaattttag aatgacctct aacctctctg taattgtctt ttaaaatact 9240
gatattttta tttgttaata atactttgcc ctgagaaaga ttctgatacc ctgccttgac 9300
aacatgaaac ttgaggtgc tttggttcat gaatccaggt gttcccccg cagtcggctt 9360
cttcagtcgc tccctggagg caggtgggca ctgcagagga tcaactggaat ccagatcgag 9420
cgcagttcat gcacaaggcc ccgttgattt aaaatattgg atcttgctct gttagggtgt 9480
ctaataccctt tacacaagat tgaagccacc aaactgagac cttgatacct ttttttaact 9540
gcatctgaaa ttatgttaag agtctttaac ccatttgcat tatctgcaga agagaaactc 9600
atgtcatgtt tattacctat atggttgttt taattacatt tgaataatta tatttttcca 9660
accactgatt acttttcagg aatttaatta tttccagata aatttcttta ttttatattg 9720
tacatgaaaa gttttaaaga tatgtttaag accaagacta ttaaaatgat ttttaaagtt 9780
gttgagagcg ccaatagcaa tatctaggaa atttgcattg agaccattgt attttccact 9840
agcagtgaat atgatttttc acaactaact tgtaaatata ttttaatcat tacttctttt 9900
ttctagtcac attttttatt ggacatcaac cacagacaat ttaattttta tagatgcact 9960
aagaattcac tgcagcagca gggtacatag caaaaatgca aaggtgaaca ggaagtaa 10020
ttctggcttt tctgtgttaa atagtgaagg aaaattacta aaatcaagta aaactaatgc 10080
atattatttg attgacaata aaatatattac catcacatgc tgcagctgtt ttttaaggaa 10140
catgatgtca ttcattcata cagtaatcat gctgcagaaa tttgcagtct gcaccttatg 10200
gatcacaaat accttttagt gttttttttg taataattgt agccaagtaa atctccaata 10260
aagttatcgt ctgttcaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 10320
aaa 10323

```

```

<210> SEQ ID NO 8
<211> LENGTH: 10220
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens

```

```

<400> SEQUENCE: 8

```

```

ggaaactctg aaagaactta gaatcagcat tttgagagca gaagcttggg catgctgtga 60
ttttccaata aactgctatc acaatgtcaa aatgcagttc agacaagagc aacacagaga 120
tctcaaacat taaaacgtaa gctgtgctag aacaaaaatg caatgaaaga aacctggat 180
gaatgaaaag cctgtcttgg caacctctca gcattggcagg cctgcagctc atgacctctg 240
cttctcacc aatgggtcct ttctttggac tgccatggca acaagaagca attcatgata 300
acatttatac gccaagaaaa tatcaggttg aactgcttga agcagctctg gatcataata 360
ccatcgtctg tttaaact ggctcaggga agacatttat tgcagtacta ctactaaag 420
agctgtccta tcagatcagg ggagacttca gcagaaatgg aaaaaggagc gtgttcttgg 480
tcaactctgc aaaccaggtt gctcaacaag tgtcagctgt cagaactcat tcagatctca 540
aggttgggga atactcaaac ctagaagtaa atgcatcttg gacaaaagag agatggaacc 600
aagagtttac taagcaccag gttctcatta tgacttgcta tgcgccttg aatgttttga 660
aaaaagggtta cttatcactg tcagacatta accttttggg gtttgatgag tgcactcttg 720

```

-continued

caatcctaga ccacccctat cgagaaatta tgaagctctg tgaattgt ccatcatgtc	780
ctcgcattht gggactaact gcttccattt taaatgggaa atgtgatcca gaggaattgg	840
aagaaaagat tcagaaacta gagaaaattc ttaagagtaa tgcagaaact gcaactgacc	900
tggtggtctt agacaggtat acttctcagc catgtgagat tgtggtggat tgtggaccat	960
ttactgacag aagtgggctt tatgaaagac tgcagatgga attagaagaa gcacttaatt	1020
ttatcaatga ttgtaataa tctgtacatt caaaagaaag agattctact ttaatttcga	1080
aacagatact atcagactgt cgtgcggtat tggtagttct gggaccctgg tgtgcagata	1140
aagtagctgg aatgatggta agagaactac agaaatacat caaacatgag caagaggagc	1200
tgacagggaa atttttattg ttacagaca ctttcttaag gaaaatacat gcactatgtg	1260
aagagcactt ctcacctgcc tcaattgacc tgaaatttgt aactcctaaa gtaatcaaac	1320
tgtctgaaat cttacgcaaa tataaacat atgagcgaca gcagtttgaa agcgttgagt	1380
ggataataa tagaaatcag gataattatg tgtcatggag tgattctgag gatgatgatg	1440
aggatgaaga aattgaagaa aaagagaagc cagagacaaa ttttcttct ccttttacca	1500
acattttgtg cggaattatt tttgtggaaa gaagatacac agcagttgtc ttaaacagat	1560
tgataaagga agctggcaaa caagatccag agctggctta tatcagtagc aatttcataa	1620
ctggacatgg cattgggaag aatcagcctc gcaacaaaca gatggaagca gaattcagaa	1680
aacaggaaga ggtacttagg aaatttcgag cacatgagac caacctgctt attgcaacaa	1740
gtattgtaga agagggtgtt gatataccaa aatgcaactt ggtggttctt tttgatttgc	1800
ccacagaata tcgatcctat gttcaatcta aaggaagagc aagggcaccc atctctaatt	1860
atataatggt agcggataca gacaaaataa aaagttttga agaagacctt aaaacctaca	1920
aagctattga aaagatcttg agaaacaagt gttccaagtc ggttgatact ggtgagactg	1980
acattgatcc tgtcatggat gatgatgacg ttttccacc atatgtgttg aggctgacg	2040
atggtggtcc acgagtcaca atcaaacagg ccattggaca catcaataga tactgtgcta	2100
gattaccaag tgatccgttt actcatctag ctctaaatg cagaaccoga gagttgcttg	2160
atggtacatt ttattcaact ctttatctgc caattaaact acctcttga gcctccattg	2220
ttggtccacc aatgagctgt gtacgattgg ctgaaagagt ttagctctc atttctgtg	2280
agaaactgca caaatattgg gaactggatg accatttgat gccagttggg aaagagactg	2340
ttaaataatga agaggagctt gatttgcag atgaagaaga gaccagtgtt ccaggaagac	2400
cagggtccac gaaacgaagg cagtgtctacc caaagcaat tccagagtgt ttgagggata	2460
gttatccag acctgatcag cctgttacc tgtatgtgat aggaatgggt ttaactacac	2520
ctttacctga tgaactcaac tttagaaggc ggaagctcta tcctcctgaa gataccacaa	2580
gatgcttttg aatactgacg gcaaaccca tacctcagat tccacacttt cctgtgtaca	2640
cacgtctctg agaggttacc atatccattg agttgaagaa gtctggtttc atgttgtctc	2700
tacaaatgct tgagttgatt acaagacttc accagtatat attctcacat attcttcggc	2760
ttgaaaaacc tgcactagaa tttaaaccta cagacgctga ttcagcatat tgtgttctac	2820
ctcttaatgt tgtaaatgac tccagcactt tggatattga ctttaaatc atggaagata	2880
ttgagaagtc tgaagctcgc ataggcattc ccagtacaaa gtatacaaaa gaaacaccct	2940
ttgtttttta attagaagat taccaagatg ccgttatcat tccaagatat cgcaattttg	3000
atcagcctca tcgattttat gtagctgatg tgtacactga tcttaccoca ctacagtaaat	3060
ttccttcccc tgagtatgaa acttttgacg aatattataa aacaaagtac aaccttgacc	3120

-continued

taaccaatct caaccagcca ctgctggatg tggaccacac atcttcaaga cttaatcttt	3180
tgacacctcg acatttgaat cagaagggga aagcgcttcc tttaaagcagt gctgagaaga	3240
ggaaagccaa atgggaaagt ctgcagaata aacagatact ggttccagaa ctctgtgcta	3300
tacatccaat tccagcatca ctgtggagaa aagctgtttg tctcccagc atactttatc	3360
gccttcactg ccttttgact gcagaggagc taagagccca gactgccagc gatgctggcg	3420
tgggagtcag atcacttcct gcggatttta gataccctaa cttagacttc gggtggaata	3480
aatctattga cagcaaatct ttcattctaa tttctaactc ctcttcagct gaaaatgata	3540
attactgtaa gcacagcaca attgtccctg aaaatgctgc acatcaaggt gctaatagaa	3600
cctcctctct agaaaatcat gaccaaagt ctgtgaactg cagaacgttg ctgagcgagt	3660
ccctggtaa gctccaggt gaagtttcag cagatcttac agcaattaat ggtctttctt	3720
acaatcaaaa tctcgccaat ggcagttatg atttagctaa cagagacttt tgccaaggaa	3780
atcagctaaa ttactacaag caggaatac cgtgcaacc aactacctca tattccattc	3840
agaatttata cagttacgag aaccagcccc agcccagcga tgaatgtact ctctgagta	3900
ataaatacct tgatggaaat gctaacaat ctacctcaga tggaagtcct gtgatggcg	3960
taatgcctg tacgacagac actattcaag tgctcaaggg caggatggat tctgagcaga	4020
gccctctct tgggtactcc tcaaggactc ttggcccaa tctggactt attcttcagg	4080
ctttgactct gtcaaacgct agtgatggat ttaacctgga gcggcttgaa atgcttgcg	4140
actcctttt aaagcatgcc atcaccacat atctattttg cacttacct gatgcgcatg	4200
agggccgct ttcataatg agaagcaaaa aggtcagcaa ctgtaatctg tatgccttg	4260
gaaaaagaa gggactacc agccgcagtg tgggtgcaat attgatccc cctgtgaatt	4320
ggcttctcc tggttatgta gtaaatcaag acaaaagcaa cacagataaa tgggaaaaag	4380
atgaaatgac aaaagactgc atgctggcga atggcaaaact ggatgaggat tacgaggagg	4440
aggatgagga ggaggagagc ctgatgtgga gggctccgaa ggaagaggct gactatgaag	4500
atgatttcct ggagtatgat caggaacata tcagatttat agataatatg ttaatggggt	4560
caggagcttt tgtaaagaa atctctcttt ctctttttc aacctgat tctgcatatg	4620
aatggaaaat gcccacaaa tctctcttag gtagtatgcc atttcatca gattttgagg	4680
attttgacta cagctcttg gatgcaatgt gctatctgga tcttagcaaa gctgttgaag	4740
aagatgactt tgtggtggg ttctggaatc catcagaaga aaactgtggt gttgacacgg	4800
gaaagcagtc catctcttac gacttgaca ctgagcagtg tattgctgac aaaagcatag	4860
cggactgtgt ggaagccctg ctgggctgct atttaaccag ctgtggggag agggctgctc	4920
agcttttct ctgttactg gggctgaagg tgctccgggt aattaaaagg actgatcggg	4980
aaaagccct gtgcctact cgggagaatt tcaacagcca acaaaagaa ctttcagtga	5040
gctgtgctgc tgcttctgt gccagttcac gctcttctgt attgaaagac tcggaatatg	5100
gttgtttgaa gattccacca agatgtatgt ttgatcatcc agatgcagat aaaactga	5160
atcaccttat atcggggttt gaaaattttg aaaagaaaat caactacaga ttcaagaata	5220
aggcttacct tctcaggct ttacacatg cctctacca ctacaatact atcactgatt	5280
gttaccagcg cttagaatc ctgggagatg cgattttgga ctacctata accaagcacc	5340
tttatgaaga cccgcggcag cactccccg gggctctgac agacctcgg tctgccctgg	5400
tcaacaacac catctttgca tcgctggctg taaagtacga ctaccacaag tacttcaaag	5460

-continued

ctgtctctcc	tgagctcttc	catgtcattg	atgactttgt	gcagtttcag	cttgagaaga	5520
atgaaatgca	aggaatggat	tctgagctta	ggagatctga	ggaggatgaa	gagaaagaag	5580
aggatatatga	agttccaaag	gccatggggg	atatttttga	gtcgcttgct	ggtgccattt	5640
acatggatag	tggtgatgtca	ctggagacag	tctggcaggt	gtactatccc	atgatgcggc	5700
cactaataga	aaagttttct	gcaaatgtac	cccgttcccc	tgtgcgagaa	ttgcttgaaa	5760
tggaaccaga	aactgccaaa	tttagcccg	ctgagagaa	ttacgacggg	aaggtcagag	5820
tcactgtgga	agtagtagga	aaggggaaat	ttaaagggtg	tggtcgaagt	tacaggattg	5880
ccaaatctgc	agcagcaaga	agagccctcc	gaagcctcaa	agctaataca	cctcaggttc	5940
ccaatagctg	aaaccgcttt	ttaaaattca	aaacaagaaa	caaaacaaaa	aaaattaagg	6000
ggaaaattat	ttaaatcgga	aaggaagact	taaagttggt	agtgagtgga	atgaattgaa	6060
ggcagaattt	aaagtttggt	tgataacagg	atagataaca	gaataaaaca	tttaacatat	6120
gtataaaatt	ttggaactaa	ttgtagtttt	agttttttgc	gcaaacacaa	tcttatcttc	6180
tttctcact	tctgctttgt	ttaaatcaca	agagtgcctt	aatgatgaca	tttagcaagt	6240
gctcaaaata	attgacagg	tttggttttt	tttttttgag	tttatgtcag	ctttgcttag	6300
tgtagaagg	ccatggagct	taaacctcca	gcagtcctca	ggatgatgta	gattcttctc	6360
catctctccg	tgtgtgcagt	agtgccagtc	ctgcagtagt	tgataagctg	aatagaaaga	6420
taaggttttc	gagagagagaa	gtgcgccaat	gttgtctttt	ctttccacgt	tatactgtgt	6480
aaggtgatgt	tcccggtcgc	tggtgcacct	gatagtaagg	gacagatttt	taatgaacat	6540
tggttggeat	gttggtgaat	cacatttttag	ttttctgatg	ccacatagtc	ttgcataaaa	6600
aagggttctt	gccttaaaag	tgaaaccttc	atggatagtc	tttaatctct	gatctttttg	6660
gaacaaactg	ttttacattc	ctttcatttt	attatgcatt	agacgttgag	acagcgtgat	6720
acttacaact	cactagtata	gttgtaactt	attacaggat	catactaaaa	tttctgtcat	6780
atgtatactg	aagacatttt	aaaaaccaga	atatgtagtc	tacggatatt	ttttatcata	6840
aaaaatgatct	ttggctaaac	accccatttt	actaaagtcc	tctgcccagg	tagttccccc	6900
tgatggaaat	gtttatggca	aataattttg	ccttctaggc	tggtgctcta	acaaaataaa	6960
ccttagacat	atcacacctc	aaatatgctg	cagattttat	aattgattgg	ttacttattt	7020
aagaagcaaa	acacagcacc	tttaccctta	gtctcctcac	ataaatttct	tactatactt	7080
ttcataatgt	tgcatgcata	tttcacctac	caaagctgtg	ctgttaatgc	cgtgaaagtt	7140
taacgtttgc	gataaactgc	cgtaattttg	atacatctgt	gatttaggtc	attaatttag	7200
ataaactagc	tcattatttc	catcttttga	aaaggaaaaa	aaaaaaaaact	tctttaggca	7260
tttgccaaag	tttctttaat	tagacttgta	ggcactcttc	acttaataac	ctcagttctt	7320
cttttctttt	gcatgcattt	ttcccctggt	tggtgctatg	tttatgtatt	atgcttgaaa	7380
ttttaatttt	tttttttttg	cactgttaact	ataatacctc	ttaatttacc	tttttaaaag	7440
ctgtgggtca	gtcttgcact	cccatcaaca	taccagtaga	ggtttgctgc	aatttgcccc	7500
gttaattatg	cttgaagttt	aagaagctg	agcagagggtg	tctcatattt	cccagcacat	7560
gattctgaac	ttgatgcttc	gtggaatgct	gcatttatat	gtaagtgaca	tttgaatact	7620
gtccttcctg	ctttatctgc	atcatccacc	cacagagaaa	tgctctgtg	cgagtgcacc	7680
gacagaaaa	tgtagctctc	gctttctaa	gaacctgag	tgaggggggt	attaagcttc	7740
tccagtggtt	ttgtgtgtct	ccaatcttaa	acttaaatg	agatctaaat	tattaaacga	7800
gtttttgagc	aaattaggtg	acttgtttta	aaaatattta	attccgattt	ggaaccttag	7860

-continued

atgtctat	ttt	aaaac	cttaa	tgtaag	atat	gaccag	ttaa	aacaa	agcaa	7920
ttcttga	att	atata	actgt	aaaagt	gtgc	agtta	acaag	gctgg	atgtg	7980
tgagggt	gat	ttgtg	atcaa	gttta	aatcac	aaatc	tctta	atattt	ataa	8040
gccaggag	cct	taggg	ccttg	cattgt	gtct	aatac	attga	tcccag	tggt	8100
cttgatt	cct	ggcacc	aaaa	tcagatt	gtt	ttcac	agtta	tgattc	ccag	8160
atgacct	caat	atattt	gttaa	cctta	aagaag	agtatt	tttt	tgtaata	act	8220
aacttag	aca	tgattag	gtc	atacatt	ctc	aggggt	tcaa	atttc	cttct	8280
tgttttat	ca	acagcaa	act	tcagc	cggtt	cacttt	ttgt	tgga	aaaaa	8340
taatttg	act	cacagt	ttga	agcatt	ctgt	gatccc	ctgg	ttactg	agtt	8400
aaagtac	gag	ttagaca	tata	gaaat	gggtta	tgaac	gcttt	tgctgt	ctg	8460
ctgtaa	agt	ttcctg	tggt	tagct	gttg	aaatg	ttttg	catctg	tcaa	8520
aaaaaat	cac	tctat	gttg	cccact	tttag	agccct	gtgt	gccacc	ctgt	8580
ttgcaat	gtg	agaccg	aatg	taatat	ggaa	aacct	accag	tggggt	gttg	8640
agcacgt	gtg	taaagg	actg	gggagg	cggtg	tcttg	aaaaa	gcaact	gcag	8700
tgatgat	tgt	gtgca	agtta	gttaac	atga	acctt	cattt	gtaaa	tttt	8760
tttata	atat	gctttc	cgca	gtccta	acta	tgtgc	ggtt	tataa	tagct	8820
tgttctg	ttc	atgtag	caca	gataag	catt	gcact	tggt	ccatg	cttta	8880
agaaaat	atg	cttaac	agag	aggaaaaa		tgtgg	tttgg	ccttg	ctgct	8940
atggaat	ttg	aaaaa	gataa	ttataat	gcc	tgcaat	gtgt	catata	ctg	9000
ataggtc	att	tttgt	ctgtg	gcatttt	tac	tgttt	gtgaa	agtat	gaaac	9060
actgaa	ctc	taattat	gtt	tttaaa	tgt	ttatat	att	tctttt	cttt	9120
attacgt	gaa	gtgat	gaaat	ttagaat	gac	ctcta	acact	cctgt	aattg	9180
tactgat	att	tttatt	tgtt	aataata	ctt	tgccct	caga	aagatt	ctga	9240
tgacaac	atg	aaact	tgagg	ctgctt	tgtt	tcatg	aatcc	aggtg	ttccc	9300
gcttctt	cag	tcgct	ccctg	gaggc	aggtg	ggcact	gcag	aggat	cactg	9360
cgagcgc	agt	tcatg	cacaa	ggccc	cggtg	atttaa	aaata	ttggat	cttg	9420
gtgtcta	aatc	ccttt	acaca	agattg	aagc	caccaa	actg	agacct	tgat	9480
aactgc	atct	gaaatt	atgt	taagagt	ctt	taacct	cattt	gcatt	atctg	9540
actcat	gtca	tgttt	attac	ctatat	gggt	gtttta	aatta	cattt	gaata	9600
tccaacc	act	gattact	tttt	cagga	attta	attatt	tcca	gataa	atttc	9660
attgtac	atg	aaaagt	ttta	aagatat	gtt	taagac	caag	actat	taaaa	9720
agttgt	tgga	gacgc	caata	gcaatat	cta	ggaaat	ttgc	attgag	acca	9780
cactag	cagt	gaaaat	gatt	tttcaca	act	aactt	gtaaa	tata	tttta	9840
ttttttt	cta	gtccatt	tttt	atttgg	acat	caacc	acaga	caatt	taaat	9900
cactaag	aat	tcactg	cagc	agcagg	ttac	atagc	aaaaa	tgcaa	aggtg	9960
aaatttc	ctg	ctttt	ctgct	gtaaat	agt	aagg	aaaatt	actaaa	tca	10020
atgcat	atta	tttgatt	gac	aataaa	atat	ttacc	atcac	atgct	gcagc	10080
ggaacat	gat	gtcatt	catt	catac	agtaa	tcatg	ctgca	gaaatt	tgca	10140
tatggat	cac	aattac	cttt	agttg	tttt	tttga	ataa	tttag	ccaa	10200

-continued

aataaagtta tcgtctgttc

10220

<210> SEQ ID NO 9
 <211> LENGTH: 1922
 <212> TYPE: PRT
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 9

Met Lys Ser Pro Ala Leu Gln Pro Leu Ser Met Ala Gly Leu Gln Leu
 1 5 10 15

Met Thr Pro Ala Ser Ser Pro Met Gly Pro Phe Phe Gly Leu Pro Trp
 20 25 30

Gln Gln Glu Ala Ile His Asp Asn Ile Tyr Thr Pro Arg Lys Tyr Gln
 35 40 45

Val Glu Leu Leu Glu Ala Ala Leu Asp His Asn Thr Ile Val Cys Leu
 50 55 60

Asn Thr Gly Ser Gly Lys Thr Phe Ile Ala Val Leu Leu Thr Lys Glu
 65 70 75 80

Leu Ser Tyr Gln Ile Arg Gly Asp Phe Ser Arg Asn Gly Lys Arg Thr
 85 90 95

Val Phe Leu Val Asn Ser Ala Asn Gln Val Ala Gln Gln Val Ser Ala
 100 105 110

Val Arg Thr His Ser Asp Leu Lys Val Gly Glu Tyr Ser Asn Leu Glu
 115 120 125

Val Asn Ala Ser Trp Thr Lys Glu Arg Trp Asn Gln Glu Phe Thr Lys
 130 135 140

His Gln Val Leu Ile Met Thr Cys Tyr Val Ala Leu Asn Val Leu Lys
 145 150 155 160

Asn Gly Tyr Leu Ser Leu Ser Asp Ile Asn Leu Leu Val Phe Asp Glu
 165 170 175

Cys His Leu Ala Ile Leu Asp His Pro Tyr Arg Glu Ile Met Lys Leu
 180 185 190

Cys Glu Asn Cys Pro Ser Cys Pro Arg Ile Leu Gly Leu Thr Ala Ser
 195 200 205

Ile Leu Asn Gly Lys Cys Asp Pro Glu Glu Leu Glu Glu Lys Ile Gln
 210 215 220

Lys Leu Glu Lys Ile Leu Lys Ser Asn Ala Glu Thr Ala Thr Asp Leu
 225 230 235 240

Val Val Leu Asp Arg Tyr Thr Ser Gln Pro Cys Glu Ile Val Val Asp
 245 250 255

Cys Gly Pro Phe Thr Asp Arg Ser Gly Leu Tyr Glu Arg Leu Leu Met
 260 265 270

Glu Leu Glu Glu Ala Leu Asn Phe Ile Asn Asp Cys Asn Ile Ser Val
 275 280 285

His Ser Lys Glu Arg Asp Ser Thr Leu Ile Ser Lys Gln Ile Leu Ser
 290 295 300

Asp Cys Arg Ala Val Leu Val Val Leu Gly Pro Trp Cys Ala Asp Lys
 305 310 315 320

Val Ala Gly Met Met Val Arg Glu Leu Gln Lys Tyr Ile Lys His Glu
 325 330 335

Gln Glu Glu Leu His Arg Lys Phe Leu Leu Phe Thr Asp Thr Phe Leu
 340 345 350

Arg Lys Ile His Ala Leu Cys Glu Glu His Phe Ser Pro Ala Ser Leu
 355 360 365

Asp	Leu	Lys	Phe	Val	Thr	Pro	Lys	Val	Ile	Lys	Leu	Leu	Glu	Ile	Leu
370						375					380				
Arg	Lys	Tyr	Lys	Pro	Tyr	Glu	Arg	Gln	Gln	Phe	Glu	Ser	Val	Glu	Trp
385					390					395					400
Tyr	Asn	Asn	Arg	Asn	Gln	Asp	Asn	Tyr	Val	Ser	Trp	Ser	Asp	Ser	Glu
				405					410					415	
Asp	Asp	Asp	Glu	Asp	Glu	Glu	Ile	Glu	Glu	Lys	Glu	Lys	Pro	Glu	Thr
			420					425					430		
Asn	Phe	Pro	Ser	Pro	Phe	Thr	Asn	Ile	Leu	Cys	Gly	Ile	Ile	Phe	Val
		435					440					445			
Glu	Arg	Arg	Tyr	Thr	Ala	Val	Val	Leu	Asn	Arg	Leu	Ile	Lys	Glu	Ala
	450					455					460				
Gly	Lys	Gln	Asp	Pro	Glu	Leu	Ala	Tyr	Ile	Ser	Ser	Asn	Phe	Ile	Thr
465					470					475					480
Gly	His	Gly	Ile	Gly	Lys	Asn	Gln	Pro	Arg	Asn	Lys	Gln	Met	Glu	Ala
				485				490						495	
Glu	Phe	Arg	Lys	Gln	Glu	Glu	Val	Leu	Arg	Lys	Phe	Arg	Ala	His	Glu
			500					505					510		
Thr	Asn	Leu	Leu	Ile	Ala	Thr	Ser	Ile	Val	Glu	Glu	Gly	Val	Asp	Ile
		515					520					525			
Pro	Lys	Cys	Asn	Leu	Val	Val	Arg	Phe	Asp	Leu	Pro	Thr	Glu	Tyr	Arg
	530					535					540				
Ser	Tyr	Val	Gln	Ser	Lys	Gly	Arg	Ala	Arg	Ala	Pro	Ile	Ser	Asn	Tyr
545					550					555					560
Ile	Met	Leu	Ala	Asp	Thr	Asp	Lys	Ile	Lys	Ser	Phe	Glu	Glu	Asp	Leu
				565					570					575	
Lys	Thr	Tyr	Lys	Ala	Ile	Glu	Lys	Ile	Leu	Arg	Asn	Lys	Cys	Ser	Lys
			580					585				590			
Ser	Val	Asp	Thr	Gly	Glu	Thr	Asp	Ile	Asp	Pro	Val	Met	Asp	Asp	Asp
		595					600					605			
Asp	Val	Phe	Pro	Pro	Tyr	Val	Leu	Arg	Pro	Asp	Asp	Gly	Gly	Pro	Arg
	610					615				620					
Val	Thr	Ile	Asn	Thr	Ala	Ile	Gly	His	Ile	Asn	Arg	Tyr	Cys	Ala	Arg
625					630					635					640
Leu	Pro	Ser	Asp	Pro	Phe	Thr	His	Leu	Ala	Pro	Lys	Cys	Arg	Thr	Arg
			645						650					655	
Glu	Leu	Pro	Asp	Gly	Thr	Phe	Tyr	Ser	Thr	Leu	Tyr	Leu	Pro	Ile	Asn
			660					665				670			
Ser	Pro	Leu	Arg	Ala	Ser	Ile	Val	Gly	Pro	Pro	Met	Ser	Cys	Val	Arg
		675					680					685			
Leu	Ala	Glu	Arg	Val	Val	Ala	Leu	Ile	Cys	Cys	Glu	Lys	Leu	His	Lys
	690					695					700				
Ile	Gly	Glu	Leu	Asp	Asp	His	Leu	Met	Pro	Val	Gly	Lys	Glu	Thr	Val
705					710					715					720
Lys	Tyr	Glu	Glu												

-continued

785	790	795	800
Cys Phe Gly Ile Leu Thr Ala Lys Pro Ile Pro Gln Ile Pro His Phe	805	810	815
Pro Val Tyr Thr Arg Ser Gly Glu Val Thr Ile Ser Ile Glu Leu Lys	820	825	830
Lys Ser Gly Phe Met Leu Ser Leu Gln Met Leu Glu Leu Ile Thr Arg	835	840	845
Leu His Gln Tyr Ile Phe Ser His Ile Leu Arg Leu Glu Lys Pro Ala	850	855	860
Leu Glu Phe Lys Pro Thr Asp Ala Asp Ser Ala Tyr Cys Val Leu Pro	865	870	875
Leu Asn Val Val Asn Asp Ser Ser Thr Leu Asp Ile Asp Phe Lys Phe	885	890	895
Met Glu Asp Ile Glu Lys Ser Glu Ala Arg Ile Gly Ile Pro Ser Thr	900	905	910
Lys Tyr Thr Lys Glu Thr Pro Phe Val Phe Lys Leu Glu Asp Tyr Gln	915	920	925
Asp Ala Val Ile Ile Pro Arg Tyr Arg Asn Phe Asp Gln Pro His Arg	930	935	940
Phe Tyr Val Ala Asp Val Tyr Thr Asp Leu Thr Pro Leu Ser Lys Phe	945	950	955
Pro Ser Pro Glu Tyr Glu Thr Phe Ala Glu Tyr Tyr Lys Thr Lys Tyr	965	970	975
Asn Leu Asp Leu Thr Asn Leu Asn Gln Pro Leu Leu Asp Val Asp His	980	985	990
Thr Ser Ser Arg Leu Asn Leu Leu Thr Pro Arg His Leu Asn Gln Lys	995	1000	1005
Gly Lys Ala Leu Pro Leu Ser Ser Ala Glu Lys Arg Lys Ala Lys	1010	1015	1020
Trp Glu Ser Leu Gln Asn Lys Gln Ile Leu Val Pro Glu Leu Cys	1025	1030	1035
Ala Ile His Pro Ile Pro Ala Ser Leu Trp Arg Lys Ala Val Cys	1040	1045	1050
Leu Pro Ser Ile Leu Tyr Arg Leu His Cys Leu Leu Thr Ala Glu	1055	1060	1065
Glu Leu Arg Ala Gln Thr Ala Ser Asp Ala Gly Val Gly Val Arg	1070	1075	1080
Ser Leu Pro Ala Asp Phe Arg Tyr Pro Asn Leu Asp Phe Gly Trp	1085	1090	1095
Lys Lys Ser Ile Asp Ser Lys Ser Phe Ile Ser Ile Ser Asn Ser	1100	1105	1110
Ser Ser Ala Glu Asn Asp Asn Tyr Cys Lys His Ser Thr Ile Val	1115	1120	1125
Pro Glu Asn Ala Ala His Gln Gly Ala Asn Arg Thr Ser Ser Leu	1130	1135	1140
Glu Asn His Asp Gln Met Ser Val Asn Cys Arg Thr Leu Leu Ser	1145	1150	1155
Glu Ser Pro Gly Lys Leu His Val Glu Val Ser Ala Asp Leu Thr	1160	1165	1170
Ala Ile Asn Gly Leu Ser Tyr Asn Gln Asn Leu Ala Asn Gly Ser	1175	1180	1185
Tyr Asp Leu Ala Asn Arg Asp Phe Cys Gln Gly Asn Gln Leu Asn	1190	1195	1200

-continued

Tyr	Tyr	Lys	Gln	Glu	Ile	Pro	Val	Gln	Pro	Thr	Thr	Ser	Tyr	Ser
1205						1210					1215			
Ile	Gln	Asn	Leu	Tyr	Ser	Tyr	Glu	Asn	Gln	Pro	Gln	Pro	Ser	Asp
1220						1225					1230			
Glu	Cys	Thr	Leu	Leu	Ser	Asn	Lys	Tyr	Leu	Asp	Gly	Asn	Ala	Asn
1235						1240					1245			
Lys	Ser	Thr	Ser	Asp	Gly	Ser	Pro	Val	Met	Ala	Val	Met	Pro	Gly
1250						1255					1260			
Thr	Thr	Asp	Thr	Ile	Gln	Val	Leu	Lys	Gly	Arg	Met	Asp	Ser	Glu
1265						1270					1275			
Gln	Ser	Pro	Ser	Ile	Gly	Tyr	Ser	Ser	Arg	Thr	Leu	Gly	Pro	Asn
1280						1285					1290			
Pro	Gly	Leu	Ile	Leu	Gln	Ala	Leu	Thr	Leu	Ser	Asn	Ala	Ser	Asp
1295						1300					1305			
Gly	Phe	Asn	Leu	Glu	Arg	Leu	Glu	Met	Leu	Gly	Asp	Ser	Phe	Leu
1310						1315					1320			
Lys	His	Ala	Ile	Thr	Thr	Tyr	Leu	Phe	Cys	Thr	Tyr	Pro	Asp	Ala
1325						1330					1335			
His	Glu	Gly	Arg	Leu	Ser	Tyr	Met	Arg	Ser	Lys	Lys	Val	Ser	Asn
1340						1345					1350			
Cys	Asn	Leu	Tyr	Arg	Leu	Gly	Lys	Lys	Lys	Gly	Leu	Pro	Ser	Arg
1355						1360					1365			
Met	Val	Val	Ser	Ile	Phe	Asp	Pro	Pro	Val	Asn	Trp	Leu	Pro	Pro
1370						1375					1380			
Gly	Tyr	Val	Val	Asn	Gln	Asp	Lys	Ser	Asn	Thr	Asp	Lys	Trp	Glu
1385						1390					1395			
Lys	Asp	Glu	Met	Thr	Lys	Asp	Cys	Met	Leu	Ala	Asn	Gly	Lys	Leu
1400						1405					1410			
Asp	Glu	Asp	Tyr	Glu	Glu	Glu	Asp	Glu	Glu	Glu	Glu	Ser	Leu	Met
1415						1420					1425			
Trp	Arg	Ala	Pro	Lys	Glu	Glu	Ala	Asp	Tyr	Glu	Asp	Asp	Phe	Leu
1430						1435					1440			
Glu	Tyr	Asp	Gln	Glu	His	Ile	Arg	Phe	Ile	Asp	Asn	Met	Leu	Met
1445						1450					1455			
Gly	Ser	Gly	Ala	Phe	Val	Lys	Lys	Ile	Ser	Leu	Ser	Pro	Phe	Ser
1460						1465					1470			
Thr	Thr	Asp	Ser	Ala	Tyr	Glu	Trp	Lys	Met	Pro	Lys	Lys	Ser	Ser
1475						1480					1485			
Leu	Gly	Ser	Met	Pro	Phe	Ser	Ser	Asp	Phe	Glu	Asp	Phe	Asp	Tyr
1490						1495					1500			
Ser	Ser	Trp	Asp	Ala	Met	Cys	Tyr	Leu	Asp	Pro	Ser	Lys	Ala	Val
1505						1510					1515			
Glu	Glu	Asp	Asp	Phe	Val	Val	Gly	Phe	Trp	Asn	Pro	Ser	Glu	Glu
1520						1525					1530			
Asn	Cys	Gly	Val	Asp	Thr	Gly	Lys	Gln	Ser	Ile	Ser	Tyr	Asp	Leu
1535						1540					1545			
His	Thr	Glu	Gln	Cys	Ile	Ala	Asp	Lys	Ser	Ile	Ala	Asp	Cys	Val
1550						1555					1560			
Glu	Ala	Leu	Leu	Gly	Cys	Tyr	Leu	Thr	Ser	Cys	Gly	Glu	Arg	Ala
1565						1570					1575			
Ala	Gln	Leu	Phe	Leu	Cys	Ser	Leu	Gly	Leu	Lys	Val	Leu	Pro	Val
1580						1585					1590			

-continued

Ile	Lys	Arg	Thr	Asp	Arg	Glu	Lys	Ala	Leu	Cys	Pro	Thr	Arg	Glu
1595						1600					1605			
Asn	Phe	Asn	Ser	Gln	Gln	Lys	Asn	Leu	Ser	Val	Ser	Cys	Ala	Ala
1610						1615					1620			
Ala	Ser	Val	Ala	Ser	Ser	Arg	Ser	Ser	Val	Leu	Lys	Asp	Ser	Glu
1625						1630					1635			
Tyr	Gly	Cys	Leu	Lys	Ile	Pro	Pro	Arg	Cys	Met	Phe	Asp	His	Pro
1640						1645					1650			
Asp	Ala	Asp	Lys	Thr	Leu	Asn	His	Leu	Ile	Ser	Gly	Phe	Glu	Asn
1655						1660					1665			
Phe	Glu	Lys	Lys	Ile	Asn	Tyr	Arg	Phe	Lys	Asn	Lys	Ala	Tyr	Leu
1670						1675					1680			
Leu	Gln	Ala	Phe	Thr	His	Ala	Ser	Tyr	His	Tyr	Asn	Thr	Ile	Thr
1685						1690					1695			
Asp	Cys	Tyr	Gln	Arg	Leu	Glu	Phe	Leu	Gly	Asp	Ala	Ile	Leu	Asp
1700						1705					1710			
Tyr	Leu	Ile	Thr	Lys	His	Leu	Tyr	Glu	Asp	Pro	Arg	Gln	His	Ser
1715						1720					1725			
Pro	Gly	Val	Leu	Thr	Asp	Leu	Arg	Ser	Ala	Leu	Val	Asn	Asn	Thr
1730						1735					1740			
Ile	Phe	Ala	Ser	Leu	Ala	Val	Lys	Tyr	Asp	Tyr	His	Lys	Tyr	Phe
1745						1750					1755			
Lys	Ala	Val	Ser	Pro	Glu	Leu	Phe	His	Val	Ile	Asp	Asp	Phe	Val
1760						1765					1770			
Gln	Phe	Gln	Leu	Glu	Lys	Asn	Glu	Met	Gln	Gly	Met	Asp	Ser	Glu
1775						1780					1785			
Leu	Arg	Arg	Ser	Glu	Glu	Asp	Glu	Glu	Lys	Glu	Glu	Asp	Ile	Glu
1790						1795					1800			
Val	Pro	Lys	Ala	Met	Gly	Asp	Ile	Phe	Glu	Ser	Leu	Ala	Gly	Ala
1805						1810					1815			
Ile	Tyr	Met	Asp	Ser	Gly	Met	Ser	Leu	Glu	Thr	Val	Trp	Gln	Val
1820						1825					1830			
Tyr	Tyr	Pro	Met	Met	Arg	Pro	Leu	Ile	Glu	Lys	Phe	Ser	Ala	Asn
1835						1840					1845			
Val	Pro	Arg	Ser	Pro	Val	Arg	Glu	Leu	Leu	Glu	Met	Glu	Pro	Glu
1850						1855					1860			
Thr	Ala	Lys	Phe	Ser	Pro	Ala	Glu	Arg	Thr	Tyr	Asp	Gly	Lys	Val
1865						1870					1875			
Arg	Val	Thr	Val	Glu	Val	Val	Gly	Lys	Gly	Lys	Phe	Lys	Gly	Val
1880						1885					1890			
Gly	Arg	Ser	Tyr	Arg	Ile	Ala	Lys	Ser	Ala	Ala	Ala	Arg	Arg	Ala
1895						1900					1905			
Leu	Arg	Ser	Leu	Lys	Ala	Asn	Gln	Pro	Gln	Val	Pro	Asn	Ser	
1910						1915					1920			

<210> SEQ ID NO 10

<211> LENGTH: 647

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 10

Asp	Ser	Glu	Gln	Ser	Pro	Ser	Ile	Gly	Tyr	Ser	Ser	Arg	Thr	Leu	Gly
1				5					10					15	

Pro	Asn	Pro	Gly	Leu	Ile	Leu	Gln	Ala	Leu	Thr	Leu	Ser	Asn	Ala	Ser
			20				25						30		

-continued

Asp	Gly	Phe	Asn	Leu	Glu	Arg	Leu	Glu	Met	Leu	Gly	Asp	Ser	Phe	Leu
	35						40					45			
Lys	His	Ala	Ile	Thr	Thr	Tyr	Leu	Phe	Cys	Thr	Tyr	Pro	Asp	Ala	His
	50					55					60				
Glu	Gly	Arg	Leu	Ser	Tyr	Met	Arg	Ser	Lys	Lys	Val	Ser	Asn	Cys	Asn
65					70					75					80
Leu	Tyr	Arg	Leu	Gly	Lys	Lys	Lys	Gly	Leu	Pro	Ser	Arg	Met	Val	Val
			85						90					95	
Ser	Ile	Phe	Asp	Pro	Pro	Val	Asn	Trp	Leu	Pro	Pro	Gly	Tyr	Val	Val
			100					105					110		
Asn	Gln	Asp	Lys	Ser	Asn	Thr	Asp	Lys	Trp	Glu	Lys	Asp	Glu	Met	Thr
		115					120					125			
Lys	Asp	Cys	Met	Leu	Ala	Asn	Gly	Lys	Leu	Asp	Glu	Asp	Tyr	Glu	Glu
	130					135					140				
Glu	Asp	Glu	Glu	Glu	Glu	Ser	Leu	Met	Trp	Arg	Ala	Pro	Lys	Glu	Glu
145					150					155					160
Ala	Asp	Tyr	Glu	Asp	Asp	Phe	Leu	Glu	Tyr	Asp	Gln	Glu	His	Ile	Arg
			165						170					175	
Phe	Ile	Asp	Asn	Met	Leu	Met	Gly	Ser	Gly	Ala	Phe	Val	Lys	Lys	Ile
		180						185					190		
Ser	Leu	Ser	Pro	Phe	Ser	Thr	Thr	Asp	Ser	Ala	Tyr	Glu	Trp	Lys	Met
		195					200					205			
Pro	Lys	Lys	Ser	Ser	Leu	Gly	Ser	Met	Pro	Phe	Ser	Ser	Asp	Phe	Glu
	210					215					220				
Asp	Phe	Asp	Tyr	Ser	Ser	Trp	Asp	Ala	Met	Cys	Tyr	Leu	Asp	Pro	Ser
225					230					235					240
Lys	Ala	Val	Glu	Glu	Asp	Asp	Phe	Val	Val	Gly	Phe	Trp	Asn	Pro	Ser
			245						250					255	
Glu	Glu	Asn	Cys	Gly	Val	Asp	Thr	Gly	Lys	Gln	Ser	Ile	Ser	Tyr	Asp
		260						265					270		
Leu	His	Thr	Glu	Gln	Cys	Ile	Ala	Asp	Lys	Ser	Ile	Ala	Asp	Cys	Val
		275					280					285			
Glu	Ala	Leu	Leu	Gly	Cys	Tyr	Leu	Thr	Ser	Cys	Gly	Glu	Arg	Ala	Ala
	290					295					300				
Gln	Leu	Phe	Leu	Cys	Ser	Leu	Gly	Leu	Lys	Val	Leu	Pro	Val	Ile	Lys
305				310						315					320
Arg	Thr	Asp	Arg	Glu	Lys	Ala	Leu	Cys	Pro	Thr	Arg	Glu	Asn	Phe	Asn
			325						330					335	
Ser	Gln	Gln	Lys	Asn	Leu	Ser	Val	Ser	Cys	Ala	Ala	Ala	Ser	Val	Ala
			340						345					350	
Ser	Ser	Arg	Ser	Ser	Val	Leu	Lys	Asp	Ser	Glu	Tyr	Gly	Cys	Leu	Lys
	355						360					365			
Ile	Pro	Pro	Arg	Cys	Met	Phe	Asp	His	Pro	Asp	Ala	Asp	Lys	Thr	Leu
	370					375					380				
Asn	His	Leu	Ile	Ser	Gly	Phe	Glu	Asn	Phe	Glu	Lys	Lys	Ile	Asn	Tyr
385					390					395					400
Arg	Phe	Lys	Asn	Lys	Ala	Tyr	Leu	Leu	Gln	Ala	Phe	Thr	His	Ala	Ser
			405						410					415	
Tyr	His	Tyr	Asn	Thr	Ile	Thr	Asp	Cys	Tyr	Gln	Arg	Leu	Glu	Phe	Leu
			420					425					430		
Gly	Asp	Ala	Ile	Leu	Asp	Tyr	Leu	Ile	Thr	Lys	His	Leu	Tyr	Glu	Asp
	435						440					445			

-continued

```

Pro Arg Gln His Ser Pro Gly Val Leu Thr Asp Leu Arg Ser Ala Leu
 450          455          460

Val Asn Asn Thr Ile Phe Ala Ser Leu Ala Val Lys Tyr Asp Tyr His
 465          470          475          480

Lys Tyr Phe Lys Ala Val Ser Pro Glu Leu Phe His Val Ile Asp Asp
          485          490          495

Phe Val Gln Phe Gln Leu Glu Lys Asn Glu Met Gln Gly Met Asp Ser
          500          505          510

Glu Leu Arg Arg Ser Glu Glu Asp Glu Glu Lys Glu Glu Asp Ile Glu
          515          520          525

Val Pro Lys Ala Met Gly Asp Ile Phe Glu Ser Leu Ala Gly Ala Ile
          530          535          540

Tyr Met Asp Ser Gly Met Ser Leu Glu Thr Val Trp Gln Val Tyr Tyr
 545          550          555          560

Pro Met Met Arg Pro Leu Ile Glu Lys Phe Ser Ala Asn Val Pro Arg
          565          570          575

Ser Pro Val Arg Glu Leu Leu Glu Met Glu Pro Glu Thr Ala Lys Phe
          580          585          590

Ser Pro Ala Glu Arg Thr Tyr Asp Gly Lys Val Arg Val Thr Val Glu
          595          600          605

Val Val Gly Lys Gly Lys Phe Lys Gly Val Gly Arg Ser Tyr Arg Ile
          610          615          620

Ala Lys Ser Ala Ala Ala Arg Arg Ala Leu Arg Ser Leu Lys Ala Asn
 625          630          635          640

Gln Pro Gln Val Pro Asn Ser
          645

```

```

<210> SEQ ID NO 11
<211> LENGTH: 1318
<212> TYPE: PRT
<213> ORGANISM: Homo sapiens

```

```

<400> SEQUENCE: 11

```

```

Met Asp Asp Asp Asp Val Phe Pro Pro Tyr Val Leu Arg Pro Asp Asp
 1          5          10          15

Gly Gly Pro Arg Val Thr Ile Asn Thr Ala Ile Gly His Ile Asn Arg
          20          25          30

Tyr Cys Ala Arg Leu Pro Ser Asp Pro Phe Thr His Leu Ala Pro Lys
          35          40          45

Cys Arg Thr Arg Glu Leu Pro Asp Gly Thr Phe Tyr Ser Thr Leu Tyr
          50          55          60

Leu Pro Ile Asn Ser Pro Leu Arg Ala Ser Ile Val Gly Pro Pro Met
 65          70          75          80

Ser Cys Val Arg Leu Ala Glu Arg Val Val Ala Leu Ile Cys Cys Glu
          85          90          95

Lys Leu His Lys Ile Gly Glu Leu Asp Asp His Leu Met Pro Val Gly
          100          105          110

Lys Glu Thr Val Lys Tyr Glu Glu Glu Leu Asp Leu His Asp Glu Glu
          115          120          125

Glu Thr Ser Val Pro Gly Arg Pro Gly Ser Thr Lys Arg Arg Gln Cys
          130          135          140

Tyr Pro Lys Ala Ile Pro Glu Cys Leu Arg Asp Ser Tyr Pro Arg Pro
 145          150          155          160

Asp Gln Pro Cys Tyr Leu Tyr Val Ile Gly Met Val Leu Thr Thr Pro
          165          170          175

```

-continued

Leu Pro Asp Glu Leu Asn Phe Arg Arg Arg Lys Leu Tyr Pro Pro Glu
 180 185 190
 Asp Thr Thr Arg Cys Phe Gly Ile Leu Thr Ala Lys Pro Ile Pro Gln
 195 200 205
 Ile Pro His Phe Pro Val Tyr Thr Arg Ser Gly Glu Val Thr Ile Ser
 210 215 220
 Ile Glu Leu Lys Lys Ser Gly Phe Met Leu Ser Leu Gln Met Leu Glu
 225 230 235 240
 Leu Ile Thr Arg Leu His Gln Tyr Ile Phe Ser His Ile Leu Arg Leu
 245 250 255
 Glu Lys Pro Ala Leu Glu Phe Lys Pro Thr Asp Ala Asp Ser Ala Tyr
 260 265 270
 Cys Val Leu Pro Leu Asn Val Val Asn Asp Ser Ser Thr Leu Asp Ile
 275 280 285
 Asp Phe Lys Phe Met Glu Asp Ile Glu Lys Ser Glu Ala Arg Ile Gly
 290 295 300
 Ile Pro Ser Thr Lys Tyr Thr Lys Glu Thr Pro Phe Val Phe Lys Leu
 305 310 315 320
 Glu Asp Tyr Gln Asp Ala Val Ile Ile Pro Arg Tyr Arg Asn Phe Asp
 325 330 335
 Gln Pro His Arg Phe Tyr Val Ala Asp Val Tyr Thr Asp Leu Thr Pro
 340 345 350
 Leu Ser Lys Phe Pro Ser Pro Glu Tyr Glu Thr Phe Ala Glu Tyr Tyr
 355 360 365
 Lys Thr Lys Tyr Asn Leu Asp Leu Thr Asn Leu Asn Gln Pro Leu Leu
 370 375 380
 Asp Val Asp His Thr Ser Ser Arg Leu Asn Leu Leu Thr Pro Arg His
 385 390 395 400
 Leu Asn Gln Lys Gly Lys Ala Leu Pro Leu Ser Ser Ala Glu Lys Arg
 405 410 415
 Lys Ala Lys Trp Glu Ser Leu Gln Asn Lys Gln Ile Leu Val Pro Glu
 420 425 430
 Leu Cys Ala Ile His Pro Ile Pro Ala Ser Leu Trp Arg Lys Ala Val
 435 440 445
 Cys Leu Pro Ser Ile Leu Tyr Arg Leu His Cys Leu Leu Thr Ala Glu
 450 455 460
 Glu Leu Arg Ala Gln Thr Ala Ser Asp Ala Gly Val Gly Val Arg Ser
 465 470 475 480
 Leu Pro Ala Asp Phe Arg Tyr Pro Asn Leu Asp Phe Gly Trp Lys Lys
 485 490 495
 Ser Ile Asp Ser Lys Ser Phe Ile Ser Ile Ser Asn Ser Ser Ser Ala
 500 505 510
 Glu Asn Asp Asn Tyr Cys Lys His Ser Thr Ile Val Pro Glu Asn Ala
 515 520 525
 Ala His Gln Gly Ala Asn Arg Thr Ser Ser Leu Glu Asn His Asp Gln
 530 535 540
 Met Ser Val Asn Cys Arg Thr Leu Leu Ser Glu Ser Pro Gly Lys Leu
 545 550 555 560
 His Val Glu Val Ser Ala Asp Leu Thr Ala Ile Asn Gly Leu Ser Tyr
 565 570 575
 Asn Gln Asn Leu Ala Asn Gly Ser Tyr Asp Leu Ala Asn Arg Asp Phe
 580 585 590

-continued

Cys	Gln	Gly	Asn	Gln	Leu	Asn	Tyr	Tyr	Lys	Gln	Glu	Ile	Pro	Val	Gln	
	595						600					605				
Pro	Thr	Thr	Ser	Tyr	Ser	Ile	Gln	Asn	Leu	Tyr	Ser	Tyr	Glu	Asn	Gln	
	610					615					620					
Pro	Gln	Pro	Ser	Asp	Glu	Cys	Thr	Leu	Leu	Ser	Asn	Lys	Tyr	Leu	Asp	
	625				630					635					640	
Gly	Asn	Ala	Asn	Lys	Ser	Thr	Ser	Asp	Gly	Ser	Pro	Val	Met	Ala	Val	
			645						650					655		
Met	Pro	Gly	Thr	Thr	Asp	Thr	Ile	Gln	Val	Leu	Lys	Gly	Arg	Met	Asp	
			660					665					670			
Ser	Glu	Gln	Ser	Pro	Ser	Ile	Gly	Tyr	Ser	Ser	Arg	Thr	Leu	Gly	Pro	
	675						680					685				
Asn	Pro	Gly	Leu	Ile	Leu	Gln	Ala	Leu	Thr	Leu	Ser	Asn	Ala	Ser	Asp	
	690					695					700					
Gly	Phe	Asn	Leu	Glu	Arg	Leu	Glu	Met	Leu	Gly	Asp	Ser	Phe	Leu	Lys	
	705				710					715					720	
His	Ala	Ile	Thr	Thr	Tyr	Leu	Phe	Cys	Thr	Tyr	Pro	Asp	Ala	His	Glu	
				725					730					735		
Gly	Arg	Leu	Ser	Tyr	Met	Arg	Ser	Lys	Lys	Val	Ser	Asn	Cys	Asn	Leu	
			740					745					750			
Tyr	Arg	Leu	Gly	Lys	Lys	Lys	Gly	Leu	Pro	Ser	Arg	Met	Val	Val	Ser	
		755					760					765				
Ile	Phe	Asp	Pro	Pro	Val	Asn	Trp	Leu	Pro	Pro	Gly	Tyr	Val	Val	Asn	
	770					775					780					
Gln	Asp	Lys	Ser	Asn	Thr	Asp	Lys	Trp	Glu	Lys	Asp	Glu	Met	Thr	Lys	
	785				790					795					800	
Asp	Cys	Met	Leu	Ala	Asn	Gly	Lys	Leu	Asp	Glu	Asp	Tyr	Glu	Glu	Glu	
				805					810					815		
Asp	Glu	Glu	Glu	Glu	Ser	Leu	Met	Trp	Arg	Ala	Pro	Lys	Glu	Glu	Ala	
			820					825					830			
Asp	Tyr	Glu	Asp	Asp	Phe	Leu	Glu	Tyr	Asp	Gln	Glu	His	Ile	Arg	Phe	
	835						840					845				
Ile	Asp	Asn	Met	Leu	Met	Gly	Ser	Gly	Ala	Phe	Val	Lys	Lys	Ile	Ser	
	850					855					860					
Leu	Ser	Pro	Phe	Ser	Thr	Thr	Asp	Ser	Ala	Tyr	Glu	Trp	Lys	Met	Pro	
	865				870					875					880	
Lys	Lys	Ser	Ser	Leu	Gly	Ser	Met	Pro	Phe	Ser	Ser	Asp	Phe	Glu	Asp	
				885					890					895		
Phe	Asp	Tyr	Ser	Ser	Trp	Asp	Ala	Met	Cys	Tyr	Leu	Asp	Pro	Ser	Lys	
		900						905					910			
Ala	Val	Glu	Glu	Asp	Asp	Phe	Val	Val	Gly	Phe	Trp	Asn	Pro	Ser	Glu	
		915					920					925				
Glu	Asn	Cys	Gly	Val	Asp	Thr	Gly	Lys	Gln	Ser	Ile	Ser	Tyr	Asp	Leu	
	930					935					940					
His	Thr	Glu	Gln	Cys	Ile	Ala	Asp	Lys	Ser	Ile	Ala	Asp	Cys	Val	Glu	
	945				950					955					960	
Ala	Leu	Leu	Gly	Cys	Tyr	Leu	Thr	Ser	Cys	Gly	Glu	Arg	Ala	Ala	Gln	
				965					970						975	
Leu	Phe	Leu	Cys	Ser	Leu	Gly	Leu	Lys	Val	Leu	Pro	Val	Ile	Lys	Arg	
		980						985					990			
Thr	Asp	Arg	Glu	Lys	Ala	Leu	Cys	Pro	Thr	Arg	Glu	Asn	Phe	Asn	Ser	
		995					1000					1005				
Gln	Gln	Lys	Asn	Leu	Ser	Val	Ser	Cys	Ala	Ala	Ala	Ser	Val	Ala		

1010	1015	1020
Ser Ser Arg Ser Ser Val Leu Lys Asp Ser Glu Tyr Gly Cys Leu		
1025	1030	1035
Lys Ile Pro Pro Arg Cys Met Phe Asp His Pro Asp Ala Asp Lys		
1040	1045	1050
Thr Leu Asn His Leu Ile Ser Gly Phe Glu Asn Phe Glu Lys Lys		
1055	1060	1065
Ile Asn Tyr Arg Phe Lys Asn Lys Ala Tyr Leu Leu Gln Ala Phe		
1070	1075	1080
Thr His Ala Ser Tyr His Tyr Asn Thr Ile Thr Asp Cys Tyr Gln		
1085	1090	1095
Arg Leu Glu Phe Leu Gly Asp Ala Ile Leu Asp Tyr Leu Ile Thr		
1100	1105	1110
Lys His Leu Tyr Glu Asp Pro Arg Gln His Ser Pro Gly Val Leu		
1115	1120	1125
Thr Asp Leu Arg Ser Ala Leu Val Asn Asn Thr Ile Phe Ala Ser		
1130	1135	1140
Leu Ala Val Lys Tyr Asp Tyr His Lys Tyr Phe Lys Ala Val Ser		
1145	1150	1155
Pro Glu Leu Phe His Val Ile Asp Asp Phe Val Gln Phe Gln Leu		
1160	1165	1170
Glu Lys Asn Glu Met Gln Gly Met Asp Ser Glu Leu Arg Arg Ser		
1175	1180	1185
Glu Glu Asp Glu Glu Lys Glu Glu Asp Ile Glu Val Pro Lys Ala		
1190	1195	1200
Met Gly Asp Ile Phe Glu Ser Leu Ala Gly Ala Ile Tyr Met Asp		
1205	1210	1215
Ser Gly Met Ser Leu Glu Thr Val Trp Gln Val Tyr Tyr Pro Met		
1220	1225	1230
Met Arg Pro Leu Ile Glu Lys Phe Ser Ala Asn Val Pro Arg Ser		
1235	1240	1245
Pro Val Arg Glu Leu Leu Glu Met Glu Pro Glu Thr Ala Lys Phe		
1250	1255	1260
Ser Pro Ala Glu Arg Thr Tyr Asp Gly Lys Val Arg Val Thr Val		
1265	1270	1275
Glu Val Val Gly Lys Gly Lys Phe Lys Gly Val Gly Arg Ser Tyr		
1280	1285	1290
Arg Ile Ala Lys Ser Ala Ala Ala Arg Arg Ala Leu Arg Ser Leu		
1295	1300	1305
Lys Ala Asn Gln Pro Gln Val Pro Asn Ser		
1310	1315	
<210> SEQ ID NO 12		
<211> LENGTH: 257		
<212> TYPE: PRT		
<213> ORGANISM: Homo sapiens		
<400> SEQUENCE: 12		
Phe Glu Asn Phe Glu Lys Lys Ile Asn Tyr Arg Phe Lys Asn Lys Ala		
1	5	10 15
Tyr Leu Leu Gln Ala Phe Thr His Ala Ser Tyr His Tyr Asn Thr Ile		
20	25	30
Thr Asp Cys Tyr Gln Arg Leu Glu Phe Leu Gly Asp Ala Ile Leu Asp		
35	40	45

-continued

```

Tyr Leu Ile Thr Lys His Leu Tyr Glu Asp Pro Arg Gln His Ser Pro
 50          55          60

Gly Val Leu Thr Asp Leu Arg Ser Ala Leu Val Asn Asn Thr Ile Phe
65          70          75          80

Ala Ser Leu Ala Val Lys Tyr Asp Tyr His Lys Tyr Phe Lys Ala Val
          85          90          95

Ser Pro Glu Leu Phe His Val Ile Asp Asp Phe Val Gln Phe Gln Leu
          100          105          110

Glu Lys Asn Glu Met Gln Gly Met Asp Ser Glu Leu Arg Arg Ser Glu
          115          120          125

Glu Asp Glu Glu Lys Glu Glu Asp Ile Glu Val Pro Lys Ala Met Gly
          130          135          140

Asp Ile Phe Glu Ser Leu Ala Gly Ala Ile Tyr Met Asp Ser Gly Met
145          150          155          160

Ser Leu Glu Thr Val Trp Gln Val Tyr Tyr Pro Met Met Arg Pro Leu
          165          170          175

Ile Glu Lys Phe Ser Ala Asn Val Pro Arg Ser Pro Val Arg Glu Leu
          180          185          190

Leu Glu Met Glu Pro Glu Thr Ala Lys Phe Ser Pro Ala Glu Arg Thr
          195          200          205

Tyr Asp Gly Lys Val Arg Val Thr Val Glu Val Val Gly Lys Gly Lys
210          215          220

Phe Lys Gly Val Gly Arg Ser Tyr Arg Ile Ala Lys Ser Ala Ala Ala
225          230          235          240

Arg Arg Ala Leu Arg Ser Leu Lys Ala Asn Gln Pro Gln Val Pro Asn
          245          250          255

Ser

```

```

<210> SEQ ID NO 13
<211> LENGTH: 247
<212> TYPE: PRT
<213> ORGANISM: Homo sapiens

```

```

<400> SEQUENCE: 13

```

```

Phe Glu Asn Phe Glu Lys Lys Ile Asn Tyr Arg Phe Lys Asn Lys Ala
1          5          10          15

Tyr Leu Leu Gln Ala Phe Thr His Ala Ser Tyr His Tyr Asn Thr Ile
          20          25          30

Thr Asp Cys Tyr Gln Arg Leu Glu Phe Leu Gly Asp Ala Ile Leu Asp
          35          40          45

Tyr Leu Ile Thr Lys His Leu Tyr Glu Asp Pro Arg Gln His Ser Pro
          50          55          60

Gly Val Leu Thr Asp Leu Arg Ser Ala Leu Val Asn Asn Thr Ile Phe
65          70          75          80

Ala Ser Leu Ala Val Lys Tyr Asp Tyr His Lys Tyr Phe Lys Ala Val
          85          90          95

Ser Pro Glu Leu Phe His Val Ile Asp Asp Phe Val Gln Phe Gln Leu
          100          105          110

Glu Lys Asn Glu Met Gln Gly Met Asp Ser Glu Leu Arg Arg Ser Glu
          115          120          125

Glu Asp Glu Glu Lys Glu Glu Asp Ile Glu Val Pro Lys Ala Met Gly
          130          135          140

Asp Ile Phe Glu Ser Leu Ala Gly Ala Ile Tyr Met Asp Ser Gly Met
145          150          155          160

```

-continued

Ser Leu Glu Thr Val Trp Gln Val Tyr Tyr Pro Met Met Arg Pro Leu
165 170 175

Ile Glu Lys Phe Ser Ala Asn Val Pro Arg Ser Pro Val Arg Glu Leu
180 185 190

Leu Glu Met Glu Pro Glu Thr Ala Lys Phe Ser Pro Ala Glu Arg Thr
195 200 205

Tyr Asp Gly Lys Val Arg Val Thr Val Glu Val Val Gly Lys Gly Lys
210 215 220

Phe Lys Gly Val Gly Arg Ser Tyr Arg Ile Ala Lys Ser Ala Ala Ala
225 230 235 240

Arg Arg Ala Leu Arg Ser Leu
245

<210> SEQ ID NO 14
 <211> LENGTH: 234
 <212> TYPE: PRT
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 14

Phe Glu Asn Phe Glu Lys Lys Ile Asn Tyr Arg Phe Lys Asn Lys Ala
1 5 10 15

Tyr Leu Leu Gln Ala Phe Thr His Ala Ser Tyr His Tyr Asn Thr Ile
20 25 30

Thr Asp Cys Tyr Gln Arg Leu Glu Phe Leu Gly Asp Ala Ile Leu Asp
35 40 45

Tyr Leu Ile Thr Lys His Leu Tyr Glu Asp Pro Arg Gln His Ser Pro
50 55 60

Gly Val Leu Thr Asp Leu Arg Ser Ala Leu Val Asn Asn Thr Ile Phe
65 70 75 80

Ala Ser Leu Ala Val Lys Tyr Asp Tyr His Lys Tyr Phe Lys Ala Val
85 90 95

Ser Pro Glu Leu Phe His Val Ile Asp Asp Phe Val Gln Phe Gln Leu
100 105 110

Glu Lys Asn Glu Met Gln Gly Met Asp Glu Asp Ile Glu Val Pro Lys
115 120 125

Ala Met Gly Asp Ile Phe Glu Ser Leu Ala Gly Ala Ile Tyr Met Asp
130 135 140

Ser Gly Met Ser Leu Glu Thr Val Trp Gln Val Tyr Tyr Pro Met Met
145 150 155 160

Arg Pro Leu Ile Glu Lys Phe Ser Ala Asn Val Pro Arg Ser Pro Val
165 170 175

Arg Glu Leu Leu Glu Met Glu Pro Glu Thr Ala Lys Phe Ser Pro Ala
180 185 190

Glu Arg Thr Tyr Asp Gly Lys Val Arg Val Thr Val Glu Val Val Gly
195 200 205

Lys Gly Lys Phe Lys Gly Val Gly Arg Ser Tyr Arg Ile Ala Lys Ser
210 215 220

Ala Ala Ala Arg Arg Ala Leu Arg Ser Leu
225 230

<210> SEQ ID NO 15
 <211> LENGTH: 550
 <212> TYPE: PRT
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 15

-continued

Met	Asp	Ser	Glu	Gln	Ser	Pro	Ser	Ile	Gly	Tyr	Ser	Ser	Arg	Thr	Leu	1	5	10	15
Gly	Pro	Asn	Pro	Gly	Leu	Ile	Leu	Gln	Ala	Leu	Thr	Leu	Ser	Asn	Ala	20	25	30	
Ser	Asp	Gly	Phe	Asn	Leu	Glu	Arg	Leu	Glu	Met	Leu	Gly	Asp	Ser	Phe	35	40	45	
Leu	Lys	His	Ala	Ile	Thr	Thr	Tyr	Leu	Phe	Cys	Thr	Tyr	Pro	Asp	Ala	50	55	60	
His	Glu	Gly	Arg	Leu	Ser	Tyr	Met	Arg	Ser	Lys	Lys	Val	Ser	Asn	Cys	65	70	75	
Asn	Leu	Tyr	Arg	Leu	Gly	Lys	Lys	Lys	Gly	Leu	Pro	Ser	Arg	Met	Val	85	90	95	
Val	Ser	Ile	Phe	Asp	Pro	Pro	Val	Asn	Trp	Leu	Pro	Pro	Gly	Tyr	Val	100	105	110	
Val	Asn	Gln	Asp	Lys	Ser	Asn	Thr	Asp	Lys	Trp	Glu	Lys	Asp	Glu	Met	115	120	125	
Thr	Lys	Asp	Cys	Met	Leu	Ala	Asn	Gly	Lys	Leu	Asp	Glu	Asp	Tyr	Glu	130	135	140	
Glu	Glu	Asp	Glu	Glu	Glu	Glu	Ser	Leu	Met	Trp	Arg	Ala	Pro	Lys	Glu	145	150	155	
Glu	Ala	Asp	Tyr	Glu	Asp	Asp	Phe	Leu	Glu	Tyr	Asp	Gln	Glu	His	Ile	165	170	175	
Arg	Phe	Ile	Asp	Asn	Met	Leu	Met	Gly	Ser	Gly	Ala	Phe	Val	Lys	Lys	180	185	190	
Ile	Ser	Leu	Ser	Pro	Phe	Ser	Thr	Thr	Asp	Ser	Ala	Tyr	Glu	Trp	Lys	195	200	205	
Met	Pro	Lys	Lys	Ser	Ser	Leu	Gly	Ser	Met	Pro	Phe	Ser	Ser	Asp	Phe	210	215	220	
Glu	Asp	Phe	Asp	Tyr	Ser	Ser	Trp	Asp	Ala	Met	Cys	Tyr	Leu	Asp	Pro	225	230	235	
Ser	Lys	Ala	Val	Glu	Glu	Asp	Asp	Phe	Val	Val	Gly	Phe	Trp	Asn	Pro	245	250	255	
Ser	Glu	Glu	Asn	Cys	Gly	Val	Asp	Thr	Gly	Lys	Gln	Ser	Ile	Ser	Tyr	260	265	270	
Asp	Leu	His	Thr	Glu	Gln	Cys	Ile	Ala	Asp	Lys	Ser	Ile	Ala	Asp	Cys	275	280	285	
Val	Glu	Ala	Leu	Leu	Gly	Cys	Tyr	Leu	Thr	Ser	Cys	Gly	Glu	Arg	Ala	290	295	300	
Ala	Gln	Leu	Phe	Leu	Cys	Ser	Leu	Gly	Leu	Lys	Val	Leu	Pro	Val	Ile	305	310	315	
Lys	Arg	Thr	Asp	Arg	Glu	Lys	Ala	Leu	Cys	Pro	Thr	Arg	Glu	Asn	Phe	325	330	335	
Asn	Ser	Gln	Gln	Lys	Asn	Leu	Ser	Val	Ser	Cys	Ala	Ala	Ala	Ser	Val	340	345	350	
Ala	Ser	Ser	Arg	Ser	Ser	Val	Leu	Lys	Asp	Ser	Glu	Tyr	Gly	Cys	Leu	355	360	365	
Lys	Ile	Pro	Pro	Arg	Cys	Met	Phe	Asp	His	Pro	Asp	Ala	Asp	Lys	Thr	370	375	380	
Leu	Asn	His	Leu	Ile	Ser	Gly	Phe	Glu	Asn	Phe	Glu	Lys	Lys	Ile	Asn	385	390	395	
Tyr	Arg	Phe	Lys	Asn	Lys	Ala	Tyr	Leu	Leu	Gln	Ala	Phe	Thr	His	Ala	405	410	415	
Ser	Tyr	His	Tyr	Asn	Thr	Ile	Thr	Asp	Cys	Tyr	Gln	Arg	Leu	Glu	Phe				

-continued

420	425	430
Leu Gly Asp Ala Ile Leu Asp Tyr Leu Ile Thr Lys His Leu Tyr Glu 435 440 445		
Asp Pro Arg Gln His Ser Pro Gly Val Leu Thr Asp Leu Arg Ser Ala 450 455 460		
Leu Val Asn Asn Thr Ile Phe Ala Ser Leu Ala Val Lys Tyr Asp Tyr 465 470 475 480		
His Lys Tyr Phe Lys Ala Val Ser Pro Glu Leu Phe His Val Ile Asp 485 490 495		
Asp Phe Val Gln Phe Gln Leu Glu Lys Asn Glu Met Gln Gly Met Asp 500 505 510		
Ser Glu Leu Arg Arg Ser Glu Glu Asp Glu Glu Lys Glu Glu Asp Ile 515 520 525		
Glu Val Pro Lys Ala Met Gly Asp Ile Phe Glu Ser Leu Ala Gly Ala 530 535 540		
Ile Tyr Met Asp Ser Gly 545 550		
 <210> SEQ ID NO 16 <211> LENGTH: 549 <212> TYPE: PRT <213> ORGANISM: Homo sapiens <400> SEQUENCE: 16		
Asp Ser Glu Gln Ser Pro Ser Ile Gly Tyr Ser Ser Arg Thr Leu Gly 1 5 10 15		
Pro Asn Pro Gly Leu Ile Leu Gln Ala Leu Thr Leu Ser Asn Ala Ser 20 25 30		
Asp Gly Phe Asn Leu Glu Arg Leu Glu Met Leu Gly Asp Ser Phe Leu 35 40 45		
Lys His Ala Ile Thr Thr Tyr Leu Phe Cys Thr Tyr Pro Asp Ala His 50 55 60		
Glu Gly Arg Leu Ser Tyr Met Arg Ser Lys Lys Val Ser Asn Cys Asn 65 70 75 80		
Leu Tyr Arg Leu Gly Lys Lys Lys Gly Leu Pro Ser Arg Met Val Val 85 90 95		
Ser Ile Phe Asp Pro Pro Val Asn Trp Leu Pro Pro Gly Tyr Val Val 100 105 110		
Asn Gln Asp Lys Ser Asn Thr Asp Lys Trp Glu Lys Asp Glu Met Thr 115 120 125		
Lys Asp Cys Met Leu Ala Asn Gly Lys Leu Asp Glu Asp Tyr Glu Glu 130 135 140		
Glu Asp Glu Glu Glu Glu Ser Leu Met Trp Arg Ala Pro Lys Glu Glu 145 150 155 160		
Ala Asp Tyr Glu Asp Asp Phe Leu Glu Tyr Asp Gln Glu His Ile Arg 165 170 175		
Phe Ile Asp Asn Met Leu Met Gly Ser Gly Ala Phe Val Lys Lys Ile 180 185 190		
Ser Leu Ser Pro Phe Ser Thr Thr Asp Ser Ala Tyr Glu Trp Lys Met 195 200 205		
Pro Lys Lys Ser Ser Leu Gly Ser Met Pro Phe Ser Ser Asp Phe Glu 210 215 220		
Asp Phe Asp Tyr Ser Ser Trp Asp Ala Met Cys Tyr Leu Asp Pro Ser 225 230 235 240		

[illegible]

```
<210> SEQ ID NO 17
<211> LENGTH: 10323
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens
```

<400> SEQUENCE: 17

cggaggcgcg	gcgcaggctg	ctgcaggccc	aggtgaatgg	agtaacctga	cagcggggac	60
gaggcgacgg	cgagcgcgag	gaaatggcgg	cggggggcgc	ggcgccgggc	ggctccggga	120
ggcctgggct	gtgacgcgcg	cgccggagcg	gggtccgatg	gttctcgaag	gcccgcggcg	180
ccccgtgctg	cagtaagctg	tgctagaaca	aaaatgcaat	gaaagaaaca	ctggatgaat	240
gaaaagccct	gctttgcaac	ccctcagcat	ggcaggcctg	cagctcatga	ccctgcttc	300
ctcaccaatg	ggtcctttct	ttggactgcc	atgqcaacaa	gaagcaattc	atgataacat	360

-continued

ttatacgcca agaaaatatac aggttgaact gcttgaagca gctctggatc ataataccat	420
cgtctgttta aacactggct caggaagac atttattgca gtactactca ctaaagagct	480
gtcctatcag atcaggggag acttcagcag aaatggaaaa aggacgggtg tcttgggtcaa	540
ctctgcaaac caggttgctc aacaagtgtc agctgtcaga actcattcag atctcaaggt	600
tggggaatac tcaaacctag aagtaaatgc atcttggaca aaagagagat ggaaccaaga	660
gtttactaag caccagggtc tcattatgac ttgctatgtc gccttgaatg ttttgaaaaa	720
tggttactta tcaactgtcag acattaacct tttgggtgtt gatgagtgtc atcttgcaat	780
cctagaccac ccctatcgag aaattatgaa gctctgtgaa aattgtccat catgtcctcg	840
cattttggga ctaactgctt ccatttttaa tgggaaatgt gatccagagg aattggaaga	900
aaagattcag aaactagaga aaattcttaa gagtaatgct gaaactgcaa ctgacctgg	960
ggctcttagac aggtatactt ctcagccatg tgagattgtg gtggattgtg gaccatttac	1020
tgacagaagt gggctttatg aaagactgct gatggaatta gaagaagcac ttaattttat	1080
caatgattgt aatatactctg tacattcaaa agaaagagat tctactttaa tttcgaaaca	1140
gatactatca gactgtcgtg ccgtattggt agttctggga ccctgggtgtg cagataaagt	1200
agctggaatg atggtaagag aactacagaa atacatcaaa catgagcaag aggagctgca	1260
caggaaattt ttattgttta cagacacttt cctaaggaaa atacatgcac tatgtgaaga	1320
gcactttctc cctgcctcac ttgacctgaa atttgtaact cctaaagtaa tcaaactgct	1380
cgaaatctta cgcaaatata aaccatatga gcgacagcag tttgaaagcg ttgagtggta	1440
taataataga aatcaggata attatgtgtc atggagtgtg tctgaggatg atgatgagga	1500
tgaagaaatt gaagaaaaag agaagccaga gacaaatttt cctctcctt ttaccaacat	1560
tttgtgcgga attatttttg tggaaagaag atacacagca gttgtcttaa acagattgat	1620
aaaggaagct ggcaacaag atccagagct ggcttatatc agtagcaatt tcataactgg	1680
acatggcatt gggaagaatc agcctcgcaa caaacagatg gaagcagaat tcagaaaaca	1740
ggaagaggta cttagaaat ttcgagcaca tgagaccaac ctgcttattg caacaagtat	1800
tgtagaagag ggtgttgata taccaaaatg caacttgggt gttcgttttg atttggccac	1860
agaatatcga tcctatgttc aatctaaagg aagagcaagg gcacccatct ctaattatat	1920
aatgttagcg gatacagaca aaataaaaag ttttgaagaa gaccttaaaa cctacaagc	1980
tattgaaaag atcttgagaa acaagtgttc caagtgggt gatactgggtg agactgacat	2040
tgatcctgtc atggatgatg atgacgtttt ccacccatat gtgttgaggc ctgacgatgg	2100
tgggccacga gtcacaatca acacggccat tggacacatc aatagatact gtgctagatt	2160
accaagtgat ccgtttactc atctagctcc taaatgcaga acccgagagt tgctgatgg	2220
tacattttat tcaactcttt atctgccaat taactcacct cttcgagcct ccattgttgg	2280
tccaccaatg agctgtgtac gattggctga aagagttgta gctctcattt gctgtgagaa	2340
actgcacaaa attggcgaac tggatgacca tttgatgcca gttgggaaag agactgttaa	2400
atatgaagag gagcttgatt tgcattgatga agaagagacc agtgttccag gaagaccagg	2460
ttccacgaaa cgaaggcagt gctacccaaa agcaattcca gagtgtttga gggatagtta	2520
tcccagacct gatcagccct gttacctgta tgtgatagga atggttttta ctacacctt	2580
acctgatgaa ctcaacttta gaaggcgga gctctatcct cctgaagata ccacaagatg	2640
ctttggaata ctgacggcca aaccataacc tcagattcca cactttcctg tgtacacag	2700

-continued

ctctggagag gttaccatat ccattgagtt gaagaagtct ggtttcatgt tgtctctaca	2760
aatgcttgag ttgattacaa gacttcacca gtatatattc tcacatattc ttcggttgga	2820
aaaacctgca ctagaattta aacctacaga cgctgattca gcatactgtg ttctacctct	2880
taatgttggt aatgactcca gcactttgga tattgacttt aaattcatgg aagatattga	2940
gaagtctgaa gctcgcatag gcattcccag taaaaagtat aaaaaagaaa caccctttgt	3000
ttttaaatta gaagattacc aagatgccgt tatcattcca agatatcgca attttgatca	3060
gcctcatcga ttttatgtag ctgatgtgta cactgatctt accccactca gtaaatttcc	3120
ttcccctgag tatgaaactt ttgcagaata ttataaaaaca aagtacaacc ttgacctaac	3180
caatctcaac cagccactgc tggatgtgga ccacacatct tcaagactta atcttttgac	3240
acctcgacat ttgaatcaga aggggaaagc gcttccttta agcagtgtctg agaagaggaa	3300
agccaaatgg gaaagtctgc agaataaaca gatactgggt ccagaactct gtgctatata	3360
tccaattcca gcatcactgt ggagaaaagc tgtttgtctc ccagcatac tttatcgct	3420
tactgectt ttgactgcag aggagctaag agcccagact gccagcgatg ctggcggtgg	3480
agtcagatca ctctctcgcg atttttagata cctaactta gacttcgggt ggaaaaaatc	3540
tattgacagc aaatctttca tctcaatttc taactcctct tcagctgaaa atgataatta	3600
ctgtaagcac agcacaattg tccctgaaaa tgctgcacat caaggtgcta atagaacctc	3660
ctctctagaa aatcatgacc aaatgtctgt gaactgcaga acgttgctca gcgagtcgcc	3720
tggtaaagtc cactgtgaag tttcagcaga tcttacagca attaatggtc tttcttaca	3780
tcaaatctc gccaatggca gttatgattt agctaacaga gacttttgcc aaggaaatca	3840
gctaaattac tacaagcagg aaatacccg gcaaccaact acctcatatt ccattcagaa	3900
tttatacagt tacgagaacc agcccagcc cagcgatgaa tgtactctcc tgagtaataa	3960
ataccttgat ggaaatgcta acaaatctac ctcatgga agtcctgtga tggccgtaat	4020
gcctggtacg acagacacta ttcaagtgtc caagggcagg atggattctg agcagagccc	4080
ttctattggg tactcctcaa ggactcttg cccaatcct ggacttattc ttcaggcttt	4140
gactctgtca aacgctagt atggatttaa cctggagcgg cttgaaatgc ttggcgactc	4200
ctttttaaag catgccatca ccacatatct attttgcact taccctgatg cgcagagg	4260
ccgcctttca tatatgagaa gcaaaaaggt cagcaactgt aatctgtatc gccttgga	4320
aaagaaggga ctaccagacc gcatggtggt gtcaatattt gatccccctg tgaattggct	4380
tcctctggt tatgtagtaa atcaagacaa aagcaacaca gataaatggg aaaaagatga	4440
aatgacaaaa gactgcactc tggcgaatgg caaactggat gaggattacg aggaggagga	4500
tgaggaggag gagagcctga tgtggagggc tccgaaggaa gaggtgact atgaagatga	4560
tttctggag tatgatcagg aacatatcag atttatagat aatatgttaa tggggtcagg	4620
agcttttgta aagaaaatct ctctttctcc tttttcaacc actgattctg catatgaatg	4680
gaaaatgcc aaaaaatcct ccttaggtag tatgccattt tcacagatt ttgaggattt	4740
tgactacagc tcttgggatg caatgtgcta tctggatcct agcaaagctg ttgaagaaga	4800
tgactttgtg gtggggttct ggaatccatc agaagaaaac tgtggtgttg acacgggaaa	4860
gcagtccatt tcttacgact tgcacactga gcagtgtatt gctgacaaaa gcatagcgga	4920
ctgtgtggaa gcctgctgg gctgctattt aaccagctgt ggggagaggg ctgctcagct	4980
tttctctgt tcaactgggc tgaaggtgct cccggtaatt aaaaggactg atcgggaaaa	5040
ggcctgtgc cctactcggg agaatttcaa cagccaacaa aagaaccttt cagtgaagctg	5100

-continued

tgtgtgtgt	tctgtggcca	gttcacgctc	ttctgtattg	aaagactcgg	aatatggttg	5160
tttgaagatt	ccaccaagat	gtatgtttga	tcattccagat	gcagataaaa	caactgaatca	5220
ccttatatcg	gggtttgaaa	attttgaaaa	gaaaatcaac	tacagattca	agaataaggc	5280
ttaccttctc	caggctttta	cacatgcctc	ctaccactac	aatactatca	ctgattgtta	5340
ccagcgctta	gaattcctgg	gagatgcgat	tttggactac	ctcataacca	agcaccttta	5400
tgaagacccg	cggcagcact	ccccgggggt	cctgacagac	ctgcggtctg	ccctgggtcaa	5460
caacaccatc	tttgcacgct	tggtgtgtaa	gtacgactac	cacaagtact	tcaaagctgt	5520
ctctcctgag	ctcttccatg	tcattgatga	ctttgtgcag	tttcagcttg	agaagaatga	5580
aatgcaagga	atggattctg	agcttaggag	atctgaggag	gatgaagaga	aagaagagga	5640
tattgaagtt	ccaaaggcca	tgggggatat	ttttgagtcg	cttgctgggtg	ccatttacat	5700
ggatagtggg	atgtcactgg	agacagctctg	gcagggtgtac	tatcccatga	tgcggccact	5760
aatagaaaag	ttttctgcaa	atgtaccccg	ttccctgtg	cgagaattgc	ttgaaatgga	5820
accagaaaact	gccaatttta	gcccgggtga	gagaacttac	gacgggaagg	tcagagtcac	5880
tgtggaagta	gtaggaaagg	ggaaatttaa	aggtgttgg	cgaagttaca	ggattgccaa	5940
atctgcagca	gcaagaagag	ccctccgaag	cctcaaagct	aatcaacctc	aggttcccaa	6000
tagctgaaac	cgttttttaa	aattcaaaac	aagaaacaaa	acaaaaaaaa	ttaaggggaa	6060
aattatttaa	atcggaagg	aagacttaaa	gttgtagtg	agtggaatga	attgaaggca	6120
gaatttaaag	tttggttgat	aacaggatag	ataacagaat	aaaacattta	acatatgtat	6180
aaaaattttg	aactaattgt	agttttagtt	ttttgcgcaa	acacaatctt	atcttctttc	6240
ctcacttctg	ctttgtttaa	atcacaagag	tgctttaatg	atgacattta	gcaagtgtct	6300
aaaaataattg	acaggttttg	tttttttttt	tttgagtta	tgtcagcttt	gcttagtggt	6360
agaaggccat	ggagcttaaa	cctccagcag	tccttaggat	gatgtagatt	cttctccatc	6420
tctccgtgtg	tgcagtagtg	ccagtcctgc	agtagttgat	aagctgaata	gaaagataag	6480
gttttcgaga	ggagaagtgc	gccaatgttg	tcttttcttt	ccacgttata	ctgtgtaagg	6540
tgatgttccc	ggtcgtgttt	gcacctgata	gtaagggaca	gatttttaat	gaacattggc	6600
tggtcatgtt	gtgaatcaca	ttttagtttt	ctgatgccac	atagtcttgc	ataaaaaagg	6660
gttcttgcct	taaaagtga	accttcacgg	atagtcttta	atctctgac	tttttggaac	6720
aaactgtttt	acatttcttt	cattttatta	tgcattagac	gttgagacag	cgtgatactt	6780
acaactcact	agtatagttg	taacttatta	caggatcata	ctaaaatttc	tgtcatatgt	6840
atactgaaga	catttttaaa	accagaatat	gtagtctacg	gataattttt	atcataaaaa	6900
tgatcttttg	ctaaacaccc	cattttacta	aagtcctcct	gccaggtagt	tcccactgat	6960
ggaaatgttt	atggcaaata	attttgcctt	ctaggctgtt	gctctaacaa	aataaacctt	7020
agacatatca	cacctaaaat	atgctgcaga	ttttataatt	gattgggttac	ttatttaaga	7080
agcaaaacac	agcaccttta	cccttagtct	cctcacataa	atttcttact	atacttttca	7140
taatgttgca	tgcataattc	acctacaaaa	gctgtgctgt	taatgcctgt	aaagtttaac	7200
gtttgcgata	aactgccgta	attttgatac	atctgtgatt	taggtcatta	atttagataa	7260
actagctcat	tatttccatc	tttggaagg	gaaaaaaaa	aaaacttctt	taggcatttg	7320
cctaagtttc	tttaattaga	cttgtaggca	ctcttcactt	aaatacctca	gttcttcttt	7380
tcttttgcat	gcatttttcc	cctgtttgg	gctatgttta	tgtattatgc	ttgaaatttt	7440

-continued

aatttttttt	tttttgact	gtaactataa	tacctcttaa	tttacctttt	taaaagctgt	7500
gggtcagtc	tgcactocca	tcaacatacc	agtagagggt	tgctgcaatt	tgccccgtta	7560
attatgcttg	aagtttaaga	aagctgagca	gaggtgtctc	atatttccca	gcacatgatt	7620
ctgaacttga	tgcttcgtgg	aatgctgcat	ttatatgtaa	gtgacatttg	aatactgtcc	7680
ttcctgcttt	atctgcatca	tccaccacac	gagaaatgcc	tctgtgagag	tgaccgcaca	7740
gaaaactgtc	agctctgctt	tctaaggaa	cctgagttag	gggggtatta	agcttctcca	7800
gtgttttttg	ttgtctccaa	tcttaaaact	aaattgagat	ctaaattatt	aaacgagttt	7860
ttgagcaaat	taggtgactt	gttttaaaaa	tatttaattc	cgatttgga	ccttagatgt	7920
ctatttgatt	ttttaaaaa	ccttaatgta	agatatgacc	agttaaaaca	aagcaattct	7980
tgaattatat	aactgtaaaa	gtgtgcagtt	aacaaggctg	gatgtgaatt	ttattctgag	8040
ggtgatttgt	gatcaagttt	aatcacaaat	ctcttaatat	ttataaacta	cctgatgcc	8100
ggagcttagg	gctttgcatt	gtgtctaata	cattgatccc	agtgttacgg	gattctcttg	8160
attcctggca	ccaaaatcag	attgttttca	cagttatgat	tcccagtggt	agaaaaatgc	8220
ctcaatatat	ttgtaacctt	aagaagagta	tttttttggt	aataactaaga	tggtcaaact	8280
tagacatgat	taggtcatac	attctcaggg	gttcaaattt	ccttctacca	ttcaaagtgt	8340
ttatcaacag	caaacttcag	ccgtttcact	ttttgttgg	gaaaaatagt	agattttaat	8400
ttgactcaca	gtttgaagca	ttctgtgatc	ccctgggttac	tgagttaaaa	aataaaaaag	8460
tacgagttag	acatatgaaa	tggttatgaa	cgcttttggt	ctgctgattt	ttaatgctgt	8520
aaagttttcc	tgtgttttag	ttgttgaaat	gttttgcac	tgtcaattaa	ggaaaaaaa	8580
aatcactcta	tgttgcccca	ctttagagcc	ctgtgtgcca	ccctgtgttc	ctgtgattgc	8640
aatgtgagac	cgaatgtaat	atggaaaacc	taccagtggt	gtgtggttgt	gcctgagca	8700
cggtgtgtaa	ggactgggga	ggcgtgtctt	gaaaaagcaa	ctgcagaaat	tccttatgat	8760
gattgtgtgc	aagttagtta	acatgaacct	tcatttgtaa	attttttaa	atttctttta	8820
taatatgctt	tccgcagtcc	taactatgct	gcgttttata	atagcttttt	cccttctgtt	8880
ctgttcattg	agcacagata	agcattgcac	ttggtaccat	gctttacctc	atttcaagaa	8940
aatatgctta	acagagagga	aaaaaatgtg	gtttggcctt	gctgctgttt	tgatttatgg	9000
aatttgaaaa	agataattat	aatgcctgca	atgtgtcata	tactcgacac	acttaaatag	9060
gtcatttttg	tctgtggcat	ttttactgtt	tgtgaaagta	tgaacagat	ttgttaactg	9120
aactcttaat	tatgttttta	aaatgtttgt	tatatctctt	ttcttttttc	ttttatatta	9180
cgtaagtga	tgaattttag	aatgaacctc	aacactcctg	taattgtctt	ttaaaatact	9240
gatattttta	tttgtaata	atactttgcc	ctcagaaaga	ttctgatacc	ctgccttgac	9300
aacatgaaac	ttgagcgtgc	tttggttcat	gaatccaggt	gttcccccg	cagtcggcct	9360
cttcagtcgc	tccctggagg	caggtgggca	ctgcagagga	tactggaat	ccagatcgag	9420
cgcagttcat	gcacaaggcc	ccgttgattt	aaaatattgg	atcttgctct	gttaggggtg	9480
ctaaccctt	tacacaagat	tgaagccacc	aaactgagac	cttgatacct	ttttttaact	9540
gcactgaaa	ttatgttaag	agtctttaac	ccatttgcat	tatctgcaga	agagaaactc	9600
atgtcatggt	tattacctat	atggttggtt	taattacatt	tgaataatta	tatttttcca	9660
accactgatt	acttttcagg	aatttaatta	tttcagata	aatttcttta	tttttatattg	9720
tacatgaaa	gttttaaga	tatgtttaag	accaagacta	ttaaaatgat	ttttaagtt	9780
gttgagacg	ccaatagcaa	tatctaggaa	atttgcattg	agaccattgt	attttccact	9840

-continued

```

agcagtga aa atgatttttc acaactaact tgtaaatata ttttaatcat tacttctttt 9900
ttcttagtcc atttttat tt ggacatcaac cacagacaat ttaaatttta tagatgcact 9960
aagaattcac tgcagcagca ggttacatag caaaaatgca aaggtgaaca ggaagtaaat 10020
ttctggcttt tctgctgtaa atagtgaagg aaaattacta aaatcaagta aaactaatgc 10080
atattatttg attgacaata aaatatttac catcacatgc tgcagctgtt ttttaaggaa 10140
catgatgtca ttcattcata cagtaatcat gctgcagaaa tttgcagtct gcaccttatg 10200
gatcacaa tt accttagtt gttttttttg taataattgt agccaagtaa atctccaata 10260
aagttatcgt ctgttcaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 10320
aaa 10323

```

```

<210> SEQ ID NO 18
<211> LENGTH: 1374
<212> TYPE: PRT
<213> ORGANISM: Schizosaccharomyces pombe

```

```

<400> SEQUENCE: 18

```

```

Met Asp Ile Ser Ser Phe Leu Leu Pro Gln Leu Leu Arg Lys Tyr Gln
1          5          10          15
Gln Asp Val Tyr Asn Ile Ala Ser Lys Gln Asn Thr Leu Leu Val Met
20        25        30
Arg Thr Gly Ala Gly Lys Thr Leu Leu Ala Val Lys Leu Ile Lys Gln
35        40        45
Lys Leu Glu Glu Gln Ile Leu Ile Gln Glu Ser Asn Leu Glu His Lys
50        55        60
Lys Ile Ser Val Phe Leu Val Asn Lys Val Pro Leu Val Phe Gln Gln
65        70        75        80
Ala Glu Tyr Ile Arg Ser Gln Leu Pro Ala Lys Val Gly Met Phe Tyr
85        90        95
Gly Glu Leu Ser Ile Glu Met Ser Glu Gln Leu Leu Thr Asn Ile Ile
100       105       110
Leu Lys Tyr Asn Val Ile Val Ile Thr Ala Asp Leu Phe Tyr Leu Phe
115       120       125
Leu Ala Arg Gly Phe Leu Ser Ile Asn Asp Leu Asn Leu Ile Ile Phe
130       135       140
Asp Glu Cys His His Ala Ile Gly Asn Asp Ala Tyr Ala Arg Ile Met
145       150       155       160
Asn Asp Phe Tyr His Arg Ala Lys Ala Val Leu Ser Lys Lys His Phe
165       170       175
Thr Leu Pro Arg Ile Phe Gly Met Thr Ala Ser Pro Phe Thr Gly Lys
180       185       190
Lys Gly Asn Leu Tyr His Arg Leu Tyr Gln Trp Glu Gln Leu Phe Asp
195       200       205
Ser Lys Ala His Val Val Ser Glu Asn Glu Leu Ala Asp Tyr Phe Cys
210       215       220
Leu Pro Glu Glu Ser Tyr Val Met Tyr Ser Asn Lys Leu Val Val Pro
225       230       235       240
Pro Ser Asp Ser Ile Ile Lys Lys Cys Glu Glu Thr Leu Gln Gly Cys
245       250       255
Lys Leu Ile Ser Arg Ala Val Lys Thr Ala Leu Ala Glu Thr Ile Asp
260       265       270
Met Gly Leu Trp Phe Gly Glu Gln Val Trp Leu Tyr Leu Val Asp Phe

```

-continued

275	280	285
Val Glu Thr Lys Arg Leu Lys Lys Lys Ala Leu Gly Lys Gln Leu Ser 290 295 300		
Asp Asp Glu Glu Leu Ala Ile Asp Arg Leu Lys Ile Phe Val Glu Asp 305 310 315 320		
Trp Lys Asn Asn Lys Tyr Ser Asp Asn Gly Pro Arg Ile Pro Val Phe 325 330 335		
Asp Ser Thr Asp Val Thr Asp Lys Val Phe Lys Leu Leu Glu Leu Leu 340 345 350		
Lys Ala Thr Tyr Arg Lys Ser Asp Ser Val Arg Thr Val Ile Phe Val 355 360 365		
Glu Arg Lys Ala Thr Ala Phe Thr Leu Ser Leu Phe Met Lys Thr Leu 370 375 380		
Asn Leu Pro Asn Ile Arg Ala His Ser Phe Ile Gly His Gly Pro Ser 385 390 395 400		
Asp Gln Gly Glu Phe Ser Met Thr Phe Arg Arg Gln Lys Asp Thr Leu 405 410 415		
His Lys Phe Lys Thr Gly Lys Tyr Asn Val Leu Ile Ala Thr Ala Val 420 425 430		
Ala Glu Glu Gly Ile Asp Val Pro Ser Cys Asn Leu Val Ile Arg Phe 435 440 445		
Asn Ile Cys Arg Thr Val Thr Gln Tyr Val Gln Ser Arg Gly Arg Ala 450 455 460		
Arg Ala Met Ala Ser Lys Phe Leu Ile Phe Leu Asn Thr Glu Glu Leu 465 470 475 480		
Leu Ile His Glu Arg Ile Leu His Glu Glu Lys Asn Leu Lys Phe Ala 485 490 495		
Leu Ser Glu Leu Ser Asn Ser Asn Ile Phe Asp Ser Leu Val Cys Glu 500 505 510		
Glu Arg Glu Arg Val Thr Asp Asp Ile Val Tyr Glu Val Gly Glu Thr 515 520 525		
Gly Ala Leu Leu Thr Gly Leu Tyr Ala Val Ser Leu Leu Tyr Asn Phe 530 535 540		
Cys Asn Thr Leu Ser Arg Asp Val Tyr Thr Arg Tyr Tyr Pro Thr Phe 545 550 555 560		
Thr Ala Gln Pro Cys Leu Ser Gly Trp Tyr Cys Phe Glu Val Glu Leu 565 570 575		
Pro Lys Ala Cys Lys Val Pro Ala Ala Gln Gly Ser Pro Ala Lys Ser 580 585 590		
Ile Arg Lys Ala Lys Gln Asn Ala Ala Phe Ile Met Cys Leu Asp Leu 595 600 605		
Ile Arg Met Gly Leu Ile Asp Lys His Leu Lys Pro Leu Asp Phe Arg 610 615 620		
Arg Lys Ile Ala Asp Leu Glu Thr Leu Glu Glu Asp Glu Leu Lys Asp 625 630 635 640		
Glu Gly Tyr Ile Glu Thr Tyr Glu Arg Tyr Val Pro Lys Ser Trp Met 645 650 655		
Lys Val Pro Glu Asp Ile Thr Arg Cys Phe Val Ser Leu Leu Tyr Thr 660 665 670		
Asp Ala Asn Glu Gly Asp Asn His Ile Phe His Pro Leu Val Phe Val 675 680 685		
Gln Ala His Ser Phe Pro Lys Ile Asp Ser Phe Ile Leu Asn Ser Thr 690 695 700		

-continued

Val Gly Pro Arg Val Lys Ile Val Leu Glu Thr Ile Glu Asp Ser Phe		
705	710	715 720
Lys Ile Asp Ser His Leu Leu Glu Leu Leu Lys Lys Ser Thr Arg Tyr		
	725	730 735
Leu Leu Gln Phe Gly Leu Ser Thr Ser Leu Glu Gln Gln Ile Pro Thr		
	740	745 750
Pro Tyr Trp Leu Ala Pro Leu Asn Leu Ser Cys Thr Asp Tyr Arg Phe		
	755	760 765
Leu Glu Asn Leu Ile Asp Val Asp Thr Ile Gln Asn Phe Phe Lys Leu		
	770	775 780
Pro Glu Pro Val Gln Asn Val Thr Asp Leu Gln Ser Asp Thr Val Leu		
	785	790 795 800
Leu Val Asn Pro Gln Ser Ile Tyr Glu Gln Tyr Ala Phe Glu Gly Phe		
	805	810 815
Val Asn Ser Glu Phe Met Ile Pro Ala Lys Lys Lys Asp Lys Ala Pro		
	820	825 830
Ser Ala Leu Cys Lys Lys Leu Pro Leu Arg Leu Asn Tyr Ser Leu Trp		
	835	840 845
Gly Asn Arg Ala Lys Ser Ile Pro Lys Ser Gln Gln Val Arg Ser Phe		
	850	855 860
Tyr Ile Asn Asp Leu Tyr Ile Leu Pro Val Ser Arg His Leu Lys Asn		
	865	870 875 880
Ser Ala Leu Leu Ile Pro Ser Ile Leu Tyr His Ile Glu Asn Leu Leu		
	885	890 895
Val Ala Ser Ser Phe Ile Glu His Phe Arg Leu Asp Cys Lys Ile Asp		
	900	905 910
Thr Ala Cys Gln Ala Leu Thr Ser Ala Glu Ser Gln Leu Asn Phe Asp		
	915	920 925
Tyr Asp Arg Leu Glu Phe Tyr Gly Asp Cys Phe Leu Lys Leu Gly Ala		
	930	935 940
Ser Ile Thr Val Phe Leu Lys Phe Pro Asp Thr Gln Glu Tyr Gln Leu		
	945	950 955 960
His Phe Asn Arg Lys Lys Ile Ile Ser Asn Cys Asn Leu Tyr Lys Val		
	965	970 975
Ala Ile Asp Cys Glu Leu Pro Lys Tyr Ala Leu Ser Thr Pro Leu Glu		
	980	985 990
Ile Arg His Trp Cys Pro Tyr Gly Phe Gln Lys Ser Thr Ser Asp Lys		
	995	1000 1005
Cys Arg Tyr Ala Val Leu Gln Lys Leu Ser Val Lys Arg Ile Ala		
	1010	1015 1020
Asp Met Val Glu Ala Ser Ile Gly Ala Cys Leu Leu Asp Ser Gly		
	1025	1030 1035
Leu Asp Ser Ala Leu Lys Ile Cys Lys Ser Leu Ser Val Gly Leu		
	1040	1045 1050
Leu Asp Ile Ser Asn Trp Asp Glu Trp Asn Asn Tyr Phe Asp Leu		
	1055	1060 1065
Asn Thr Tyr Ala Asp Ser Leu Arg Asn Val Gln Phe Pro Tyr Ser		
	1070	1075 1080
Ser Tyr Ile Glu Glu Thr Ile Gly Tyr Ser Phe Lys Asn Lys Lys		
	1085	1090 1095
Leu Leu His Leu Ala Phe Ile His Pro Ser Met Met Ser Gln Gln		
	1100	1105 1110

-continued

Gly Ile Tyr Glu Asn Tyr Gln Gln Leu Glu Phe Leu Gly Asp Ala	
1115 1120 1125	
Val Leu Asp Tyr Ile Ile Val Gln Tyr Leu Tyr Lys Lys Tyr Pro	
1130 1135 1140	
Asn Ala Thr Ser Gly Glu Leu Thr Asp Tyr Lys Ser Phe Tyr Val	
1145 1150 1155	
Cys Asn Lys Ser Leu Ser Tyr Ile Gly Phe Val Leu Asn Leu His	
1160 1165 1170	
Lys Tyr Ile Gln His Glu Ser Ala Ala Met Cys Asp Ala Ile Phe	
1175 1180 1185	
Glu Tyr Gln Glu Leu Ile Glu Ala Phe Arg Glu Thr Ala Ser Glu	
1190 1195 1200	
Asn Pro Trp Phe Trp Phe Glu Ile Asp Ser Pro Lys Phe Ile Ser	
1205 1210 1215	
Asp Thr Leu Glu Ala Met Ile Cys Ala Ile Phe Leu Asp Ser Gly	
1220 1225 1230	
Phe Ser Leu Gln Ser Leu Gln Phe Val Leu Pro Leu Phe Leu Asn	
1235 1240 1245	
Ser Leu Gly Asp Ala Thr His Thr Lys Ala Lys Gly Asp Ile Glu	
1250 1255 1260	
His Lys Val Tyr Gln Leu Leu Lys Asp Gln Gly Cys Glu Asp Phe	
1265 1270 1275	
Gly Thr Lys Cys Val Ile Glu Glu Val Lys Ser Ser His Lys Thr	
1280 1285 1290	
Leu Leu Asn Thr Glu Leu His Leu Thr Lys Tyr Tyr Gly Phe Ser	
1295 1300 1305	
Phe Phe Arg His Gly Asn Ile Val Ala Tyr Gly Lys Ser Arg Lys	
1310 1315 1320	
Val Ala Asn Ala Lys Tyr Ile Met Lys Gln Arg Leu Leu Lys Leu	
1325 1330 1335	
Leu Glu Asp Lys Ser Asn Leu Leu Leu Tyr Ser Cys Asn Cys Lys	
1340 1345 1350	
Phe Ser Lys Lys Lys Pro Ser Asp Glu Gln Ile Lys Gly Asp Gly	
1355 1360 1365	
Lys Val Lys Ser Leu Thr	
1370	

<210> SEQ ID NO 19

<211> LENGTH: 4125

<212> TYPE: DNA

<213> ORGANISM: Schizosaccharomyces pombe

<400> SEQUENCE: 19

atggatattt caagttttct acttcctcaa cttttacgta aatatcaaca agatgtgtat	60
aatatcgcca gcaagcaaaa tactttactt gttatgagaa cgggcgctgg taagacatta	120
cttgctgtga agttgataaa acaaaagctc gaggagcaaa ttttaatcca agaatcaa	180
cttgaacata aaaaaatc agtttttctc gtcaacaaag tccctttggt atttcaacaa	240
gcggaataca ttcgatctca actaccggt aaggttggca tgttttatgg cgaattatct	300
atagaaatga gcgagcagtt gttgactaat attatattga agtataatgt gattgttatt	360
actgcagatt tgttctattt gtttcttgca agaggttttc tttcaataaa tgatttgaat	420
ttaattatat tcgacgaatg tcatcatgca attggaaatg atgcgtatgc tcgcatcatg	480
aatgattttt atcacagagc caaagcagta ttgtcaaaaa aacatttcac cctaccaaga	540

-continued

atttttggta tgactgcttc accattcact ggaaaaaaag gaaacttata ccatcgactg	600
tatcaatggg agcaattatt tgattctaaa gcacacgtgg ttccggaaaa cgagctagcc	660
gattacttct gtcttccga agaaagctat gtaatgtatt ccaataagtt ggttgtgcca	720
cctcggtt ctattatcaa gaaatgcgag gaaactcttc aaggatgcaa gttaatttct	780
cgggctgtta agactgcttt agcagaaacc atagatatgg gtctttggtt tggggagcaa	840
gtttggttat atttggttga ttttggtgaa acgaaaagat taaaaaaaaa ggctttaggg	900
aagcagttgt cagatgacga ggaactggca attgaccggt taaaaatatt tgttgaagat	960
tggaaaaata acaaatattc agacaatggc cctagaatcc ctgtttttga ttccactgat	1020
gttactgata aagtctttaa actcttagaa ttgttaaagg ctacttaccg caaaagtgat	1080
agcgttcgta cggttatttt cgttgaaaga aaagctacgg cgtttacttt aagtttgttt	1140
atgaaaactc ttaatctgcc taacatccgc gctcattctt ttataggaca tggaccgtcc	1200
gatcagggtg aattttctat gacattcagg aggcaaaaag atacccttca taagtttaag	1260
actggaaaat ataatgtttt aattgctact gcagttgcag aagaaggtat cgatgtacca	1320
tcagttaact tagttatacg cttcaatatt tgcggactg tcaccagta tgtccaatct	1380
cgaggtagag cgagagcaat ggcttcaaag tttctaattt ttttaaacac agaagagttg	1440
ttaattcatg aacgcattct acacgaagaa aaaaatctta aatttgccct ttccagagctc	1500
agcaattcga atatttttga ttcatttgta tgtgaggaaa gagaacgtgt gactgatgat	1560
atcgtctatg aagttggcga gactgggtgt ttactcacag ggttgatgc agttagtctg	1620
ctttataact tttgtaacac actttcaaga gacgtataca caagatatta tcccactttt	1680
acagctcaac cctgtcttcc aggttggtat tgttttgagg tagaattgcc aaaagcctgc	1740
aaagttccag cggctcaagg atctcccgtc aaatcaatta ggaaagccaa acagaatgct	1800
gcgttcacga tgtgtttgga tctgattcgt atgggtctta tagacaaaca tttaaaacc	1860
ctagatttta gaagaaaaat tgccgacctt gaaactcttg aggaagacga gctaaaagat	1920
gaaggttata tcgagacata tgagcgctat gtacccaaaa gttggatgaa agttcctgaa	1980
gatattacac gttgcttctg ctctttactt tatactgatg ctaatgaagg agacaatcat	2040
atattccatc ccttagtggt tgtacaagct cattcattcc ccaaaattga tagctttatt	2100
cttaattcga ctggttgccc ccgagttaaa attgttttag aaacgattga ggatagtttt	2160
aagatcgatt ctcatctgct tgagttgtta aaaaaatcaa ctcggtatct acttcaattc	2220
ggtttatcta cttctcttga gcaacaaata cctactcctt actggcttgc gcctttaaat	2280
ttgtcatgca cggattaccg gttcttagaa aatctgatag atgttgacac tatccaaaat	2340
ttttttaaat taccggaacc tgttcaaaat gttactgatt tgcaatccga tactgtatta	2400
ttagtaaatc cacagtaat atatgaacag tatgcttttg agggatttgt caattctgaa	2460
tttatgattc ctgctaaaaa gaaagataag gcccttctg ccttatgtaa gaaacttcct	2520
ttacgattaa attattcact ttggggcaat agagctaaat ccattcccaa atcacagcaa	2580
gtgcgcagtt tttatatcaa tgacctctat attctcccag tctctagaca tttgaaaaac	2640
agcgccttgc taataccctc catactgtac catattgaaa acttattggt cgctcttct	2700
tttatcgaac actttcgact tgattgtaaa attgacactg cttgtcaggc tttaacatct	2760
gcggaatcac aattgaattt tgattacgat cgtctagagt tttacggaga ctgctttcta	2820
aaattgggtg cttctattac agtttttttg aaatttcctg atactcaaga gtaccaactg	2880

-continued

```

cattttaatc gaaagaaaat tattagcaac tgtaatttgt ataaagtagc aatagattgt 2940
gagttgccga agtatgctct ctogactccc ttggaaatcc gtcattggtg tccatatggt 3000
tttcagaaaa gcacatcgga taagtgccgc tacgccgttt tacagaaatt atcggttaag 3060
aggatagcag atatggtcga agctagtatc ggtgcatgtc ttttagacag tggacttgac 3120
tcagcactca agatctgtaa atctttaagc gttggtctgc tggatatcag caattgggat 3180
gagtgaaca attattttga tttaaatata tatgcggtt cactgagaaa tgttcaattc 3240
ccttactcct cgtatataga ggaaactatt ggatattcat ttaaaaacaa gaaactactc 3300
catttggcat ttattcatcc ttccatgatg tctcagcaag gtatttacga aaactatcaa 3360
cagttggagt ttttgggtga tgctgtattg gattacatta tctacaata cctttataaa 3420
aagtatccta acgcaacttc tggcgaatta actgattaca aatcttttta tgtgtgtaac 3480
aagagtctat catacattgg ctttgttttg aatttgcaca aatatatcca acatgaaagc 3540
gcagcaatgt gtgatgcaat atttgaatat caagaattaa ttgaagcgtt caggagagact 3600
gcttcagaga atccgtgggt ctggtttgaa attgattcac caaagttcat ttcagatact 3660
ttagaagcta tgatagtgc catttttttg gattctgggt ttagtttaca atctctacaa 3720
ttcgttttac ctctttttct taattcgta ggggatgcga cacatactaa ggctaaagga 3780
gatattgaac acaaggata ccaattactg aaagatcagg gatgtgaaga ctcggaaca 3840
aagtgtgtca tcgaggaggt gaaatccagt cacaaaacat tgttaaatac tgaactccat 3900
ttaacaaagt attatgggtt ttcattcttc cgccacggga atattgttgc ttacggcaaa 3960
tcccgtaaag ttgccaatgc aaagtatatt atgaaacaaa gacttctcaa attgtagag 4020
gataagtcta acttactttt gtattcttgt aattgcaaat ttagtaagaa aaagccatca 4080
gatgagcaaa taaaaggaga tggaaaagt aaaagtttga cttga 4125

```

<210> SEQ ID NO 20

<211> LENGTH: 754

<212> TYPE: PRT

<213> ORGANISM: Giardia lamblia virus

<400> SEQUENCE: 20

```

Met His Ala Leu Gly His Cys Cys Thr Val Val Thr Thr Arg Gly Pro
1          5          10          15
Ser His Trp Leu Leu Leu Leu Asp Thr His Leu Gly Thr Leu Pro Gly
20        25        30
Phe Lys Val Ser Ala Gly Arg Gly Leu Pro Ala Ala Glu Val Tyr Phe
35        40        45
Glu Ala Gly Pro Arg Val Ser Leu Ser Arg Thr Asp Ala Thr Ile Val
50        55        60
Ala Val Tyr Gln Ser Ile Leu Phe Gln Leu Leu Gly Pro Thr Phe Pro
65        70        75        80
Ala Ser Trp Thr Glu Ile Gly Ala Thr Met Pro His Asn Glu Tyr Thr
85        90        95
Phe Pro Arg Phe Ile Ser Asn Pro Pro Gln Phe Ala Thr Leu Ala Phe
100       105       110
Leu Pro Leu Leu Ser Pro Thr Ser Pro Leu Asp Leu Arg Ala Leu Met
115       120       125
Val Thr Ala Gln Leu Met Cys Asp Ala Lys Arg Leu Ser Asp Glu Tyr
130       135       140
Thr Asp Tyr Ser Thr Leu Ser Ala Ser Leu His Gly Arg Met Val Ala
145       150       155       160

```


-continued

Thr	Pro	Glu	Ile	Ser	Trp	Ser	Leu	Tyr	Val	Val	Leu	Gly	Ile	Asp	Ser	
				165					170					175		
Thr	Gln	Thr	Ser	Leu	Ser	Tyr	Phe	Thr	Arg	Ala	Asn	Glu	Ser	Ile	Thr	
			180					185					190			
Tyr	Met	Arg	Tyr	Tyr	Ala	Thr	Ala	His	Asn	Ile	His	Leu	Arg	Ala	Ala	
		195					200					205				
Asp	Leu	Pro	Leu	Val	Ala	Ala	Val	Arg	Leu	Asp	Asp	Leu	Lys	Asp	His	
	210					215					220					
Gln	Ile	Pro	Ala	Pro	Gly	Ser	Trp	Asp	Asp	Leu	Ala	Pro	Lys	Leu	Arg	
225					230					235					240	
Phe	Leu	Pro	Pro	Glu	Leu	Cys	Leu	Leu	Leu	Pro	Asp	Glu	Phe	Asp	Leu	
				245				250						255		
Ile	Arg	Val	Gln	Ala	Leu	Gln	Phe	Leu	Pro	Glu	Ile	Ala	Lys	His	Ile	
			260					265					270			
Cys	Asp	Ile	Gln	Asn	Thr	Ile	Cys	Ala	Leu	Asp	Lys	Ser	Phe	Pro	Asp	
	275						280					285				
Cys	Gly	Arg	Ile	Gly	Gly	Glu	Arg	Tyr	Phe	Ala	Ile	Thr	Ala	Gly	Leu	
	290					295					300					
Arg	Leu	Asp	Gln	Gly	Arg	Gly	Arg	Gly	Leu	Ala	Gly	Trp	Arg	Thr	Pro	
305					310					315					320	
Phe	Gly	Pro	Phe	Gly	Val	Ser	His	Thr	Asp	Val	Phe	Gln	Arg	Leu	Glu	
				325					330					335		
Leu	Leu	Gly	Asp	Ala	Val	Leu	Gly	Phe	Ile	Val	Thr	Ala	Arg	Leu	Leu	
			340					345					350			
Cys	Leu	Phe	Pro	Asp	Ala	Ser	Val	Gly	Thr	Leu	Val	Glu	Leu	Lys	Met	
		355					360					365				
Glu	Leu	Val	Arg	Asn	Glu	Ala	Leu	Asn	Tyr	Leu	Val	Gln	Thr	Leu	Gly	
	370					375					380					
Leu	Pro	Gln	Leu	Ala	Glu	Phe	Ser	Asn	Asn	Leu	Val	Ala	Lys	Ser	Lys	
385					390					395					400	
Thr	Trp	Ala	Asp	Met	Tyr	Glu	Glu	Ile	Val	Gly	Ser	Ile	Phe	Thr	Gly	
				405					410					415		
Pro	Asn	Gly	Ile	Tyr	Gly	Cys	Glu	Glu	Phe	Leu	Ala	Lys	Thr	Leu	Met	
			420					425					430			
Ser	Pro	Glu	His	Ser	Lys	Thr	Val	Gly	Ser	Ala	Cys	Pro	Asp	Ala	Val	
		435					440					445				
Thr	Lys	Ala	Ser	Lys	Arg	Val	Cys	Met	Gly	Glu	Ala	Gly	Ala	His	Glu	
	450					455					460					
Phe	Arg	Ser	Leu	Val	Asp	Tyr	Ala	Cys	Glu	Gln	Gly	Ile	Ser	Val	Phe	
465					470					475					480	
Cys	Ser	Ser	Arg	Val	Ser	Thr	Met	Phe	Leu	Glu	Arg	Leu	Arg	Asp	Ile	
				485					490					495		
Pro	Ala	Glu	Asp	Met	Leu	Asp	Trp	Tyr	Arg	Leu	Gly	Ile	Gln	Phe	Ser	
			500					505					510			
His	Arg	Ser	Gly	Leu	Ser	Gly	Pro	Gly	Gly	Val	Val	Ser	Val	Ile	Asp	
		515					520					525				
Ile	Met	Thr	His	Leu	Ala	Arg	Gly	Leu	Trp	Leu	Gly	Ser	Pro	Gly	Phe	
	530						535					540				
Tyr	Val	Glu	Gln	Gln	Thr	Asp	Lys	Asn	Glu	Ser	Ala	Cys	Pro	Pro	Thr	
545					550					555					560	
Ile	Pro	Val	Leu	Tyr	Ile	Tyr	His	Arg	Ser	Val	Gln	Cys	Pro	Val	Leu	
				565					570						575	

-continued

Tyr Gly Ser Leu Thr Glu Thr Pro Thr Gly Pro Val Ala Ser Lys Val
 580 585 590
 Leu Ala Leu Tyr Glu Lys Ile Leu Ala Tyr Glu Ser Ser Gly Gly Ser
 595 600 605
 Lys His Ile Ala Ala Gln Thr Val Ser Arg Ser Leu Ala Val Pro Ile
 610 615 620
 Pro Ser Gly Thr Ile Pro Phe Leu Ile Arg Leu Leu Gln Ile Ala Leu
 625 630 635 640
 Thr Pro His Val Tyr Gln Lys Leu Glu Leu Leu Gly Asp Ala Phe Leu
 645 650 655
 Lys Cys Ser Leu Ala Leu His Leu His Ala Leu His Pro Thr Leu Thr
 660 665 670
 Glu Gly Ala Leu Thr Arg Met Arg Gln Ser Ala Glu Thr Asn Ser Val
 675 680 685
 Leu Gly Arg Leu Thr Lys Arg Phe Pro Ser Val Val Ser Glu Val Ile
 690 695 700
 Ile Glu Ser His Pro Lys Ile Gln Pro Asp Ser Lys Val Tyr Gly Asp
 705 710 715 720
 Thr Phe Glu Ala Ile Leu Ala Ala Ile Leu Leu Ala Cys Gly Glu Glu
 725 730 735
 Ala Ala Gly Ala Phe Val Arg Glu His Val Leu Pro Gln Val Val Ala
 740 745 750
 Asp Ala

<210> SEQ ID NO 21
 <211> LENGTH: 2265
 <212> TYPE: DNA
 <213> ORGANISM: Giardia lamblia virus

<400> SEQUENCE: 21

atgcacgtctt tgggacactg ttgcacagtt gtgactacta gaggaccatc ccactggttg	60
ctactttctag acactcacct gggcaccttg ccagggttta aggttagtgc aggccgaggg	120
cttcccgcgc cagaggtgta ctttgaagcg ggtccgaggg tgtctctctc tcgaactgat	180
gcaactatag tagccgtgta tcagtcacatt ctctttcagc tgctgggacc cacatttcct	240
gcttcatgga ctgagattgg agcaacaatg cctcacaatg aatacacttt ccctcgattt	300
atatccaatc caccacaatt cgccaccctg gcattttttac ccttactatc tcctaccagc	360
cctctgggact tgcgtgcatt aatgggtcact gcacaactca tgtgtgatgc aaagcgcttg	420
tcagatgaat atacagacta ttccacttta tctgcatccc tccatgggag tatggttgca	480
actcccgaat taagctggtc tctttatgtc gttcttggga tcgattctac ccaaactagc	540
ctttcttact ttaccagagc aaatgaatca ataacataca tgagatacta tgcaacagcc	600
cacaatattc acctgcgtgc tgcagatctt ccgcttgtgg cagcagtcag attagacgat	660
ctaaaagacc accagattcc cgcgcctgga tccctgggatg atttggctcc caagcttcgc	720
ttctgcccgc ctgagctctg cctactgctg ccagatgaat ttgatctaatt cagggtccag	780
gcgcttcaat ttctaccaga gattgctaag cacatatgtg acatacagaa tacaatctgt	840
gcccctggata aaagctttcc tgactgtggg cggatcggtg gcgagcgata ctttgcaatc	900
actgccggac ttcggctcga tcagggggcg ggacgagggc ttgccggttg gagaacaccc	960
tttgggcctt ttggtgtaag tcacaccgat gttttccagc gactcgaatt gctaggagat	1020
gctgtgttag gctttatcgt gactgcccgc ctcctttgcc tttttccaga tgcgtctgtg	1080

-continued

```

ggaacacttg ttgagctaaa gatggagctt gttcgcaatg aggctctaaa ctatcttgta 1140
caaacgcttg gacttctctca gttggcggag ttttccaaca accttgtggc gaagagcaaa 1200
acatgggcag atatgtatga ggagatcggt ggatcaatct ttacgggacc taatggaatc 1260
tatggctgtg aggaatttct tgcgaagacg cttatgagtc ccgaacctc caagacagta 1320
ggatctgcct gtccagatgc agtcaccaag gcatcaaagc gtgtttgcat gggagaagcg 1380
ggggcgcatg aattcagaag ccttgtggac tatgcttggt agcaaggcat tagtgtcttc 1440
tgttcttcgc ggggtgtcaac tatgtttctc gagcgtctca gagacattcc agcagaggac 1500
atgctagatt ggtaccgact tggtatccag ttttcgcac gtccaggcct atcaggacct 1560
ggcgccgtcg tatcagttat agacataatg acacatttgg ctcgaggcct atggctgggc 1620
tctccaggct tctatgttga acagcaaact gataagaatg agtcggcttg tccgccact 1680
atacctgttt tatatatcta tcatcgctct gtgcagtgtc ctgttttata tgggtcgctc 1740
acagaaaccc ctacagggcc cgttgcttct aaggttctcg ctctctatga gaagattctg 1800
gcatatgagt catcaggagg tagtaagcat atagcagctc agacagttag cagatctctg 1860
gccgtaccca ttcctagtgg cactatcccc ttctgattc ggttattgca aatagcacta 1920
actcctcagc tgtacaaaaa acttgagctt cttggagacg cattcctgaa gtgcagcctt 1980
gctctccatc tccacgctct ccacccacg ctcacagagg gcgctcttac acgcatgcgg 2040
caatctgcag aaacaaatc tgtactggga agattgacaa aaaggtttcc ttctgtagtt 2100
ttctgaggta ttatagaatc ccatccgaaa atacagctg acagcaaggt ttatggcgat 2160
acatttgaag ccattttggc agcaattctt cttgcgtgcg gggagaggc agcaggtgct 2220
ttgttcgag agcatgttct ccacaagta gtagctgatg cgtag 2265

```

```

<210> SEQ ID NO 22
<211> LENGTH: 91
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: oligonucleotide

```

```

<400> SEQUENCE: 22

```

```

ccccgggttca cgccattctc ctgcctcagc ctcacgagta gctgggacta caggcgcccg 60
acaccactcc cggctaattt tttgtatttt t 91

```

```

<210> SEQ ID NO 23
<211> LENGTH: 29
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Oligonucleotide

```

```

<400> SEQUENCE: 23

```

```

tgaggtcagg agatcgagac catcccggc 29

```

```

<210> SEQ ID NO 24
<211> LENGTH: 29
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: oligonucleotide

```

```

<400> SEQUENCE: 24

```

```

tgaggtcagg agatcgaaac catcccggc 29

```

-continued

```

<210> SEQ ID NO 25
<211> LENGTH: 29
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: oligonucleotide

<400> SEQUENCE: 25
tgaggtcagg agttcgaaac catcccggc                29

<210> SEQ ID NO 26
<211> LENGTH: 29
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: oligonucleotide

<400> SEQUENCE: 26
tgaggtcagg agttcgagac catcccggc                29

<210> SEQ ID NO 27
<211> LENGTH: 291
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 27
ggccggggcgc ggtggctcac ggctgtaatc ccagcacttt gggaggccga ggcgggtgga        60
tcacctgagg tcaggagtgc gagagcagcc tggccaacat ggtgaaaccc cgtctctact        120
aaaaatacaa aaattagccg grcgtggtgg cgggcgcctg taatcccacc tactcgggag        180
gctgaggcag gagaatcgct tgaaccggg aggccgagct tgcagtgagc cgagatcgcg        240
ccactgcact ccagcctggg caacaagagc gaaactccgt ctcaaaaaa a                291

<210> SEQ ID NO 28
<211> LENGTH: 302
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 28
ggccggggcgc aatggctcag acctctaadc ccgacacttt gcgaggctga ggcgggcaga        60
tcacctgagg tcaggagtgc gaaaccatcc tggctgacat ggtgaaaccc cgtctctact        120
aaaaatacaa aaaattagcc gggcgtggtg gtgggtgcct gtagtcccag ctactcgcca        180
ggagaatggc gtgaaccctg gaggcggagg ttacggtgag ccgaggctgc gccactgcac        240
tccagcctgg gctacagagc gcgacttggt ctcaaaaaac aaacaggcaa aaagaaaaa        300
aa                                302

<210> SEQ ID NO 29
<211> LENGTH: 221
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 29
atcccagcac tctggcaggc cgaggcgggt ggatcatgag gtcaggagat cgagaccatc        60
ccggccaaca cagcgaaacc ccatctctac taaaaaatac aaaaagaaaa aattagccag        120
gtgtggtggt gggcgctcgt agtctcagct gctcgggagg ctgaggcggg agagttgctt        180
gggcccggga ggcggaggtt gcagtgagcc gggatcacgc c                221

```

111

What is claimed is:

1. A method of protecting a retinal pigmented epithelium (RPE) cell, comprising: inhibiting Alu RNA associated with the RPE cell, wherein the inhibiting Alu RNA comprises administering an siRNA targeting Alu RNA.

5

2. The method of claim 1, wherein the siRNA includes a first strand having a sequence selected from SEQ ID NO: 1, 2, 3, 4, 5, and 6.

3. The method of claim 1, wherein the RPE cell is of a subject having age-related macular degeneration.

10

4. The method of claim 1, wherein the RPE cell is of a subject having geographic atrophy.

* * * * *

112