### University of Kentucky

### **UKnowledge**

**Library Presentations** 

University of Kentucky Libraries

6-10-2016

### Starting Over: Coding to Work with Alma after Voyager

Kathryn Lybarger University of Kentucky, kathryn.lybarger@uky.edu

Follow this and additional works at: https://uknowledge.uky.edu/libraries\_present



Part of the Library and Information Science Commons

Right click to open a feedback form in a new tab to let us know how this document benefits you.

### **Repository Citation**

Lybarger, Kathryn, "Starting Over: Coding to Work with Alma after Voyager" (2016). Library Presentations.

https://uknowledge.uky.edu/libraries\_present/158

This Presentation is brought to you for free and open access by the University of Kentucky Libraries at UKnowledge. It has been accepted for inclusion in Library Presentations by an authorized administrator of UKnowledge. For more information, please contact UKnowledge@lsv.uky.edu.

# STARTING OVER:

# CODING TO WORK WITH ALMA AFTER VOYAGER

Kathryn Lybarger

University of Kentucky Libraries

@zemkat

**ELUNA 2016** 

Thursday May 5, 2016

#ELUNA2016

### MIGRATION

- January 20, 2016 University of Kentucky Libraries migrated from Voyager to Alma / Primo
- (January 6, 2016 I proposed this talk)
- I anticipated differences due to:
  - Different user interface: Web vs. applications
  - Different database access: Analytics / APIs vs. SQL

# MACROS (AUTOHOTKEY)

• Hard to type symbols

```
• :*:(c)::© (copyright)
```

• :\*:!alpha!::α (Greek letters)



- Lengthy common phrases
  - ::brn::Includes bibliographical references (pages ) and index.

### VOYAGER / ALMA: MACROS – CONSISTENT HOTKEYS

- Using consistent hotkeys between programs
- Ctrl-D:
  - Connexion: Subfield delimiter
  - Voyager: Diacritic mode
  - Alma: Delete record

```
$^d::
IfWinActive, Voyager
Cataloging
    Send {F9}
  else {
    Send ^d
Return
```

# ALMA: BOOKMARKS / SHORTCUTS

- "Can you make me a button that goes straight to the Metadata Editor?"
- HotKeys already exist for many pages, like:
  - F3 Advanced Search
  - Alt-P Pick from Shelf interface
- For others, browser bookmarks seem to work

#### **ACQUISITIONS**

### Purchase Order Lines

Search for PO Line

### **Purchase Requests**

Create Purchase Request
Manage Purchase Requests

### Post-Receiving Processing

Receiving Department Items Scan In Items

#### **Acquisitions Infrastructure**

Vendors

Funds and Ledgers Licenses

#### RESOURCE MANAGEMENT

#### Search and Sets

Repository Search Manage Sets

Manage Exports

Manage Collections

#### Cataloging

Search External Resources Browse Bibliographic Headings

**Browse Shelf Listing** 

Open Metadata Editor
Authority Control Task List

#### Create Inventory

Add Local Electronic Collection Add Local Portfolio Add Physical Item

#### Manage Inventory

Community Zone Updates Task List Manage Electronic Resource Activation Shelf Report

#### Import

Impor

Upload single record from file Monitor and View Imports Resolve Import Issues

#### **Advanced Tools**

Overlap Analysis

Duplicate Title Analysis

#### **Resource Configuration**

Configuration Menu

#### FULFILLMENT

### Checkout/Checkin

Manage Patron Services
Return Items

#### Resource Requests

Scan In Items
Manage In Process Items

#### **Advanced Tools**

Fulfillment Configuration Utility Create Fulfillment Sets Offline Circulation

#### **ADMINISTRATION**

#### **General Configuration**

Configuration Menu

#### **Analytics**


Design Analytics Configuration Menu Subscribe to Analytics

### Manage Jobs

Run a Job Monitor Jobs

### VOYAGER: MACROS - BIBCAPTURE

- Capturing information from Cataloging module
  - Bib, Mfhd, Item numbers appear at the top of the top of each records
  - There is no quick way to copy this number
  - A macro can pull this info into your copy-paste buffer



### ALMA: NO BIBCAPTURE NEEDED

- Alma is a web application
- Metadata Editor displays all MARC fields as part of the record including 001 and fixed fields
- You can just copy and paste the field yourself

File	Ed		Tools	H
You have 3 war	ning(s) in yo	ur recor	d	
Working on -	A study of	f chem	icall (9925195106802636) ,	Created
LDR		0127	5ctm#a2200337Ka#4500	
001		9925	195106802636	
005		2016	0429163223.0	
008		0705	16s2004####xx#a####b##	##000#0
035		‡a (O	CoLC)ocn145564377	
035		‡a (O	CoLC)145564377	
035		‡a (K	yU)2519510-ukdb	
040		‡a Kl	JK ‡c KUK	
049		‡a Kl	JKK	
099	9	‡a Th	eses ‡a 2004	

# SH TAHT S'TAHW:

File	E	dit	Tools	H
You have 3 warr	ning(s) in yo	our record		
Working on -A	study o	f chemic	all (9925195106802636) ,	Created
LDR		012750	tm#a2200337Ka#4500	
001		992519	5106802636	
005		201604	29163223.0	
800		070516	s2004####xx#a####b##	###000#0
035		‡a (OC	oLC)ocn145564377	
035		‡a (OC	oLC)145564377	
035		‡a (Kyl	J)2519510-ukdb	
040		‡a KUk	(‡c KUK	
049		‡a KUk	Κ	
099	9	‡a The	ses ‡a 2004	

# ALMA: WOW, THAT MMS ID IS LONG

- Acquisitions used to hand-write the Voyager bib ID onto a routing slip
  - This was onerous with the MMS ID, so they began pasting it
- Cataloging used to type that number from the slip
  - This became error-prone with the MMS ID, so they started using a barcode font (Code 39)

Temp Location:			
909 Needed:			
BIB:			
OCLC#: _	* 9 9 2 5 1 9 5 1 0 6 8 0 2 6 3 6 *		
Date:	Initials:		
Message	e:		
Order #:			
Price			

# ALMA: TOO LONG FOR EXCEL NUMBERS

- MMS ID is 16 digits long
- We use Excel for project data
- Default is to truncate to 15 digits, display in scientific notation
- Change format to Text

Α	
MMS ID	
9.9252E+15	

### We had our barcode scanners configured with a CR suffix

- Under Voyager:
  - Speedy barcode search
- Under Alma:
  - Saved item records before we could finish editing
- Reconfigured to remove suffix

# BARCODE SCANNER CONFIGURATION

# Standard Suffix Characters \* Enable CR Su

\* Enable CR Suffix – The scanner transmits a carriage return after each bar code.



Disable CR Suffix.



\* Enable LF Suffix – The scanner transmits a line feed after each bar code. Disabled when keyboard wedge defaults are loaded.



Disable LF Suffix.



Enable Tab Suffix – The scanner will transmit a TAB (ASCII 09H) after each bar code.



\* Disable Tab Suffix



**Enable ETX Suffix** – The scanner will transmit End of TeXt (ASCII 03H) after the bar code date.



\* Disable ETX Suffix

# ALMA / PRIMO: BROWSER EXTENSIONS


- Install in your browser to change appearance / behavior of web sites
- Download programs:
  - Add-ons for Firefox
  - Extensions in Chrome Web Store
- Install code:
  - Greasemonkey (Firefox)
  - Tampermonkey (Chrome)



### Created by Justin Kelly at Swinburne University of Technology


- Adds a small button to your web browser
- When viewing a record in Primo, click to view the PNX record
- Works by adding &showPnx=true to the URL

# PRIMO: SHOWPNX



### PRIMO: LIBX

- Developed at Virginia Tech, funded by an IMLS grant
  - Available from libx.org
  - Free/open source
  - Create/distribute from their site
- Adds a button to your browser providing quick access to ILS search
- Updated our Voyager edition to work with Primo
  - Documented in blog post



Back Forward Reload
Save As Print Translate to English
Reload page via EZProxy
View Page Source Inspect

# ALMA / PRIMO BROWSER EXTENSION: ALMA JOY



I can't remember what these buttons do




So I changed the icons

# VOYAGER: BATCH EDITING

- Outside of Voyager:
  - MarcEdit
  - MARC libraries (pymarc, etc.)
  - Normac

- Within Voyager:
  - Global Data Change
  - Pick and Scan



# ALMA: NORMALIZATION RULES

- Make changes to MARC records
- Can be applied:
  - To individual records
  - To sets of records
    - Conditionally based on record content
  - Upon save
  - Upon import
  - After preview


		Ва	ack to normalization rules Apply Changes
710	2		‡a ebrary, Inc
994			‡a C0 ‡b KUM
856	4	0	<pre>‡u http://ezproxy.uky.edu/login? url=http://site.ebrary.com/lib/kentucky/docDetail.action? docID=10906714 ‡3 ebrary</pre>
776	0	8	‡i Print version: ‡a Curtis, Michèle G. ‡t Glass' office gynecology. ‡b Seventh edition. ‡d Philadelphia, Pennsylvania : Wolters Kluwer, ©2014 ‡h xv, 639 pages ‡z 9781608318209
700	1		‡a McLaughlin, Holly, ‡e designer.
700	1		‡a Orzechowski, David, ‡e production manager.
700	1		‡a Fischer, Ashley, ‡e editor.
700	1		‡a Gaertner, Rebecca S., ‡e editor.
700	1		‡a Antoniewicz, Leah, ‡e author.
700	1		‡a Linares, Silvia T., ‡e author.
650		0	‡a Reproductive system, Female.
650		0	‡a Ambulatory medical care.
650		0	‡a Gynecology.
			Provided by publisher.
No	Normalization rules preview Glass' office gyneco (9941041679602636)		

### NORMALIZATION RULE EXAMPLES

- addField "710.{2,-}.a.ClinicalKey (Online service)"
- removeField "856" if (not exists "856.u.\*clinicalkey.com/\*")
- addSubfield "856.3.ClinicalKey" if (not exists "856.3")
- removeSubfield "856.z"
- prefix "856.u" with "http://ezproxy.uky.edu/login?url=" if (not exists "856.u.\*ezproxy\*")


### VOYAGER: MERGE FIELDS

- All fields from incoming record kept
- Specify which fields from original record should also be kept based on:
  - Tag
  - Indicators
  - Institution (‡5)
- Some flexibility with Quality Hierarchy



# ALMA: MERGE RULES

- Merge two records based on:
  - Tag (and tag patterns like 9XX)
  - Indicator
  - Which fields exist already
  - Contents of fields
- Can be used for:
  - Importing / overlaying
  - Merging two existing records
- (You may need multiple rules)




### MERGE RULE EXAMPLES

- add MARC."590"
- add MARC."590" if does not exists
- remove MARC."938"
- remove MARC."9"XX excluding "990,991"
- replace MARC."245"
- replace MARC."995" when MARC."995"."a" does not contain "history" excluding MARC."995"("0","1")

# Julene-delete 65\* 2nd ind 7 if no |2 rule "Julene-delete 65\* 2nd ind 7 if no |2" when (TRUE) then # move the good ones to safety changeField "655" to "SFT" if(exists "655.{\*,0}") changeField "655" to "SFT" if(exists "655.{\*,2}") changeField "655" to "SFT" if(exists "655.{\*,7}.2.lc\*") changeField "655" to "SFT" if(exists "655.{\*,7}.2.rb\*")

### COMMENTS



### Merge-External.dslr

rule "Merge-External"

- # This rule is for use importing records through External Resources
- # Do not use it for Import Profiles or OCLC Connexion -- it will not work as you expect
- # In this context, the Primary record is the external record (OCLC), and the Secondary record is the internal record in Alma

# VOYAGER: RAIDERS OF THE LOST MARC

• In Voyager, if you replace or delete a record, it's "gone"

 But not really, Voyager keeps it on its server for a while

 My script retrieves / converts those files



### ALMA: VERSION CONTROL

 All past versions of bib records are retained

 Available from Metadata Editor under Tools --> View Versions

Restore a previous version



## VOYAGER: EBOOKMOBILE

- For new books, we used Michael Doran's "New Books List" code
  - Worked very well for our physical resources, but not our electronic
  - No item records
  - No call numbers
- Ebookmobile
  - Ran arbitrary queries
  - Atom (like RSS) feeds of new materials




 RSS and Save Query options on search results pages

Works for any kinds of titles in Primo


 Subscribe to feed or receive new results by email

# PRIMO: RSS / SAVE QUERY




# ALMA / PRIMO: SOME OTHER FEEDS STILL NEEDED

- We had a feed of original cataloging from our library
  - Searched 040 for our symbol
- Not all fields accessible through Primo search
- Not all fields indexed in Alma




## VOYAGER: SQL QUERIES

- Done through Microsoft Access or any Oracle client
- Query tables about bibliographic data, acquisitions, circulation, etc
- Many indexed fields, also BLOB




# ALMA / PRIMO: ANALYTICS



## ALMA / PRIMO: API ACCESS


- In Alma, there are Web services for working with:
  - Acquisitions
  - Analytics
  - Bibs
  - Configuration
  - Courses
  - Resource Sharing Partners
  - Task Lists
  - Users



### ALMA: SETTING UP APPLICATIONS USING API

- Create an account on the Ex Libris Developer Network
- Have your systems administrator attach your account to your database (or use sandbox)
- Create applications
  - Get API key for specific database and application







### ALMA: API EXPLORER

Try API calls with different parameters, view their output

Your API keys are easily selected and used

# FROM EXPLORER TO CODE





# VOYAGER: HIERARCHY BUTTON



### ALMA: API IN ACTION

-Bib #994862636802636

**Title:** Journal of algebra

Network Numbers: (KyU)486263-ukdb (OCoLC)ocm01754425

Place of Publication: New York

**Publisher:** Academic Press

-Mfhd #22228019690002636

**Location:** storage: rs **Call number:** QA1 .J833

-Item #23228016500002636-

**Barcode:** 3042549428200 **Description:** v.318 (2007)

-Item #23228016510002636-

**Barcode:** 3042549427603 **Description:** v.317 (2007)

# ANY QUESTIONS?

### CONTACT ME

- Kathryn Lybarger
- Head, Cataloging and Metadata
- University of Kentucky
- GitHub: http://www.github.com/zemkat/
- Twitter: @zemkat
- Tumblr: http://problem-cataloger.tumblr.com/