

October 2016

The double disparity facing rural local health departments: A short report

Kate E. Beatty

East Tennessee State University, beattyk@etsu.edu

Jenine K. Harris

Washington University in St Louis, harrisj@wustl.edu

JP Leider

leider@gmail.com

Britta Anderson

University of Chicago, anderson-britta@norc.org

Michael Meit

meit-michael@norc.org

Follow this and additional works at: <https://uknowledge.uky.edu/frontiersinphssr>

Recommended Citation

Beatty K, Harris JK, Leider JP, Anderson BL, Meit M. The double disparity facing rural local health departments: A short report. *Front Public Health Serv Sys Res* 2016; 5(5):1–8. DOI: <https://doi.org/10.13023/FPHSSR.0505.01>.

This From the Annual Review is brought to you for free and open access by the Center for Public Health Systems and Services Research at UKnowledge. It has been accepted for inclusion in *Frontiers in Public Health Services and Systems Research* by an authorized administrator of UKnowledge. For more information, please contact UKnowledge@lsv.uky.edu.

The double disparity facing rural local health departments: A short report

Abstract

Rural residents in the U.S. face significant health challenges, including higher rates of risky health behaviors and worse health outcomes than many other groups. Rural communities are also typically served by local health departments (LHDs) that have fewer human and financial resources than their suburban and urban peers. As a result of history and need, rural LHDs are more likely than urban LHDs to provide direct health services, which may result in limited resources for population-based activities. This review examines the double disparity facing rural LHDs and their constituents: pervasively poorer health behaviors and outcomes and a historical lack of investment by local, state, and federal public health entities.

Keywords

health disparity, health departments, rural health

Cover Page Footnote

This Frontiers article is a shorter version of the following article: The Double Disparity Facing Rural Local Health Departments by Jenine K. Harris, Kate Beatty, J.P. Leider, Alana Knudson, Britta L. Anderson, and Michael Meit. Click here to access the full article in the Annual Review of Public Health: <http://arevie.ws/2d5Ccly>. No competing financial or editorial interests were reported by the authors of this paper.

INTRODUCTION

Residents living in rural areas in the U.S. face many social and health-related disparities compared to people living in urban and suburban areas. They are generally older, poorer, and have riskier health behaviors leading to worse health status and health outcomes.¹ Local health departments (LHDs) serving rural communities typically have fewer resources and provide fewer services which impacts their ability to meet the public health needs of their residents.²⁻⁵ Moreover, these services are more likely to be focused on direct clinical care, rather than population-based services. The review entitled “The Double Disparity Facing Rural Local Health Departments”⁶ characterized the challenges facing rural communities: inadequate capacity in LHDs and poor health status indicators among residents. This review was based on the conceptual framework for understanding health inequality by the World Health Organization (Figure 1; see Additional File). The review focuses especially on the portions of the framework relating to disparities, social determinants, and health services provision. This paper highlights the major findings of the review and policy implications.

RURAL HEALTH DISPARITIES

Rural residents have higher rates of many risky health behaviors that are associated with a higher burden of disease and premature mortality. Specifically, they have higher rates of tobacco use, obesity, physical inactivity, and lower rates of fruit and vegetable intake compared with residents of nonrural areas. Rural areas have higher incidence of cancer and higher rates of poor cancer outcomes, including increased mortality. Similarly, diabetes rates, end-stage renal disease, and injury mortality rates are higher in rural than in urban areas. Rural populations experience higher rates of multiple chronic conditions than do suburban populations. Mortality rates among all age groups are higher among rural populations compared with suburban and urban populations. The life expectancy rates for Americans living in rural areas were up to 9.1 years lower than the U.S. average, with some variation by race and geography.⁶

SOCIAL DETERMINANTS OF RURAL HEALTH

Rural residents are also disproportionately affected by the social determinants of health. Lower socioeconomic status (SES) has been independently associated with poor health and early mortality after controlling for risky health behaviors and uninsured status, and rural residence exacerbates this relationship. Almost two thirds of rural communities experience persistent poverty compared to 14% of metropolitan counties. The lack of financial resources impacts access to health insurance for rural populations with 23% of the non-elderly population lacking health insurance in rural communities compared to 19% in suburban counties. In addition, low-income rural residents are more likely to reside in a state that has not expanded Medicaid as part of the Affordable Care Act (ACA).⁶

Sociocultural context also influences rural health. Rural cultures tend to value self-reliance, independence, religiosity, and social conformity in communities that are often isolated, segregated, and allow little anonymity. However, rural communities are also characterized by high social integration.^{1,6}

RURAL HEALTH DEPARTMENT CHARACTERISTICS AND PERFORMANCE

While governmental public health has its roots in urban health, rural public health steadily grew through the early 1900s until the Hill-Burton Act of 1945, which shifted efforts toward safety net services in rural areas.⁶ Despite recommendations to divest from direct service provision in the 1970s and in the 1988 Institute of Medicine ‘Future of Public Health’ report,⁷ many rural jurisdictions continued to provide direct services due to community demand.⁶

Local health departments serving smaller/rural populations tend not to perform as well as their larger or urban counterparts on some or all of the three core functions of public health and the Ten Essential Public Health Services (EPHS; Table 1²⁻⁵). In addition to performance on the core functions and EPHS, compared with their larger/urban counterparts, LHDs in smaller/rural jurisdictions have lower compliance rates, are significantly less likely to report using evidence-based decision making or administrative evidence-based practices, report using fewer strategies to combat health disparities, and report providing fewer types of services.⁶

Table 1. Studies comparing small/rural and large/urban health department performance*

Core Function	Essential Service	Small/rural performs better	No large/ significant difference	Large/urban performs better
Assessment	1. Monitor health status to identify and solve community health problems		(1,2)	(3–11)
	2. Diagnose and investigate health problems and health hazards in the community		(1,2,12)	(3–11)
Policy Development	3. Inform, educate, and empower people about health issues		(1,2,4,5)	(3,6–11)
	4. Mobilize community partnerships and action to identify and solve health problems		(1,2,4,5,12)	(3,6–11,13–16)
	5. Develop policies and plans that support individual and community health efforts		(1,2,4,5,17)	(3,5–11,18)
Assurance	6. Enforce laws and regulations that protect health and ensure safety		(2,4)	(1,3,5–11)
	7. Link people to needed personal health services and assure the provision of health care when otherwise unavailable	(19)	(1–5)	(6–11,15)
	8. Assure competent public and personal health care workforce	(20)	(1–5,21–23)	(6–11,24–26)
	9. Evaluate effectiveness, accessibility, and quality of personal and population-based health services		(1–5)	(6,7,9–11)
	10. Research for new insights and innovative solutions to health problems		(1,2,4)	(3,5–12)

* References for the table are found at the end of the paper.

Essential Public Health Services performance may be influenced by the smaller budgets and fewer FTEs compared to large/urban departments. Rural LHDs often have limited access to technology, limiting access to information available electronically, including the latest public health evidence, training opportunities, and quality improvement materials. Small/rural health departments are also less likely to adopt and use new media, such as Facebook and Twitter. In addition to internal resources, rural LHDs rely on partnerships to provide services but are limited in the number and types of local organizations available to partner and may partner with the same local organizations for multiple purposes.⁶

POLICY IMPLICATIONS AND FUTURE DIRECTIONS

Due to the limited capacities, health departments in rural communities are less equipped to address the poor health outcomes of their communities (Figure 1). Recommendations for addressing the capacity issues of rural LHDs have included cultivation of additional partnerships and consolidation of adjacent jurisdictions.⁸⁻¹⁰ Other recommendations include developing more partnerships, including formal and informal cross-jurisdictional sharing; increasing involvement in other sectors; and partnering with neighbor agencies.^{9,11}

In addition to consolidation and partnerships, the Institute of Medicine suggests prioritizing a “minimum package of public health services” focused largely on population-level activities and paralleling the minimum health care services prescribed in the ACA. The Public Health Leadership Forum translated the minimum package into the Foundational Public Health Services (FPHS) model.¹²

Finally, building an evidence base to aid in explaining and improving health in rural jurisdictions is seriously challenged by the lack of a consistent definition of rurality, the lack of consistent units of measure that can be harmonized (e.g., county to jurisdiction), and sampling frames in rural areas that do not typically allow for data use or sharing.⁶

Improving population health in rural areas will require a substantial effort from policymakers and public health and healthcare researchers and practitioners to address health behaviors and risk factors, poverty, and the healthcare and public health environments. First steps toward this goal may include building and disseminating an evidence base of best practices for rural LHDs based on successful and geographically and demographically diverse rural health departments, increasing population-level public health activities (e.g., policy activity) in rural areas, and working toward better data quality on health behaviors, outcomes, and service provision in rural areas.

SUMMARY BOX

What is already known about this topic? Individual and environmental characteristics affect health outcomes for rural residents. These characteristics include higher rates of risky health behaviors, limited financial resources, limited access to healthcare and poor healthcare quality, and a weak public health policy environment.

What is added by this report? Health outcomes for rural residents are also influenced by LHDs that lack the capacity for high performance of the 10 EPHS. Many rural LHDs have fewer staff and lack specialty staff compared with urban LHDs, with the exception of nursing staff (e.g., few rural LHDs have epidemiologists) and rely on partnerships to provide services but are limited in the number and types of local organizations available to partner. Suggestions for addressing the capacity issues of rural LHDs have included cultivation of additional partnerships and consolidation of adjacent jurisdictions.

What are the implications for public health practice, policy, and research? Research on rural jurisdictions is seriously challenged by a lack of consistent definition of rurality, a lack of consistent units of measure that can be harmonized (e.g., county to jurisdiction), and sampling frames in rural areas that do not allow for data use or sharing. Collaboration among funders, researchers, and practitioners is needed to address this critical gap.

REFERENCES

1. Meit M, Knudson A, Gilbert T, Yu A, Tanenbaum E, Ormson E, et al. The 2014 Update of the Rural–Urban Chartbook. 2014 [cited 2014 Nov 13];(October). Available from: <http://ruralhealth.und.edu/projects/health-reform-policy-research-center/pdf/2014-rural-urban-chartbook-update.pdf>
2. Handler AS, Turnock BJ. Local health department effectiveness in addressing the core functions of public health: essential ingredients. *J Public Heal Policy*. 1996/01/01 ed. 1996;17(4):460–83.
3. Harris JK, Mueller NL. Policy activity and policy adoption in rural, suburban, and urban local health departments. *J Public Health Manag Pract* [Internet]. [cited 2016 Sep 6];19(2):E1–8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/23358301>
4. Mays GP, McHugh MC, Shim K, Perry N, Lenaway D, Halverson PK, et al. Institutional and economic determinants of public health system performance. *Am J Public Health* [Internet]. 2006;96(3):523–31. Available from: <Go to ISI>://000235691300026
5. Turnock BJ, Handler AS. From measuring to improving public health practice. *Annu Rev Public Heal*. 1997/01/01 ed. 1997;18:261–82.
6. Harris JK, Beatty K, Leider JP, Knudson A, Anderson BL, Meit M. The Double Disparity Facing Rural Local Health Departments. *Annu Rev Public Health* [Internet]. Annual Reviews 4139 El Camino Way, PO Box 10139, Palo Alto, California 94303-0139, USA; 2016 Jan 6 [cited 2016 Feb 19]; Available from: <http://www.annualreviews.org/doi/abs/10.1146/annurev-publhealth-031914-122755>
7. Press NA. *The Future of Public Health*. Washington, DC: Institute of Medicine; 1988.
8. Honore PA, Simoes EJ, Moonesinghe R, Kirbey HC, Renner M. Applying principles for outcomes-based contracting in a public health program. *J Public Heal Manag Pr*. 2004/11/24 ed. 2004;10(5):451–7.
9. Pennel CL, Carpender SK, Quiram BJ. Rural health roundtables: a strategy for collaborative engagement in and between rural communities. *Rural Remote Health* [Internet]. [cited 2016 Sep 6];8(4):1054. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/19025319>
10. Rohrer JE, Dominguez D, Weaver M, Atchison CG, Merchant JA. Assessing public health performance in Iowa’s counties. *J Public Health Manag Pract* [Internet]. 1997 May [cited 2016 Sep 6];3(3):10–5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/10186719>
11. Berkowitz B. Rural public health service delivery: promising new directions. *Am J Public Health*. 2004;94(10):1678–81.
12. Beitsch LM, Castrucci BC, Dilley A, Leider JP, Juliano C, Nelson R, et al. From patchwork to package: implementing foundational capabilities for state and local health departments. *Am J Public Health* [Internet]. 2015 Feb [cited 2016 Sep 6];105(2):e7–10. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25521887>

REFERENCES FOR TABLE 1

- (1) Honore PA, Simoes EJ, Moonesinghe R, Kirbey HC, Renner M. Applying principles for outcomes-based contracting in a public health program. *Journal of Public Health Management and Practice* 2004 Sep–Oct;10(5):451–7.
- (2) Turnock BJ, Handler A, Hall W, Lenihan DP, Vaughn E. Capacity-building influences on Illinois local health departments. *Journal of Public Health Management and Practice* 1995;1(3):50–8.
- (3) Mays GP, McHugh MC, Shim K, Perry N, Lenaway D, Halverson PK, et al. Institutional and economic determinants of public health system performance. *Am J Public Health* 2006 Mar;96(3):523–31.
- (4) Freund CG, Liu Z. Local health department capacity and performance in New Jersey. *Journal of Public Health Management and Practice* 2000;6(5):42–50.
- (5) Bhandari MW, Scutchfield FD, Charnigo R, Riddell MC, Mays GP. New data, same story? Revisiting studies on the relationship of local public health systems characteristics to public health performance. *J Public Health Manag Pract* 2010 Mar–Apr;16(2):110–17.
- (6) Mayer JP, Konstant L, Wartman GC. Typology of local health departments based on maternal and child health core functions. *Journal of Public Health Management and Practice* 1997;3(5):1–10.
- (7) Richards TB, Rogers JJ, Christenson GM, Miller CA, Taylor MS, Cooper AD. Evaluating local public health performance at a community level on a statewide basis. *Journal of Public Health Management and Practice* 1995 Fall;1(4):70–83.
- (8) Suen J, Magruder C. National profile: Overview of capabilities and core functions of local public health jurisdictions in 47 states, the District of Columbia, and 3 US territories, 2000–2002. *Journal of Public Health Management and Practice* 2004;10(1):2–12.

- (9) Suen J, Christenson GM, Cooper A, Taylor M. Analysis of the current status of public health practice in local health departments. *American Journal of Preventive Medicine* 1995;11(6 Suppl):51–4.
- (10) Turnock BJ, Handler A, Hall W, Potsic S, Nalluri R, Vaughn EH. Local health department effectiveness in addressing the core functions of public health. *Public Health Rep* 1994 Sep–Oct;109(5):653–8.
- (11) Turnock BJ, Handler AS, Miller CA. Core function-related local public health practice effectiveness. *Journal of Public Health Management and Practice* 1998 Sep;4(5):26–32.
- (12) Scutchfield FD, Knight EA, Kelly AV, Bhandari MW, Vasilescu IP. Local public health agency capacity and its relationship to public health system performance. *Journal of Public Health Management and Practice* 2004 May–Jun;10(3):204–15.
- (13) Beatty KB, Harris JK, Barnes P. The role of inter-organizational partnerships in health services provision among rural, metropolitan, and urban local health departments. *Journal of Rural Health* 2010;26:248–58.
- (14) Barnes PA, Curtis AB. A national examination of partnerships among local health departments and faith communities in the United States. *J Public Health Manag Pract* 2009 May–Jun;15(3):253–63.
- (15) Keane C, Marx J, Ricci E. Privatization and the scope of public health: a national survey of local health department directors. *Am J Public Health* 2001 Apr;91(4):611–17.
- (16) Lovelace K. External collaboration and performance: North Carolina local public health departments, 1996. *Public Health Rep* 2000 Jul–Aug;115(4):350–7.
- (17) Harris JK, Mueller NL. Policy activity and policy adoption in rural, suburban, and urban local health departments. *Journal of Public Health Management and Practice* 2013;19(2):E1–E8.
- (18) Harris JK, Allen P, Jacob RR, Elliott L, Brownson RC. Information-seeking among chronic disease prevention staff in state health departments: use of academic journals. *Prev Chronic Dis* 2014 Aug 14;11:E138.
- (19) Keane C, Marx J, Ricci E. Services privatized in local health departments: A national survey of practices and perspectives. *Am J Public Health* 2002 Aug;92(8):1250–4.
- (20) Barnett DJ, Thompson CB, Errett NA, Semon NL, Anderson MK, Ferrell JL, et al. Determinants of emergency response willingness in the local public health workforce by jurisdictional and scenario patterns: a cross-sectional survey. *BMC Public Health* 2012 Mar 7;12:164-2458-12-164.
- (21) Leider JP, Shah GH, Castrucci BC, Leep CJ, Sellers K, Sprague JB. Changes in public health workforce composition: proportion of part-time workforce and its correlates, 2008–2013. *Am J Prev Med* 2014;47(5):S331–S336.
- (22) Beck AJ, Boulton ML. Trends and Characteristics of the State and Local Public Health Workforce, 2010–2013. *Am J Public Health* 2015;105(S2):S303–S310.
- (23) Newman SJ, Ye J, Leep CJ. Workforce turnover at local health departments: nature, characteristics, and implications. *Am J Prev Med* 2014;47(5):S337–S343.
- (24) Gerzoff RB, Richards TB. The education of local health department top executives. *Journal of Public Health Management and Practice* 1997;3(4):50–6.
- (25) Rosenblatt RA, Casey S, Richardson M. Rural–Urban Differences in the Public Health Workforce: Local Health Departments in 3 Rural Western States. *Am J Public Health* 2002 07;92(7):1102–5.
- (26) Hajat A, Stewart K, Hayes KL. The local public health workforce in rural communities. *Journal of Public Health Management and Practice* 2003;9(6):481–8.