



University of Kentucky
UKnowledge

International Grassland Congress Proceedings

XXI International Grassland Congress / VIII
International Rangeland Congress

Effect of Topography on Utilization from Mountain Rangelands of Mazandaran Province—Case Study: Rangelands of Babolrood Basin, IR-Iran

Reza Tamartash

Sari Agricultural Sciences and Natural Resources University, Iran

Hamid Jalilvand

Sari Agricultural Sciences and Natural Resources University, Iran

Karim Soleimani

Sari Agricultural Sciences and Natural Resources University, Iran

Maryam Saeidi

Sari Agricultural Sciences and Natural Resources University, Iran

Follow this and additional works at: <https://uknowledge.uky.edu/igc>



Part of the [Plant Sciences Commons](#), and the [Soil Science Commons](#)

This document is available at <https://uknowledge.uky.edu/igc/21/1-5/44>

The XXI International Grassland Congress / VIII International Rangeland Congress took place in Hohhot, China from June 29 through July 5, 2008.

Proceedings edited by Organizing Committee of 2008 IGC/IRC Conference

Published by Guangdong People's Publishing House

This Event is brought to you for free and open access by the Plant and Soil Sciences at UKnowledge. It has been accepted for inclusion in International Grassland Congress Proceedings by an authorized administrator of UKnowledge. For more information, please contact UKnowledge@lsv.uky.edu.

Effect of topography on utilization from mountain rangelands of Mazandaran Province —case study : rangelands of Babolrood Basin , IR-Iran

Reza Tamartash¹ , Hamid Jalilvand^{*1} , Karim Soleimani¹ , Maryam Saeidi²

¹ Faculty Members of Sari Agricultural Sciences and Natural Resources University ,

² M.Sc . Graduated in the field of Range Management , Department of Range and Watershed Management , Sari University
E-mail : hj_458_hj@yahoo.com , Sari , Mazandaran Province , P.O . Box : #737 , IR-Iran

Key points In mountain rangelands , due to topographic variations , animal grazing in whole areas is not equally distributed . Based on dissemination of grazed animal in range lands is more influenced by topography . This factor is affecting to the percentage of utilization . After study of aerial photography and topographical map , and field surveying the requirement maps was created . In order to suitable tools , selection of grazing distribution in mountain rangelands was investigated by topographical impact on vegetation . In order to determine relation between percentage of utilization and topographic factors correlation and multiple regressions was used . Result shows that slope was the most effective on the utilization factor and aspect was less effect to utilization .

Key words : Topography , Animal Distribution , Utilization , Stepwise Regression Method

Introduction In mountain rangeland percentage of utilization is affected by topography , stage of plant growth and distribution of water . Therefore , mixed use of parameters is usually the most effective way to grazing management . In order to choose of suitable instrument , on grazing distribution in mountain rangeland evaluate of topography effect on percentage utilization is necessary . Type of vegetation , relief , season and kind and age of animal's effect on utilization was studied (Mesdaghi , 2000 , Gholami , 2004 , Delcurto et al . , 2005) and showed that the topography is one of the most important factors that affected to the distribution of animals to use of plants , as extremely slopes and mountains are inhibited to animal grazing . The objective of this study was to determine topographic effective factors on non-homogenic grazing distribution of Babolrood watershed at the Mazandaran province that utilization of animal is uncorrected .

Materials and methods The study area was located in Babolrood Basin at the Mazandaran province of IR-Iran . After survey of map topography and the aerial photograph of study area overlaid and with finding field operation slope , high stratum and vegetation map were provided . Pay attention to coral five utilization unite that view of topography , kind of animal and type of vegetation were homogenic chosen in each of utilization unit with use of high to weight method , the percentage of utilization were measured . Comparison of means was done by LSD method ($p < 0.05$) and table of matrix simple correlation was computed .

Results and discussion Matrix correlation of different variables at five utilization units showed that , in utilization units of first , second and fourth , greatest correlation value was found between utilization percentages and slope . The final results showed that a regression model in fourth unit was the best (Table 1)

Table 1 Regression characteristics of the best model .

Dependent variable	Independent variables	R ²	Regression equation
UT Unit 4	Slope , height and interaction of slope & height	0.97	$Y = 102.0 - 0.60X_1 - 0.01X_3 - 2.60X_1X_3$

The result of this study showed that in the amount of topographical factors , the slope was highest affected on utilization factor . Relationship between slope and utilization was inversely , when slope increased the utilization decreased . This is due to decrease of animal activity and movement in sharp slopes . Height factor was less effective on the amount of unitization . This was probably due to chief effect to the other parameters of plants . Some research in Haraz basin in the North of Iran showed that with increasing of height and UV ray and decreasing of temperature , was decreased plant diversity and grazing intensity (eg . , Ebrahimi , 2003) .

References

- Delcurto , T.M . , Porath , C.T . , Morrison , J.A . , 2005 . Management strategies for sustainable beef cattle grazing on forested rangelands in the Pacific Northwest . *Range Ecol and Manage* 58 , 119-127 .
- Ebrahimi , Kh . , 2003 . The effect of topography factors and Grazing on variation of plant cover and diversity in Haraz . MSc thesis , Mazandaran University , 82pp (In Persian) .
- Gholamibaghi , N . , 2004 . Survey of spatial model diversity on important Rangeland species in Golestan Forest Park . *Journal of Gorgan Agricultural Science and Natural Resources* , 13(3) : 161-170 (In Persian) .
- Mesdaghi , M . , 2004 . Range management in Iran . Astan Ghods Razavi Publisher , 259pp (In Persian) .