

Appendix 1: Excluded Transitional Care Literature

1. Kind AJ, Jensen L, Barczi S, et al. Low-cost transitional care with nurse managers making mostly phone contact with patients cut rehospitalization at a VA hospital. *Health Aff.* Dec 2012;31(12):2659-2668.
2. Watkins L. An evidence-based strategy for transitioning patients from the hospital to the community. *North Carolina Medical Journal.* Jan-Feb 2012;73(1):48-50.
3. Nelson KM, Helfrich C, Sun H, et al. Implementation of the patient-centered medical home in the Veterans Health Administration: associations with patient satisfaction, quality of care, staff burnout, and hospital and emergency department use. *JAMA Int Med.* Aug 2014;174(8):1350-1358.
4. Seggelke SA, Hawkins RM, Gibbs J, et al. Transitional care clinic for uninsured and medicaid-covered patients with diabetes mellitus discharged from the hospital: a pilot quality improvement study. *Hosp Pract.* 2014;42(1):46-51.
5. Anderson SL, Marrs JC, Vande Griend JP, Hanratty R. Implementation of a clinical pharmacy specialist-managed telephonic hospital discharge follow-up program in a patient-centered medical home. *Popul Health Manag.* Aug 2013;16(4):235-241.
6. Kangovi S, Mitra N, Grande D, et al. Patient-centered community health worker intervention to improve posthospital outcomes: A randomized clinical trial. *JAMA Int Med.* 2014; 174(4):535-43.
7. Ryvicker M, McDonald MV, Trachtenberg M, et al. Can the care transitions measure predict rehospitalization risk or home health nursing use of home healthcare patients? *J Healthc Qual.* Sep-Oct 2013;35(5):32-40.

8. Brock J, Mitchell J, Irby K, et al. Association between quality improvement for care transitions in communities and rehospitalizations among medicare beneficiaries. *JAMA*. 2013;309(4):381-391.
9. Ahmed OI, Rak DJ. Hospital readmission among participants in a transitional case management program. *Am J Manag Care*. Oct 2010;16(10):778-783.
10. Oluabunwa U, Jordan Q, Shah S, et al. Implementation of a care transitions model for low-income older adults: a high-risk, vulnerable population. *J Am Geriatr Soc*. Jun 2013;61(6):987-992.
11. Gurwitz JH, Field TS, Ogarek J, et al. An electronic health record-based intervention to increase follow-up office visits and decrease rehospitalization in older adults. *J Am Geriatr Soc*. May 2014;62(5):865-871.
12. Rosenthal MB, Friedberg MW, Singer SJ, et al. Effect of a multipayer patient-centered medical home on health care utilization and quality: the Rhode Island chronic care sustainability initiative pilot program. *JAMA*. Nov 11 2013;173(20):1907-1913.
13. Stauffer BD, Fullerton C, Fleming N, et al. Effectiveness and cost of a transitional care program for heart failure: a prospective study with concurrent controls. *Arch Int Med*. Jul 25 2011;171(14):1238-1243.
14. Voss R, Gardner R, Baier R, et al. The care transitions intervention: translating from efficacy to effectiveness. *Arch Int Med*. Jul 25 2011;171(14):1232-1237.
15. Misky GJ, Wald HL, Coleman EA. Post-hospitalization transitions: Examining the effects of timing of primary care provider follow-up. *JHM*. Sep 2010;5(7):392-397.

16. Friedberg MW, Schneider EC, Rosenthal MB, et al. Association between participation in a multipayer medical home intervention and changes in quality, utilization, and costs of care. *JAMA*. Feb 26 2014;311(8):815-825.
17. Roby DH, Pourat N, Pirritano MJ, et al. Impact of patient-centered medical home assignment on emergency room visits among uninsured patients in a county health system. *MCRR*. Aug 2010;67(4):412-430.
18. Parry C, Min SJ, Chugh A, et al. Further application of the care transitions intervention: results of a randomized controlled trial conducted in a fee-for-service setting. *Home Health Care Services Quarterly*. 2009;28(2-3):84-99.
19. Robles L, Slogoff M, Ladwig-Scott E, et al. The addition of a nurse practitioner to an inpatient surgical team results in improved use of resources. *Surgery*. Oct 2011;150(4):711-717.
20. Daaleman TP, Hay S, Prentice A, Gwynne MD. Embedding care management in the medical home: a case study. *J Prim Care Community Health*. Apr 1 2014;5(2):97-100.
21. Graham J, Tomcavage J, Salek D, et al. Postdischarge monitoring using interactive voice response system reduces 30-day readmission rates in a case-managed Medicare population. *Med Care*. Jan 2012;50(1):50-57.
22. Eisenhower C. Impact of pharmacist-conducted medication reconciliation at discharge on readmissions of elderly patients with COPD. *Ann Pharmacother*. Feb 2014;48(2):203-208.
23. Gil M, Mikaitis DK, Shier G, et al. Impact of a combined pharmacist and social worker program to reduce hospital readmissions. *JMCP*. Sep 2013;19(7):558-563.

24. Costantino ME, Frey B, Hall B, Painter P. The influence of a postdischarge intervention on reducing hospital readmissions in a medicare population. *Popul Health Manag.* Oct 2013;16(5):310-316.
25. Krichbaum K. GAPN postacute care coordination improves hip fracture outcomes. *West J Nurs Res.* Aug 2007;29(5):523-544.
26. Retchin SM, Garland SL, Anum EA. The transfer of uninsured patients from academic to community primary care settings. *Am J Manag Care.* Apr 2009;15(4):245-252.
27. Walker PC, Bernstein SJ, Jones JN, et al. Impact of a pharmacist-facilitated hospital discharge program: a quasi-experimental study. *Arch Int Med.* Nov 23 2009;169(21):2003-2010.
28. D'Amore J, Murray J, Powers H, Johnson C. Does telephone follow-up predict patient satisfaction and readmission? *Popul Health Manag.* Oct 2011;14(5):249-255.
29. Shah R, Chen C, O'Rourke S, et al. Evaluation of care management for the uninsured. *Med Care.* Feb 2011;49(2):166-171.
30. Gary TL, Batts-Turner M, Yeh HC, et al. The effects of a nurse case manager and a community health worker team on diabetic control, emergency department visits, and hospitalizations among urban African Americans with type 2 diabetes mellitus: a randomized controlled trial. *Arch Int Med.* Oct 26 2009;169(19):1788-1794.
31. Gambetta M, Dunn P, Nelson D, et al. Impact of the implementation of telemanagement on a disease management program in an elderly heart failure cohort. *Progr Cardiovasc Nurs.* Fall 2007;22(4):196-200.

32. Scott JC, Conner DA, Venohr I, et al. Effectiveness of a group outpatient visit model for chronically ill older health maintenance organization members: a 2-year randomized trial of the cooperative health care clinic. *J Am Geriatr Soc.* Sep 2004;52(9):1463-1470.
33. Takahashi PY, Haas LR, Quigg SM, et al. 30-day hospital readmission of older adults using care transitions after hospitalization: a pilot prospective cohort study. *Clin Interv Aging.* 2013;8:729-736.
34. Naylor MD, Bowles KH, McCauley KM, et al. High-value transitional care: translation of research into practice. *J Eval Clin Pract.* Oct 2013;19(5):727-733.
35. Reid RJ, Johnson EA, Hsu C, et al. Spreading a medical home redesign: effects on emergency department use and hospital admissions. *Ann Fam Med.* 2013;11:S19-26.
36. Napier Rosenberg C, Peele P, Keyser D, et al. Results From A Patient-Centered Medical Home Pilot At UPMC Health Plan Hold Lessons For Broader Adoption Of The Model. *Health Aff.* 2012;31(11):2423-2431.
37. Cochran VY, Blair B, Wissinger L, Nuss TD. Lessons Learned From Implementation of Postdischarge Telephone Calls at Baylor Health Care System. *J Nurs Adm.* 2012;42(1):40-46.
38. Wetta-Hall R. Impact of a collaborative community case management program on a low-income uninsured population in Sedgwick County, KS. *Appl Nurs Res.* 2007;20(4):188-194.
39. Savage AI, Lauby T, Burkard JF. Examining selected patient outcomes and staff satisfaction in a primary care clinic at a military treatment facility after implementation of the patient-centered medical home. *Mil Med.* 2013;178(2):128-134.

40. Anderegg SV, Wilkinson ST, Couldry RJ, et al. Effects of a hospitalwide pharmacy practice model change on readmission and return to emergency department rates. *Am J Health Syst Pharm.* 2014;71(17):1469-1479.
41. Almaden S, Freshman B, Quaye B. Case management redesign in an urban facility. *Prof Case Manag.* 2011;16(4):199-209.
42. Duke C. The frail elderly community-based case management project. *Geri Nurs.* 2005;26(2):122-127.
43. Joo JY. *Community-based case management and outcomes in Medicare beneficiaries*, University of Iowa; 2013.
44. Naylor MD, Brooten DA, Campbell RL, et al. Transitional Care of Older Adults Hospitalized with Heart Failure: A Randomized, Controlled Trial. *J Am Geriatr Soc.* 2004;52(5):675-684.
45. Amin AN, Hofmann H, Owen MM, et al. Reduce readmissions with service-based care management. *Prof Case Manag.* Nov-Dec 2014;19(6):255-262.
46. Koehler BE, Richter KM, Cohen BA, et al. Reduction of 30-day postdischarge hospital readmission or emergency department (ED) visit rates in high-risk elderly medical patients through delivery of a targeted care bundle. *J Hosp Med.* 2009;4(4):211-218.
47. Arbaje AI, Maron DD, Yu Q, et al. The geriatric floating interdisciplinary transition team. *J Am Geriatr Soc.* 2010;58(2):364-370.
48. Lambert-Kerzner A, Giacco EJ, Fahdi IE, et al. Patient-centered adherence intervention after acute coronary syndrome hospitalization. *Circulation.* 2012;5(4):571-576.

49. Dedhia P, Kravet S, Bulger J, et al. A quality improvement intervention to facilitate the transition of older adults from three hospitals back to their homes. *J Am Geriatr Soc*. 2009;57(9):1540-1546.
50. Kim SE, Michalopoulos C, Kwong RM, et al. Telephone care management's effectiveness in coordinating care for Medicaid beneficiaries in managed care: a randomized controlled study. *HSR*. 2013;48(5):1730-1749.
51. Altfeld SJ, Shier GE, Rooney M, et al. Effects of an enhanced discharge planning intervention for hospitalized older adults: a randomized trial. *Gerontologist*. 2013;53(3):430-440.
52. Abu-Awwad R, Alkhatib Y, Bukannan A, et al. Telemonitoring in patients with heart failure: A single-center experience. *JGIM*. 2012;27:S313.
53. Saleh SS, Freire C, Morris-Dickinson G, Shannon T. An effectiveness and cost-benefit analysis of a hospital-based discharge transition program for elderly Medicare recipients. *J Am Geriatr Soc*. 2012;60(6):1051-1056.
54. Enguidanos S, Gibbs N, Jamison P. From hospital to home: a brief nurse practitioner intervention for vulnerable older adults. *JGN*. 2012;38(3):40-50.
55. Manning DM, O'Meara JG, Williams AR, et al. 3D: a tool for medication discharge education. *Qual Saf Health Car*. 2007;16(1):71-76.
56. Riegel B, Carlson B, Glaser D, Romero T. Randomized controlled trial of telephone case management in Hispanics of Mexican origin with heart failure. *J Card Fail*. 2006;12(3):211-219.
57. Westberg SM, Swanoski MT, Renier CM, Gessert CE. Evaluation of the impact of comprehensive medication management services delivered posthospitalization on readmissions and emergency department visits. *J Manag Care Pharm*. 2014;20(9):886-893.

58. Gurwitz JH, Field TS, Tjia J, et al. Reducing rehospitalizations through automated alerts when older patients are discharged from the hospital: A randomized trial. *J Am Geriatr Soc*.

2013;61:S1-s2.

59. Medco Health Solutions, Inc.; Coventry Health Care, Inc.. Coventry Outcomes Study of Seniors (COSS): A Comparative Effectiveness Study to Evaluate the Effect of a Multidisciplinary Team's Intervention on the Incidence of Nonelective Hospitalizations in a Medicare Population. In: ClinicalTrials.gov [Internet]. Bethesda (MD): National Library of Medicine (US). Last verified: January 2010. Available from: <https://clinicaltrials.gov/ct2/show/NCT01014884>. NLM Identifier:

NCT01014884

60. Department of Veterans Affairs: Evaluation of a Nurse Case Management Model for Chronic Heart Failure (CHF ENCORE). In: ClinicalTrials.gov [Internet]. Bethesda (MD): National Library of Medicine (US). Last verified: April 2014. Available from:

<https://clinicaltrials.gov/ct2/show/NCT00105703>. NLM Identifier: NCT00105703

61. Aetna, Inc.; Intel Corporation: Aetna_Intel Medicare Home Biomonitoring Study. In: ClinicalTrials.gov [Internet]. Bethesda (MD): National Library of Medicine (US). Last verified: April 2010. Available from: <https://clinicaltrials.gov/ct2/show/NCT01105572>. NLM Identifier:

NCT01105572

62. RAND; National Institute of Mental Health (NIMH), Robert Wood Johnson Foundation, National Library of Medicine (NLM), Patient Centered Outcome Research Institute: Community Partners in Care is a Research Project Funded by the National Institutes of Health (CPIC). In: ClinicalTrials.gov [Internet]. Bethesda (MD): National Library of Medicine (US). Last verified:

May 2014. Available from: <https://clinicaltrials.gov/ct2/show/NCT01699789>. NLM Identifier: NCT01699789

63. Department of Veterans Affairs: Bronchitis and Emphysema Advice and Training to Reduce Hospitalization (BREATH). In: ClinicalTrials.gov [Internet]. Bethesda (MD): National Library of Medicine (US). Last verified: September 2014. Available from: <https://clinicaltrials.gov/ct2/show/NCT00395083>. NLM Identifier: NCT00395083

64. John H. Stroger Hospital: Bridging the Gap by Transitional Care. In: ClinicalTrials.gov [Internet]. Bethesda (MD): National Library of Medicine (US). Last verified: April 2011. Available from: <https://clinicaltrials.gov/ct2/show/NCT01330121>. NLM Identifier: NCT01330121

65. Wilkes University; Moses Taylor Hospital Foundation, Commonwealth Health, Community Pharmacy Foundation: Improving Medication Adherence Through a Transitional Care Pharmacy Practice Model. In: ClinicalTrials.gov [Internet]. Bethesda (MD): National Library of Medicine (US). Last verified: December 2014. Available from <https://clinicaltrials.gov/ct2/show/NCT02047448>. NLM Identifier: NCT02047448

66. Oregon Health and Science University; Honora Englander, Oregon Health and Science University: Care Transitions Innovation (C-TraIn). In: ClinicalTrials.gov [Internet]. Bethesda (MD): National Library of Medicine (US). Last verified: April 2010. Available from: <https://clinicaltrials.gov/ct2/show/NCT01906645>. NLM Identifier: NCT01906645

67. Rush University Medical Center: Combined Social Worker and Pharmacist Transitional Care Program. In: ClinicalTrials.gov [Internet]. Bethesda (MD): National Library of Medicine (US). Last verified: May 2013. Available from: <https://clinicaltrials.gov/ct2/show/NCT01503554>. NLM Identifier: NCT01503554

68. Kaiser Permanente: Assessment of a Medication Reconciliation Program on Transitional Care. In: ClinicalTrials.gov [Internet]. Bethesda (MD): National Library of Medicine (US). Last verified: April 2007. Available from: <https://clinicaltrials.gov/ct2/show/NCT00462059>. NLM Identifier: NCT00462059

69. Duke University: Drug-Related Problems and Healthcare Utilization Post-Hospital Discharge. In: ClinicalTrials.gov [Internet]. Bethesda (MD): National Library of Medicine (US). Last verified: April 2014. Available from: <https://clinicaltrials.gov/ct2/show/NCT01806038>. NLM Identifier: NCT01806038

70. University of Massachusetts, Worcester; Fallon Clinic, Agency for Healthcare Research and Quality (AHRQ): Improving Posthospital Medication Management of Older Adults Through Health IT. In: ClinicalTrials.gov [Internet]. Bethesda (MD): National Library of Medicine (US). Last verified: September 2013. Available from: <https://clinicaltrials.gov/ct2/show/NCT00611091>. NLM Identifier: NCT00611091

71. Alison Galbraith; Agency for Healthcare Research and Quality (AHRQ), Cambridge Health Alliance, Harvard School of Public Health Evaluating Sequential Strategies to Reduce Readmission in a Diverse Population. In: ClinicalTrials.gov [Internet]. Bethesda (MD): National Library of Medicine (US). Last verified: January 2014. Available from: <https://clinicaltrials.gov/ct2/show/NCT01619098>. NLM Identifier: NCT01619098

72. Cedars-Sinai Medical Center; National Center for Advancing Translational Science (NCATS): Impact of Pharmacist Post-discharge Phone Calls on Hospital Readmission and Patient Medication Literacy and Adherence. In: ClinicalTrials.gov [Internet]. Bethesda (MD): National

Library of Medicine (US). Last verified: January 2014. Available from:

<https://clinicaltrials.gov/ct2/show/NCT02031406>. NLM Identifier: NCT02031406

73. University of North Carolina, Chapel Hill; The Duke Endowment, William R. Kenan, Jr.

Charitable Trust: Can a Rapid 2 Day Followup After Discharge From the ED Reduce Readmissions and Death for Patients 75 Years and Older? In: ClinicalTrials.gov [Internet]. Bethesda (MD):

National Library of Medicine (US). Last verified: March 2014. Available from:

<https://clinicaltrials.gov/ct2/show/NCT01769495>. NLM Identifier NCT01769495

74. University of Illinois at Chicago; Patient Centered Outcome Research Institute, University of

Illinois at Urbana-Champaign, Society of Hospital Medicine, COPD Foundation, University of

Kentucky, Mended Hearts, American Heart Association, Sickle Cell Disease Association of

Illinois, AcademyHealth, The National Association of Social Workers Foundation, Respiratory

Health Association of Metropolitan Chicago, University of Illinois Sickle Cell Patient Council,

National Jewish Health, Olmsted Medical Center, Baystate Medical Center, Department of

Veterans Affairs: PATient Navigator to rEduce Readmissions (PARtNER) In: ClinicalTrials.gov

[Internet]. Bethesda (MD): National Library of Medicine (US). Last verified December 2014.

Available from: <https://clinicaltrials.gov/ct2/show/NCT02114515>. NLM Identifier NCT02114515