

University of Kentucky

UKnowledge

Agricultural Engineering Extension Updates

Biosystems and Agricultural Engineering

1-1998

ROPS Retro-Fit Fact Sheet

Larry R. Piercy
University of Kentucky

Follow this and additional works at: https://uknowledge.uky.edu/aeu_reports



Part of the [Bioresource and Agricultural Engineering Commons](#)

[Right click to open a feedback form in a new tab to let us know how this document benefits you.](#)

Repository Citation

Piercy, Larry R., "ROPS Retro-Fit Fact Sheet" (1998). *Agricultural Engineering Extension Updates*. 1.
https://uknowledge.uky.edu/aeu_reports/1

This Report is brought to you for free and open access by the Biosystems and Agricultural Engineering at UKnowledge. It has been accepted for inclusion in Agricultural Engineering Extension Updates by an authorized administrator of UKnowledge. For more information, please contact UKnowledge@lsv.uky.edu.



Agricultural Engineering Update



Structures &
Environment



Soil & Water



Energy



Safety



Crop Processing



Power &
Machinery

AEU-87

ROPS Retro-Fit Fact Sheet

ROPS were first introduced commercially in 1966.

ROPS first became available for most new tractors in the late 60's or early 70's.

ROPS became standard equipment on most new tractors manufactured after 1985.

In the last two years, Deere, Case-IH, New Holland (Ford), AGCO (Massey) and Kubota have initiated special ROPS Retro-Fit Programs. These Programs:

- Provide new ROPS at more affordable prices - Usually \$400 to \$600 plus shipping, installation charges and tax. ROPS can usually be installed for a total cost of \$600 to \$1000.
- ROPS are available for most tractors manufactured after the mid sixties or early seventies.
- Retro-Fit ROPS are also available for some very popular tractor models made before the late sixties.

If you are interested in purchasing a ROPS:

- Check with the local dealer for your make & model tractor.
- Only install a ROPS if designed for your make & model tractor.
- Be sure it has an approved Performance Certification label such as meeting OSHA, SAE, ASAE or ISO certification.
- Only use parts supplied by the manufacturer for mounting ROPS and follow all recommendations and specifications.

Non-Certified ROPS, such as a shop fabricated ROPS, should NEVER be depended upon for overturn protection.

For more information contact Larry R. Piercy, Extension Safety Specialist,
Biosystems and Agricultural Engineering Department, University of Kentucky,
Lexington, KY 40546-0276, phone (606) 257-3000 ext. 107.

1-8-97
Rev. 1-98