



The Effect of Fertilizer on Seed Production of *Melilotoides ruthenica*

Zhaolan Wang

Chinese Academy of Agricultural Science, China

Jiancai Du

Chinese Academy of Agricultural Science, China

Yanyan Zhang

Chinese Academy of Agricultural Science, China

Qingfeng Li

Inner Mongolia Agricultural University, China

Juan Wang

Inner Mongolia Agricultural University, China

See next page for additional authors

Follow this and additional works at: <https://uknowledge.uky.edu/igc>



Part of the [Plant Sciences Commons](#), and the [Soil Science Commons](#)

This document is available at <https://uknowledge.uky.edu/igc/23/2-7-1/14>

The 23rd International Grassland Congress (Sustainable use of Grassland Resources for Forage Production, Biodiversity and Environmental Protection) took place in New Delhi, India from November 20 through November 24, 2015.

Proceedings Editors: M. M. Roy, D. R. Malaviya, V. K. Yadav, Tejveer Singh, R. P. Sah, D. Vijay, and A. Radhakrishna

Published by Range Management Society of India

Presenter Information

Zhaolan Wang, Jiancai Du, Yanyan Zhang, Qingfeng Li, Juan Wang, and Jun Li

The effect of fertilizer on seed production of *Melilotoides ruthenica*

Zhaolan Wang^{1*}, Jiancai Du¹, Yanyan Zhang¹, Qingfeng Li², Juan Wang², Jun Li¹

^{1*}Institute of Grassland Research, CAAS, Huhhot, China

²Inner Mongolia Agricultural University, Huhhot, China

*Corresponding author e-mail : wangzl1964@126.com

Keywords: Fertilizer, *Melilotoides ruthenica*, Seed production

Introduction

M. ruthenica is very important legume forage, which has drought resistance, winter-hardness and high protein characteristics, and is thus adaptable wide environmental range, but low seed yield limited its widely extension and utilization. Fertilizer is the necessary nutrition for plant growth and production, Alfalfa production positively correlated with soil content of P and K (Attoe and Troug, 1950), and its seed yield can be increased 20.87% ~31.37% by splashing B and Mo during the florescence (Haby and Keonaro, 1998). This study discussed the effect of fertilizer of N, P, K and microelements Mo, B, Cu, Zn on the seed production of *M. ruthenica*.

Materials and Methods

The cultivar *Melilotoides ruthenica* (L.) Sojak cv. Tumote was bred by Institute of Grassland Research, CAAS. The fertilizer experiment was conducted in the third year at branching and budding stage after establishment. The plot trial was a randomized complete block design with different treatments and three replicates. The seven treatments were designed with different application of three fertilizers of N, P, K, no fertilizer treatment as control. Nine treatments were designed with different application of Mo, B, Zn, Cu, all the micro-element fertilizers were spraying on the surface of leaf. All plots be harvested at seeds mature stage respectively.

Results and Discussion

A significant increase of seed production in all treatments of N, P, K compared with control (123.97 kg/hm²) (Fig. 1A). N₉₀P₂₂₀K₆₀ treatment produced higher seeds (156.04kg/hm²) than N₁₃₅P₃₃₀K₉₀ (144.45 kg/hm²) and N₄₅P₁₁₀K₃₀ (139.96 kg/hm²). The seed production of all micro-elements treatments were higher than control too (Fig. 1B), Mo and Zn had similar effect (129.92 kg/hm² and 129.58 kg/hm², respectively), which is better than B (125.09kg/hm²) and Cu (125.82 kg/hm²).




Fig 1 A Effect of N, P, K fertilizer on seed production of *M. ruthenica*

Note: 1 N₄₅P₁₁₀K₃₀; 2 N₉₀P₂₂₀K₆₀; 3 N₁₃₅P₃₃₀K₉₀.

B Effect of Mo, B, Cu, Zn fertilizer on seed production of *M. ruthenica*

Conclusion

Using fertilizer can increase seed production of the new variety of *M. ruthenica* (L.) Sojak cv. Tumote effectively, the optimal N, P, K fertilizer combination is N 90 kg ha⁻¹, P₂O₅ 220 kg ha⁻¹, K₂O 60 kg ha⁻¹, which increased the seed production by 25.87%. Micro-elements Mo and Zn increased the seed production by 4.8% and 4.5%, respectively.

References

- Attoe, D. J. and E. Truog. 1950. Correlation of yield and quality of alfalfa and clover hay with levels of available phosphorus and potassium [J]. *Soil Science Society of America Journal*. 14: 249-253.
- Haby V., J. V. Davis. and A. Keonaro. 1998. Alfalfa response to boron at variable soil pH on Coastal Plain soils [J]. *Better Crops with Plant Food*. 82(1): 22-23.